THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE TWO YEARS 1950-1951

SUPPLEMENT ON HOSPITAL IN-PATIENT STATISTICS

ONDON: HER MAJESTY'S STATIONERY OFFICE
1955

Hospital in-patient statistics by diagnosis can be useful, both in conjunction with other morbidity and mortality statistics in disclosing the pattern of ill-health in the community and also as an aid to planning hospital services so as to provide those facilities which are most needed. The Enquiry which provided the statistics presented in this Supplement and in the previous Supplement on this subject has until now been experimental. In the years 1949 to 1951 the summary form used was directed more to the first use mentioned above, viz. the provision of morbidity statistics of a general character, than to the production of the statistics more specifically needed in the administration of the hospital service. In 1953 and 1954, a modified form was used in which more emphasis was placed on the latter aspects. In 1955 the Enquiry is leaving its experimental phase. since sufficient experience has been obtained with the summary form and methods used and several regions expect to be able to secure the participation of all hospitals in the region other than specifically mental and mental deficiency hospitals.

Because of the experimental nature of the Enquiry and also of the lack of experience in presenting statistics of this kind, the preparation of the present volume has taken a considerable time. The pattern and problems of the hospital service have, however, not changed so much since 1951 that such lessons as can be drawn from the figures presented are not still relevant, both in the study of morbidity and in planning. It is hoped that their publication will stimulate others further to explore the uses of statistics of this kind. It has not been possible to publish more than a selection of the type of information which might be derived from the Enquiry and, quite deliberately, a different selection has been presented for each of the years 1949 (in the earlier Supplement), 1950 and 1951.

In addition to statistics derived from the In-patient Enquiry, the present volume includes an appendix giving the sex and age distribution of patients in hospital on Census night, 8th April, 1951, in each of the hospital regions in England and Wales, and rates per hundred thousand population living in those regions. These figures are derived from a special count made by the General Register Office for the Guillebaud Committee from the Census schedules completed by hospitals, and they provide new material on which comparisons between regions and forecasts of future trends may be based.

TABLE OF CONTENTS

Page

Introduction 1

Definitions and notes on technical terms 3

The tables for the year 1950 5

Variations in average duration of stay:-
by hospital group 5
by diagnosis 7
by sex 7
by age 8
by social class 8

Distribution of discharges by days between admission and discharge 9

Average duration of stay in each of the years 1949, 1950 and 1951 for certain diagnoses 10

The tables for the year 1951 11

Distribution by age, sex and diagnosis 12

Distribution by number of days in hospital and diagnosis 13

Single livebirths delivered during 1951 by weight at birth 13

Table 1. Thirty-one selected diagnoses: Variations in average stay by year, sex, age, social class and hospital group - 1950 and 1949 17

Table 2. Thirty-one selected diagnoses: distribution by days of in-patient care - 1950 25

Table 3. Fifty-eight selected diagnoses: social class distribution of discharges - 1950 29

Table 4. All discharges other than maternity conditions: sex and age distribution for diagnostic groups and selected diagnoses - 1951 41

Table 5. All discharges other than maternity conditions: distribution by in-patient days for diagnostic groups and selected diagnoses - 1951 85

Table 6. Single livebirths in hospital; distribution by sequel and length of stay according to birth weight - 1951 123

Page

Appendix A: List of hospitals participating in the Enquiry during the period 1949-1951, indicating by an asterisk those included in the tables for each year, and showing the age distribution of discharges from individual hospitals included in the tables for 1949 131

Appendix B: Numbers of patients, by Sex and Age, in N.H.S. Hospitals on Census Night, 8th April 1951, with rates per 100,000 Population 143

INTRODUCTION

The present volume presents a further selection of tables prepared from summaries of in-patient case-records; it relates to patients discharged during 1950 and 1951 from hospitals participating in the Hospital In-patient Enquiry. Tables for discharges in 1949 were published in the Hospital Statistics Supplement to the Annual Review for 1949.(1)

This enquiry began in 1949, and continued in its original form until 31st December, 1951. Its main purpose was to provide experience in collecting diagnostic information from hospitals with a view to undertaking a more representative enquiry later. A modified enquiry, on a sampling basis, was introduced towards the end of 1952 and this is being much extended in 1955. The changes introduced enable the principal diagnosis, and other factors, to be linked with the specialist department responsible for treatment. In this way the enquiry will in future be complementary to the in-patient hospital statistics by department published annually by the Ministry of Health.(2) The aims and objects of such enquiries were briefly discussed in the Supplement for 1949; they are, broadly, to assist in hospital administration by supplementing the statistics by department in terms of the diseases treated and the characteristics of the patients who had these diseases and also to supplement information about the pattern of ill-health in the community derived from mortality and other morbidity statistics.

The original enquiry covered the majority of teaching hospitals in England and Wales, nearly all the hospitals in Leicester and Leicestershire, a substantial proportion of the acute and mainly acute non-teaching hospitals in Manchester, two large acute hospitals in Middlesex and one mainly acute hospital in Wales. These hospitals participated on a voluntary basis and completed a standard summary form for every in-patient discharged from 1st January, 1949, to 31st December, 1951. The main items of information recorded were sex, age, marital status and occupation of the patient, together with the final diagnosis at discharge. The only facts recorded about the hospital or its administrative arrangements for dealing with the patient comprised the hospital's name and whether the case had been transferred to or from another hospital. A copy of the summary form itself, and an extract from the accompanying instructions, were reproduced in the first report on the enquiry.(3)

Certain hospitals participated in full for the first time in 1950; certain others that participated in 1949 withdrew either in 1950 or 1951. Appendix A lists the participating hospitals whose summary forms contributed to the tabulations in each or any of the

---

(1) General Register Office: Registrar General's Statistical Review, 1949, Supplement on Hospital In-patient Statistics. H.M.S.O. price 15s. net.

(2) Ministry of Health: Hospital and Specialist Services, England and Wales; Statistics for the year ended 31st December, 1949 and each subsequent year. H.M.S.O. price 20s. net.

(3) General Register Office: Studies on Medical and Population Subjects, No.4. Hospital Morbidity Statistics, by Donald MacKay, M.A., M.B. H.M.S.O. price 3s.6d. net.

years 1949, 1950 and 1951. The number of summaries from each hospital relating to 1949 - i.e. discharges in 1949 - and their age distributions are also shown. These, in several instances, fell short of the total in the hospitals' annual statistical returns to the Ministry of Health.

The discharges from all hospitals in the enquiry taken together in 1949 were 10% of the total from all hospitals in England and Wales. But, while the teaching hospitals account for only about 15 per cent of discharges from all hospitals in the National Health Service, they comprised about 75 per cent of discharges in the 1949-51 enquiry. The relative representation in 1950 and 1951 changed little from that in 1949, when the proportion of discharges from participating teaching and non-teaching hospitals to the national totals were about 50% and 3% respectively (livebirths in hospital being excluded in each case).

The distribution by diagnosis of all discharges from participating hospitals may therefore give an erroneous picture of relative frequencies due to considerable overweighting of certain conditions and certain specialties in favour of the teaching hospitals (e.g. congenital malformations). It is for this reason that discharges from teaching and non-teaching hospitals have been tabulated separately.

Attempts to estimate the number of discharges for a particular condition in the country as a whole can be made by 'weighting' the separate totals before combining them. For example, one can multiply the number discharged from participating non-teaching hospitals by 33 and add to the figure so obtained twice the teaching hospital discharges.(1) This will give a better idea of the relative order of frequency for broad groups of diseases, but it is best frankly to recognise that the enquiry, at the stage covered by this Supplement, was not sufficiently representative to yield estimates of discharge frequencies on a national scale. The main reasons are that (a) specialist consultant departments in the participating hospitals were not represented in the same proportions as in the hospitals of the National Health Service as a whole, (b) there were no mental hospitals in the non-teaching group, (c) few chronic sick hospitals were included and (d) none of the hospitals involved had any general practice units. These deficiencies are likely to be removed in 1955.

The material relating to sex, age, duration of stay, etc., for individual diagnoses published in this and in preceding publications relating to the enquiry can be used with greater confidence, however, as the bias is mainly in the relative frequency *one to another* of different diseases and injuries, and not in the distribution of cases within each condition by sex, age, days of in-patient care, etc. The only serious limitations which must be kept in mind are that discharges at ages 65 and over, particularly those relating to the chronic or terminal illnesses of old age, may be under-represented and that the proportion of discharges under 15 to those

---

(1) $\frac{100}{3}$ x All 'non-teaching' discharges in 1949 + $\frac{100}{50}$ x All 'teaching' discharges in 1949.

15 and over may be biased in certain circumstances. These limitations arise because, at the two extremes of the age span, a large proportion of the hospital load is dealt with in special hospitals (chronic hospitals and children's hospitals).

Definitions and comment regarding certain of the terms used were published in the 1949 Hospital Supplement; some of these are of particular importance in relation to the tables which follow, and are therefore repeated.

Definitions and Notes on technical terms

Discharges

A *discharge* signifies a completed period of in-patient care in the hospital concerned, whether the patient returned to his home, was transferred to another hospital or institution, or died. Discharges (and summary forms) therefore relate to the termination of periods of stay (spells of in-patient care) in particular hospitals. They do not specify the number of *persons* who received hospital care nor do they specify the number of illnesses for which in-patient care was given since they take no account of whether there were two or more successive periods in the same hospital, in different hospitals or in convalescent homes.

Bed-days; Average Duration of Stay

Bed-days for a single period of in-patient care are the number of days between admission and discharge, the days of admission and discharge together being counted as one. The *mean bed-days* (average duration of stay, or of spells of in-patient care) is obtained by dividing the total bed-days by the total number of discharges during the year.

The bed-days computed from the dates of admission and discharge will correspond, for patients suffering from short-term illnesses at least, to the number of times such patients were counted during the year in the daily midnight census of bed-occupation plus the numbers admitted and discharged the same day, i.e. who were not in the hospital at midnight.

Private patients

These were included only when their case histories were kept with the general hospital records. This was the practice in a number of the participating hospitals. The form itself does not provide any means of distinguishing such patients, but they represent only a small proportion of the cases assigned to social classes I and II.

Day patients

The memorandum on how to complete the summary form stated that a form was to be completed 'for every patient who is discharged from, or dies in, hospital after having passed one or more nights

in an in-patient bed. In-patients admitted and discharged the same day and who did not spend a night in the hospital were, however, usually included where their case-histories were kept with those of other in-patients. Each such admission was credited with one patient day, as if a night had been spent in the hospital.

Transfers to and from other hospitals

Where it was the practice for one in-patient record to cover the stay in a pre-convalescent unit or a convalescent home as well as the stay in the parent hospital, one summary form covered the whole period as a single spell of in-patient care. This procedure was followed by nearly two-thirds of the participating hospitals. Otherwise, the summary form from the parent hospital alone was received and was coded as 'transfer to another hospital'; the convalescent units concerned did not complete summary forms for these cases.

The proportion of discharges admitted as transfers *from* other hospitals was about 1% through the period, while transfers to other hospitals did not exceed 3% of the total discharges.

Table 1 in the preliminary report on the Enquiry (Studies on Medical and Population Subjects; No.4) shows how these proportions varied by diagnosis. As indicated above, transfers to convalescent units were not recorded as such, and in many cases were included in the one period of in-patient care.

Readmissions

No arrangement was made to identify the number of patients admitted twice or more in the year on account of the same condition. The proportion is known to vary considerably according to the disease and there is evidence that it was higher in some hospitals than in others.

Principal Cause of Admission

The method of diagnosis reporting used in the Enquiry during 1949-1951 followed the suggestions in the Medical Research Council's Classification of Diseases published in 1942. The form in which diagnoses were reported, and a discussion of the terms used and their definitions, will be found on pages 21-23 of the preliminary report.

The present series of tables is limited to analyses by the 'Principal Cause of Admission', which was generally interpreted by the hospitals as the final diagnosis of the specific or principal specific condition treated during the admission or found on investigation to be the underlying cause immediately responsible for the patient's symptoms.

The principal diagnosis was coded to one or other of the rubrics in the 6th Revision of the International Statistical Classification of Diseases and Injuries (1948), with due regard to the presence of any complications and accessory conditions where

the terms of the classification allow them to modify the coding of the primary condition.

Deaths in hospital

Deaths occurring in hospital among the discharges are distinguished in some of the tables. For each of these deaths a death certificate will have been completed giving the cause of death. In some cases the certified cause of death will not be the same as the disease or condition that led to admission to hospital. For example, a patient admitted to hospital because of gastric ulcer may die in hospital from, say, cerebral haemorrhage, this latter condition being unrelated to the ulcer or to treatment given on its account. In such circumstances the diagnosis on the hospital record would correctly be gastric ulcer, but the certified cause of death would be cerebral haemorrhage.

THE TABLES FOR THE YEAR 1950

The analyses of summary forms relating to 1950 are limited to selected diagnoses and diagnostic groups: 31 are shown in the case of Tables 1 and 2, and 58 in the case of Table 3. They include some of the commonest conditions admitted to in-patient care. Coding of diagnoses has been in accordance with the International Classification, but the order in which the diagnoses appear departs from the conventional ranking in the Classification in favour of an arrangement intended to bring together conditions commonly dealt with in the same specialist department of the hospital. It is necessary to emphasise that individual cases were not assigned to the department from which they were discharged; this was impossible, for the summary form in use during 1949-51 did not ask for the department or specialty. The assignment has been made according to what is believed to be customary practice for the disease or injury taken as a whole.

Table I: Variations in average duration of stay by hospital group, diagnosis, sex, age and social class

Variations in average stay by hospital group

The average duration of stay recorded by different hospitals for each of the various specialties, e.g., general surgery, gynaecology, otolaryngeology, often differ considerably. The interpretation of these differences in terms of 'good' or 'bad' turnover may be difficult when the only figures available are total discharges classified by specialist department. The anomalies which result when the healthiness or unhealthiness of towns is judged solely by the numbers of their residents dying per thousand inhabitants (the crude mortality rates) are well known. These crude rates will be high where the proportion of old to young is high and comparisons should therefore be made only after the data have been suitably adjusted to allow for differences in the age-composition of the populations concerned.

Difficulties of the same sort arise when comparing the average durations of stay in various hospitals, or even in the same department at different hospitals. Previous tabulations for the In-patient Enquiry showed that

(a) the average period of hospital care varies with the disease[1] - e.g., 21 days for pneumonias, and 28 days or more for heart diseases; 25 days or more for "surgical" cancers such as those of the gastro-intestinal tract and the breast; 12-14 days for appendicitis and hernia; 21 days for peptic ulcer; 7-8 days for traumatic wounds.

(b) the relative frequency with which different diseases are admitted changes appreciably with age[2].

(c) the proportion of males to females among the discharges differs considerably from one disease to another.[2]

Comparisons between departments are therefore valid only when they admit similar diseases in similar proportions. Evidence on this point is not yet available, but the present enquiry enables us to isolate discharges relating to the more important diseases and examine the average stay in different hospital groups for patients suffering from the same disease.

This is the purpose of Table 1 in the present volume. The differences in average stay between hospital groups for the same disease are often quite marked, and inspection of the figures suggests that where the mean stay for one condition in a particular hospital group is unusually long (or short) it also tends to be long (or short) for other conditions of a similar type (compare groups B, D, F, W, X and GG on the one hand with groups G, Q, T, U, and DD on the other). Even for one disease, however, variations between hospitals may arise, not only or exclusively from differences in medical or administrative policy with regard to length of stay, but from the inherently different needs of male and female patients, of younger and older patients, or possibly of patients coming from different socio-economic backgrounds.

Accordingly, it must be shown whether differences in average stay between patients classified with respect to these factors can be sufficiently large to account for the observed differences between hospital groups. It is reasonable to suppose that the *general* effects on length of hospitalisation which can be attributed to age, sex or social circumstances will tend to work in the same direction in each hospital, whether its overall length of stay is above or below the average. For the purpose of demonstrating the probable magnitude of the effect of these factors it will therefore be sufficient to consider data based on the combined experience of the participating hospitals.

---

(1) General Register Office: Registrar General's Statistical Review, 1949, Supplement on Hospital In-patient Statistics. H.M.S.O. price 15s. net.

(2) General Register Office: Studies on Medical and Population Subjects, No.4, Hospital Morbidity Statistics, by Donald MacKay, M.A., M.B. H.M.S.O. price 3s.6d. net.

From Table 1, variations in average duration of stay among individual hospital groups for each of the selected conditions can be compared with the variations in mean stay, based on the pooled experience of all the hospitals, between - (a) the two sexes; (b) three different social class groups (social classes I-II, III, IV-V); (c) children, younger and older working adults, and the elderly (ages 0-14, 15-44, 45-64, 65 and over). The mean stay at different ages had been taken from data previously published in the 1949 Hospital supplement; the rest of the material is based on cases discharged during 1950. Additional lines show the average stay in the two years 1949 and 1950 for the selected conditions. (The number of bed days were derived by adding together the days of care recorded for each case; they were not obtained from the distributions shown in Table 2.)

Variations in average stay by diagnosis

Differences in average stay between diseases likely to be dealt with in the same department are considerable in some cases (e.g. abortion and uterovaginal prolapse; 8 and 20 days respectively). On the whole, marked differences between diagnoses are maintained irrespective of sex, age, social class, or the hospital concerned. Prima facie, comparisons between one department and another should take into account the relative proportion of "long-stay" and "short-stay" cases in the departments concerned.

Table 1 in this volume and Table H2 in the 1949 Supplement suggest, however, that many conditions, though aetiologically different, have similar requirements in respect of length of hospitalisation: e.g., peptic ulcer 22 days; cholecystitis and cholelithiasis 21 days. Only one or two broad diagnostic groupings within departments may be needed for more exact duration of stay comparisons, provided they are realistically chosen to distinguish conditions with unusually short and unusually long bed-stay requirements. The operation performed and whether the admission was for observation or diagnostic investigation may be more relevant to certain duration of stay comparisons than the principal diagnosis.

Variations in average stay by sex

There does not appear to be any consistent pattern in the differences in average stay between the sexes for the same disease, and more often than not it is usual to find that the figures are almost identical.

Differences may become apparent where the nature or the severity of the condition is not the same for each sex, or where the diagnostic group is a broad one comprising several varieties each affecting males and females in different proportions. (e.g. hernia, prolapsed intervertebral disc, peptic ulcer.)

At individual hospitals, however, the shortage of accommodation for females may necessitate discharging patients earlier than usual for all conditions. In other hospitals the same may be true for males. On a national scale, however, there is likely to be some tendency for such shortages to balance out as between the sexes.

Variations in average stay for the same condition by age of patient

Among adults of different ages treated for the same condition, duration of stay tends, in most instances, to be longer at ages 45 and over than at younger ages, and there is often a further increase in the length of bed care required at ages 65 and over. These trends are in accordance with expectation. Advancing age brings a greater likelihood of associated illness, such as cardio-renal disorder, or bronchitis, which will prolong treatment, and also a greater liability to develop complications, such as post-operative chest disturbances.

Children have a longer stay than adults in several instances, but in others the average period in hospital is substantially shorter. From the medical and administrative point of view, however, the in-patient facilities needed for children are usually quite distinct from those for adults, even for what is nominally the same disease.

The important point which emerges from this table (and from Table H.2 in the 1949 Supplement) is that, for individual diseases, differences in length of stay in hospital between age groups are often more substantial than differences between the two sexes. In many situations it seems unnecessary to examine the average length of stay for each sex separately by diagnosis, provided the range of diseases tabulated is sufficiently comprehensive to distinguish the most important of the conditions which affect one sex more than the other as well as the conditions peculiar to each, and gives the number of male and female discharges by age.

Variations in average stay for the same condition by social class (1)

In a considerable proportion of cases insufficient information was provided on the discharge form to permit a social class assignment, especially among housewives and the elderly. Such cases included a number of emergency admissions of patients who were too ill for the usual interview with the records officer.

It was nevertheless decided to carry out a tabulation of average stay by social class within selected diagnoses, and the results are included in Table 1. It follows from what has just been said that any conclusions based on these figures cannot apply to the elderly or to whole-time housewives.

The mean stay in the three social class groups are remarkably similar throughout the range of diagnoses. The overall mean of the average periods of stay in days for all the conditions specified in Table 1, excluding bronchitis were as follows:-

I & II	III	IV & V
14.7	15.1	15.4

The slight upward gradient revealed by the aggregate amounts to less than one day as between classes I and II and IV and V. On this evidence, socio-economic circumstances do not appear to have

(1) For description of Social Classes see:- General Register Office; Registrar General's Statistical Review, 1949 Supplement on Hospital In-Patient Statistics, Page 9. H.M.S.O. price 15s. net.

any general or systematic influence on the length of time which National Health Service patients spend in hospital. The influence of socio-economic circumstances on average stay is often considerable for individual patients, but such instances would not seem to affect materially the figures for the social class groups.

A certain number of private patients will have been included in the enquiry though it is known that summary forms were not submitted for the majority of such patients. The bulk of the cases classified to social classes I and II were admitted either to the ordinary or amenity beds of the Health Service, so that no conclusion can be drawn from these figures as to any influence which hospital charges may or may not have on average length of stay.

Table 2: Distribution of discharges shown in Table I by days between admission and discharge

Table 2 for all hospitals combined shows how the discharges classed to each of the conditions distinguished in Table 1 were distributed according to the number of days between admission and discharge.

The range of each of these combined distributions tends to be wider than that of any single hospital distribution. The following typical example shows the percentage distribution for 'inguinal hernia without obstruction' in four hospital groups separately and in the four combined, together with the distribution for the aggregate of all participating hospitals in 1951. Discharges in the first five days of admission, together with discharges at 18 days or over, amounted to 25 per cent of the total for all hospitals combined; the corresponding percentages in each of the groups A, U, AA, and GG were 16, 31, 6 and 16.

Length of stay in days	Percentage distribution of discharges					
	Group A 258 cases	Group U 358 cases	Group AA 222 cases	Group GG 132 cases	A; U; AA; GG 970 cases	All Groups 6,117 cases
0-1	1	3	3	2	2	2
2-3	1	4	2	2	3	3
4-5	1	7	0	-	3	3
6-7	4	19	2	-	9	8
8-9	12	17	20	3	15	12
10-11	21	13	41	20	23	21
12-13	23	11	20	20	18	17
14-15	16	5	7	35	12	12
16-17	8	4	2	8	5	6
18-19	5	4	0	4	3	4
20-21	2	4	0	4	3	4
22 and over	6	9	1	4	6	9

Discharges in 1951 have also been tabulated by diagnosis on the lines of Table 2 to show the distribution *in each participating hospital* by days between admission and discharge. Most of the conditions shown in that table, together with some others, have been analysed, and the tables are available for reference at the General Register Office.

Average duration of stay in each of the years 1949, 1950 and 1951 for certain diagnoses

The average stay during 1949, 1950 and 1951 is shown in the following table for some of the conditions specified in Table 1; in some cases slightly different disease groupings were used in each year.

Diagnosis	Average length of stay in all participating hospitals combined		
	1949	1950	1951
Lobar pneumonia (490)	20.3	20.7	19.3
Rheumatoid arthritis (722.0)	57.2(1)	64.2(1)	67.1
Thyrotoxicosis (252)	19.7	22.2	22.5
Peptic ulcer (540; 541)	22.1	23.2	22.8
Cholecystitis and cholelithiasis (584; 585)	20.7	22.1	21.4
Haemorrhoids (461)	13.9	14.2	14.2
Hernia without obstruction (560)	13.8	13.9	13.7
Appendicitis (550-552)	12.7	12.9	12.7
Internal derangement of knee joint (734)	14.9	15.3	15.1
Displacement of intervertebral disc (735)	19.8	23.5	24.2(2)
Hallux valgus and varus (747)	14.8	14.3	14.6
Fibromyomata of uterus (214)	19.0	18.6	19.3
Cervicitis, etc. (630.0; 630.1)	9.3	9.0	8.1(3)
Disorders of menstruation (634)	8.6	8.5	8.2
Abortion (650-652)	8.5	8.3	7.9(4)
Uterovaginal prolapse (631)	20.5	20.6	20.5
Cataract (385)	15.3	15.3	15.5
Otitis media (391)	12.0	12.7	13.9
Mastoiditis (392; 393)	19.5	21.8	21.0
Sinusitis (471; 513)	10.0(5)	9.5	9.3
Hypertrophy of tonsils and adenoids (510)	4.1	4.2	4.1
Acute tonsillitis and pharyngitis (472; 473)	5.9	7.5(6)	6.9(6)

(1) Rheumatoid arthritis (722.0) together with allied conditions (722.1)
(2) Includes sciatica (363). Mean stay in 1949 for 735 and 363 combined was 19.6 days.
(3) Excludes infective diseases of uterus other than cervicitis (630.1)
(4) Includes only spontaneous or unspecified (650.0)
(5) Excludes acute sinusitis (471)
(6) Includes streptococcal sore throat (051)

The number of participating hospitals did not remain the same in each of the three years, and in 1949 a few of them had to be excluded from tabulation for reasons explained in the 1949 Supplement. These entries and withdrawals detract little from the validity of the figures, as the discharges involved were relatively few in relation to the total number handled each year. In 1949 and 1950 bed days were obtained by adding the actual numbers recorded (as for Table 1); but in 1951 they were computed from distributions similar to those in Table 2, but class intervals were in single days

up to 29. The bed days were derived by multiplying the discharges in each class-interval by the interval midpoint.

It is evident that the changes in average duration of hospital care for specific diseases in all the hospitals combined over a period of two years are relatively insignificant in comparison with the striking differences in length of stay for the same conditions in the same year between individual hospital groups.

THE TABLES FOR THE YEAR 1951

All summary forms received from the participating hospitals for 1951 have been tabulated, with the exception of forms relating to (a) deliveries and complications of pregnancy, childbirth and the puerperium (640-689) and (b) individuals who were not sick (Supplementary Classification, Y rubrics). Single livebirths in hospital have been tabulated separately in relation to birth-weight.

The diagnostic list used in Tables 4 and 5 is a condensation of the complete (4 digit) list in the International Statistical Classification. Common or interesting conditions are distinguished within the framework of a series of summary groupings. These groupings are based on the section headings which sub-divide the seventeen sections of the Classification. The residual aggregate within each summary grouping is shown for convenience; it may have little clinical significance. (The proportions in which the constituent rubrics are represented in the residual can be derived from Table H.1 in the 1949 Hospital Supplement.) It is possible to produce, by simple addition, from the list used in these Tables, the International "C" List of 50 causes for tabulating morbidity data.

The original working tables gave the distributions for each disease or injury distinguished in the classification. These detailed tables are available for reference at the General Register Office. There are also separate tabulations, in full diagnostic detail, which relate only to children under 15 and give for each condition: the distribution of discharges by length of stay and an age-analysis in finer age groupings - viz: (age last birthday) under 4 weeks; 4 weeks - 2 months; 3-5 months; 6-11 months; 1 year; 2 years; 3-4 years; 5-6 years; 7-8 years; 9-11 years; 12-14 years.

In studying these tables, one should keep in mind the limitations of the summary form used. It did not ask doctors to differentiate between discharges given the same final diagnosis according to whether the patient had been admitted for treatment or had been taken into the wards for detailed investigation in order to get a firm diagnosis or prognosis of his complaint, nor did it distinguish between the first, second or third etc., admissions to the hospital during the year for the same disorder.

The International Statistical Classification distinguishes cases where there was no complaint of sickness or injury (which it assigns to rubrics in the Supplementary Classification) from cases admitted with a complaint of sickness or injury. Very few in-patient admissions come into the former category. Those who are sick must be assigned to one or other of the specified diseases or injuries, which cover the whole range of morbid conditions, unless observation or investigation of the presenting sign or symptoms shows no need for further treatment or medical care, - e.g. forms marked 'N.A.D.'. The prescribed assignment for these cases is to category 793.

Any disease, injury, sign or symptom of definite character stated to be the final diagnosis of the primary condition was accordingly coded by the General Register Office as the primary condition, whether or not qualified by the words 'investigation only'.

In a proportion of summary forms, however, the only entry under 'final diagnosis' was a phrase such as 'For investigation', 'Investigation N.Y.D.' 'Barium X-ray examination', 'Renal Investigation'. Strictly speaking the rubric 793 is not appropriate to such cases, for it is not stated that the results of the investigation were definitely negative. These cases were generally coded to the Supplementary Classification in 1949 and 1950, and rubric 793 was restricted to instances where normal findings were reported. In 1951, however, the use of the Supplementary Classification was restricted to cases who were not sick, e.g., healthy mothers admitted with sick babies, blood and other tissue doners, routine follow-up examinations without mention of investigation or other procedure indicating continued treatment, relapse, or the development of complications. (These 'non-sick' cases have not been included in the tabulations). The group of cases mentioned above had in consequence to be accommodated in one or other of the disease or injury rubrics. It was decided to assign them to 793. The full title of this rubric 'Observation, without need for further medical care' is therefore too narrow in the context of this enquiry; 'Observation or Investigation, not otherwise specified' would be a more appropriate designation.

The increase in numbers for rubric 793 in 1951 compared with 1949 is mostly explained by the transfer of cases previously included among the special admissions, but summary forms where investigation was recorded in conjunction with a diagnosis qualified by the words 'not yet determined' or their equivalent were also classed to this rubric.

The number of cases admitted solely or mainly for investigation was therefore considerably higher than those classed to 793 - but the exact numbers are not known.

Table 4: Distribution by age, sex and diagnosis

Table 4 shows how discharges from (a) Teaching Hospitals and (b) Hospitals under Regional Boards were distributed in 1951 by diagnosis, age and sex; those among them at each age recorded as dying in hospital are shown separately.

The value of sex and age distribution data in hospital clinical practice was briefly discussed on pp.13-14 of the 1949 Hospital Supplement. Any changes which may have taken place in the last few years in the sex ratios or age distributions of individual diseases are generally unimportant in relation to the sampling error, and 1949 and 1951 figures may be combined with advantage when the numbers are small. The purpose of this tabulation is accordingly twofold: (a) to give additional sex and age figures to use in conjunction with those published in 1949 in respect of relatively rare but clear-cut diagnostic entities, where one year's experience does not yield many cases; (b) to supplement 1949 figures in instances where the numbers shown for any age or sex group *within* a disease seem excessively high for a chance fluctuation and might be due to the repeated hospitalisation of one patient; (c) to provide age-specific hospital mortality ratios.

Table 5: Distribution by number of days in hospital and diagnosis

Table 5 classifies by diagnosis the discharges in 1951 from Teaching and Regional Board hospitals participating in the Enquiry according to length of stay in groups of days. The sexes are not distinguished, but the separate distributions for males and females are available at the General Register Office to those who wish to consult them. Deaths in hospital during each period of stay among the relevant discharges are also shown.

The class intervals for the 'days in hospital' groupings are broader than those shown in Table 2 and it will be evident that only approximate calculations of bed days can be made from these distributions.

The percentages discharged after one week or ten days, and the percentages remaining after 4 weeks, or 3 months, are useful comparative indices. Simplified 'Hospital Stay' tables on the lines of a life table can be derived by calculating how many out of every 100 admissions will still be in hospital at the end of each period. For acute and other conditions with an average stay of under 6-8 weeks, there will be little error in assuming that figures based on cases discharged over any given period will be practically the same as figures based on cases admitted during the same period.

Tables 6a-6c: Single livebirths delivered during 1951 by weight at birth

Table 6a shows how the 32,915 single livebirths in the participating hospitals during 1951 were distributed by weight in pounds at birth. The babies in each weight-group are classified according to whether they were discharged home, died in hospital, or were transferred to another hospital, and the distribution by days of stay in hospital is shown in each case. (This distribution, since it is designed primarily for hospital stay analyses, gives the numbers discharged or dying *at* or under 7 days, 28 days, etc., and not under 7 days, under 28 days.)

A per cent mortality ratio is given in Table 6a for each weight-group. This relates to all discharges, but the rate of mortality per 1,000 liveborn at different intervals of time can be calculated - for example at 28 days or under, as in the following table, which also shows the percentage of babies in each weight-group.

Weight group	Number of single livebirths	Percent distribution of single livebirths	Mortality per 1,000 livebirths 0-28 days (excluding transfers)
2½ lb weight and under	124	0.4)	814)
- 3 lb	84	0.3)	549)
- 3½ "	133	0.4)	414)
- 4 "	161	0.5) 7%	269) 160
- 4½ "	268	0.9)	119)
- 5 "	477	1.5)	83)
- 5½ "	897	2.9)	35)
- 6 "	1,895	6.1)	12)
- 7½ "	14,349	46.2)	6)
- 8 "	5,058	16.3) 93%	5) 6
- 9 "	5,805	18.7)	4)
-10 "	1,498	4.8)	3)
Over 10 lb weight	304	1.0)	27)

Mortality from about 15 days onwards may be underestimated, for a few babies discharged home from about the 10th day onwards may have become ill and died before the 28th day. The number of such deaths is not known.

The average weight of single livebirths was 7.2 lb.

The risk of death decreased steadily with increasing weight up to about 7 lb.; then more slowly. Mortality was least among babies between 8 lb. and 10 lb., where deaths in the first 28 days were only 4 per 1,000. But mortality rose sharply again to 27 per 1,000 at weights over 10 lb. though there were only 304 such babies - 1 per cent of the total.

Among babies of over 10 lb., there will be some whose weight is high because of the presence of disease or congenital abnormality; these will be poor risks in any event, and the rate might be lower if they could be excluded. Many babies, however, have a very high birth weight because they are 'postmature', and owing to placental insufficiency the risk of anoxia during delivery may be greater. In addition, the risks of mechanical trauma at birth are always increased with large babies. The neonatal mortality rate of 27 among babies over 10 lb. is not far short of the rate of 35 which prevailed among babies between 5 lb. and 5½ lb.

Seven per cent of all single livebirths were 'premature', i.e. 5½ lb. or under, but 42 per cent of those 2,144 'premature' infants weighed between 5 and 5½ lb. i.e. they were only just below the arbitrary 5½ lb. level.

73 per cent of all infants dying within 48 hours were 'premature'; 69 per cent of those dying at or under 1 week of age, and 66 per cent of those dying at or under 4 weeks.

Tables 6a and 6b show separately the experience of participating hospitals in the Greater London area and in the North of England. The mortality rates in the first 28 days per 1,000 live-born in each of four weight groupings are compared in the following table, which shows the extent to which mortality rates in the northern hospitals were in excess.

Birth weight group	Mortality at 0-28 days per 1,000 live-born	
	Hospitals in Greater London Area	Hospitals in North of England
3½ lb. and under	548	593
Over 3½ lb.; not over 5½ lb.	54	86
Over 5½ lb.; not over 7½ lb.	4.7	8.2
Over 7½ lb.	4.2	5.0

Disparities between hospitals in their neonatal mortality rates are often due to differences in the proportion of maternities at various ages and parities admitted, and in the number of 'normal' cases dealt with in each age and parity group. The information which hospitals were asked to supply on the summary form used in 1951 was not sufficiently detailed to reveal the nature and extent of such differences. The majority of these hospitals were teaching units; the proportion of complicated or assisted deliveries in 1949 was 27 per cent in the London Teaching hospitals and 35 per cent in the Provincial Teaching hospitals.

Table 6a shows also that babies (and their mothers) were discharged home earlier from the 'North of England' group of hospitals, except for the few infants weighing less than 3½ lb. Excluding deaths and transfers, the proportions discharged before the 12th day were:

	Per cent discharged home by 12th day	
	Hospitals in Greater London Area	Hospitals in North of England
3½ lb. and under	17	7
Over 3½ lb.; not over 5½ lb.	29	44
Over 5½ lb.; not over 7½ lb.	60	73
Over 7½ lb.	58	73

TABLE I - Thirty-one selected diagnoses: Variations in average stay (in days) by year, sex, age, social class and hospital group - 1950 and 1949.

Thirty-one selected diagnoses arranged according to the hospital department or specialty in which they are mainly treated and classified in different ways; number of discharges and average length of stay for each category displaying the range of variation in average stay within each diagnosis:

(a) between two years - 1950 and 1949: all participating hospitals combined

(b) between four age groups - 0-14, 15-44, 45-64, 65 and over: 1949 all participating hospitals combined

(c) between the sexes - 1950: all participating hospitals combined

(d) between three social class groups; I and II, III, IV and V: 1950, all participating hospitals combined

(e) between three aggregates of participating hospitals: 1950, London Teaching, Provincial Teaching and Regional Board Hospitals

(f) between the thirty-two individual hospital groups participating in the enquiry.

TABLE I

Category or Hospital Group	Medical										Medical or Surgical										Ophthalmological			
	Chronic rheumatic heart disease (410-416)		Coronary heart disease etc: (420)		‡ Acute tonsillitis and pharyngitis, etc: (051, 472, 473)		Pneumonia (490-493)		Bronchitis other than chronic (500, 501)		Thyrotoxicosis (252)		Peptic ulcer (540, 541)		*Ulcer of stomach (540)*		*Ulcer of duodenum (541)*		Cholecystitis and cholelithiasis (584, 585)		Cataract (385)		Strabismus (384)	
1949: Numbers and Average Stay by Ages																								
All hospitals, total ≠	1,424	28.4	1,407	26.9	2,203	5.9	4,247	20.4	*		2,058	19.7	8,624	22.1	*3,190*	*23.6*	*5,434*	*21.3*	2,388	20.7	3,022	15.3	2,445	11.0
Ages 0-14	67	55.2	-	-	1,496	5.4	1,644	17.3	*		8	20.9	27	16.3	*13*	*15.9*	*14*	*16.7*	3	21.3	104	10.1	1,738	11.0
" 15-	859	26.0	75	27.4	644	6.9	923	19.2	*		1,223	18.5	3,478	20.3	*976*	*20.9*	*2,502*	*20.1*	568	18.0	220	13.0	649	10.6
" 45-	453	28.6	865	27.7	43	7.7	1,043	22.4	*		737	20.8	4,279	23.1	*1,753*	*24.7*	*2,526*	*22.0*	1,271	21.2	868	15.6	40	12.8
" 65 and over	43	31.5	454	25.4	5	6.0	624	27.3	*		85	26.1	813	24.6	*438*	*25.3*	*375*	*23.8*	536	22.3	1,820	15.7	13	12.8
1950: Numbers and Average Stay by Sex and by Social Class																								
All hospitals, total	1,867	29.4	2,071	29.7	1,727	7.5	4,434	22.1	1,134	27.9	2,397	22.2	9,207	23.2	*3,500*	*25.0*	*5,707*	*22.1*	2,857	22.1	3,068	15.3	3,010	10.7
Males	535	28.4	1,434	29.7	805	7.5	2,533	22.1	599	36.7	350	22.4	7,328	22.3	*2,510*	*23.6*	*4,818*	*21.6*	558	21.4	1,396	15.2	1,432	11.1
Females	1,332	29.8	637	29.5	922	7.5	1,901	22.1	535	18.0	2,047	22.1	1,879	26.7	*990*	*28.5*	*889*	*24.6*	2,299	22.3	1,672	15.5	1,578	10.3
Social class I, II	171	28.8	355	25.8	266	7.0	462	19.1	104	17.2	353	19.9	1,111	22.7	*369*	*25.8*	*742*	*21.1*	384	20.8	240	14.8	309	10.2
Social class III	705	26.7	726	29.1	794	7.2	1,735	21.8	417	31.7	1,014	20.8	4,417	22.4	*1,508*	*24.2*	*2,909*	*21.5*	962	21.1	800	14.3	1,451	10.2
Social class IV, V	334	27.0	301	34.0	379	7.9	1,114	20.6	293	18.6	469	20.3	2,474	23.2	*1,001*	*24.2*	*1,473*	*22.6*	516	21.3	515	14.9	634	10.5
Social class Not assigned	657	33.7	689	30.4	288	8.4	1,123	25.2	320	35.0	561	27.7	1,205	26.3	*622*	*27.7*	*583*	*24.9*	995	23.9	1,513	16.1	616	12.2
Excl. London Teaching:-																								
Social class I, II	113	27.6	237	20.7	156	7.8	370	19.1	77	17.0	245	16.8	846	21.5	*277*	*25.1*	*569*	*19.7*	313	21.1	169	15.0	216	9.6
Social class III	517	26.3	536	26.9	504	7.8	1,505	21.2	341	35.7	768	17.4	3,477	20.9	*1,113*	*22.6*	*2,364*	*20.1*	813	20.4	611	14.2	1,064	9.9
Social class IV, V	227	26.7	209	32.5	228	8.8	962	20.3	232	18.8	370	16.9	1,976	21.6	*734*	*22.2*	*1,242*	*21.2*	446	20.7	407	15.2	505	10.2
Social class Not assigned	324	37.0	454	28.5	115	7.9	772	27.4	194	48.0	257	21.1	807	24.1	*421*	*24.8*	*386*	*23.4*	685	23.7	982	16.3	248	13.0

1950: Numbers and Average Stay by Hospital Groups

London Teaching Groups	686	29.4	635	35.3	724	6.8	825	22.1	290	15.4	757	31.7	2,101	28.8	955	29.9	1,146	27.9	600	24.1	899	15.2	977	11.5
Group A	86	24.0	86	30.6	22	12.1	82	24.6	13	18.2	131	33.1	371	27.4	158	28.1	213	26.9	85	26.0	40	16.4	29	11.2
Group B	119	32.9	91	34.7	34	11.2	79	33.7	28	20.2	173	34.3	358	30.6	194	31.7	164	29.4	87	30.5	91	17.8	178	12.8
Group C	54	22.3	31	26.4	16	9.3	41	18.8	9	18.9	50	20.4	109	27.2	46	30.1	63	25.1	24	29.4	13	25.9	5	16.6
Group D	51	24.2	91	34.1	31	8.8	142	19.1	38	16.5	68	34.0	266	29.0	114	28.0	152	29.8	77	24.8	76	17.9	57	11.1
Group E	65	32.2	111	32.2	27	12.9	74	20.3	24	13.2	113	26.8	267	30.1	92	32.4	175	28.9	93	22.3	157	13.2	33	13.5
Group F	49	28.5	37	45.0	27	9.5	29	26.3	9	24.6	56	29.0	136	28.8	53	27.3	83	29.7	59	22.5	79	19.8	241	11.3
Group G	40	23.1	40	37.9	449	5.2	130	20.2	60	12.3	59	22.6	170	23.2	75	26.5	95	20.7	78	19.6	328	13.7	253	10.4
Group H	84	23.7	55	32.7	49	8.0	137	18.0	49	14.6	90	40.3	349	30.8	174	32.5	175	29.0	92	21.7	111	13.4	79	9.3
Group I	2	24.0	-	-	45	8.9	89	23.5	42	11.7	3	127.0	2	12.5	1	1.0	1	24.0	-	-	4	11.5	102	13.7
Group J	1	89.0	-	-	-	-	-	-	-	-	-	-	1	93.0	-	-	1	93.0	-	-	-	-	-	-
Group K	21	25.0	6	24.3	23	7.0	20	26.3	14	21.8	2	30.5	1	12.0	1	12.0	-	-	-	-	-	-	-	-
Group L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Group M	114	41.3	86	46.3	1	9.0	1	104.0	4	19.8	7	48.0	-	-	-	-	-	-	-	-	-	-	-	-
Group N	-	-	1	40.0	-	-	1	16.0	-	-	5	6.4	71	28.6	47	28.7	24	28.4	5	17.4	-	-	-	-
Group O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Provincial Teaching Groups	860	28.8	938	22.7	478	6.4	1,753	18.7	375	15.5	1,458	16.8	5,191	20.2	1,793	21.5	3,398	19.6	1,648	20.4	1,918	15.0	1,799	10.0
Group P	16	241.8	28	20.0	15	7.0	52	13.2	7	7.0	36	18.6	112	18.3	54	19.0	58	17.6	35	16.0	89	10.5	43	12.3
Group Q	33	18.4	68	21.8	36	7.4	189	16.5	20	10.3	40	25.8	359	22.3	132	23.4	227	21.7	137	18.0	1	42.0	-	-
Group R	120	27.6	83	27.4	147	6.1	237	17.0	68	12.7	151	25.1	453	25.8	218	27.8	235	24.0	150	21.6	115	14.9	123	10.0
Group S	75	27.4	110	24.6	63	6.6	246	20.6	51	15.0	198	21.3	659	23.5	235	24.2	424	23.1	207	21.8	25	22.6	202	10.4
Group T	69	20.8	134	14.2	59	5.4	252	16.0	32	8.4	457	7.7	1,439	16.4	434	16.4	1,005	16.4	367	20.9	278	13.6	181	7.2
Group U	125	21.5	156	15.2	34	6.1	175	15.0	35	10.0	190	14.5	647	17.5	169	19.0	478	16.9	246	20.8	270	13.2	329	9.9
Group V	157	20.5	126	25.3	78	6.6	286	19.4	65	11.6	110	22.6	590	19.5	226	20.2	364	19.0	197	17.5	273	20.2	287	13.1
Group W	187	29.9	119	30.1	16	7.0	90	23.5	5	15.6	135	18.2	433	22.2	163	22.0	270	22.3	170	19.0	560	14.3	273	9.7
Group X	78	26.1	114	28.3	30	6.7	226	24.5	92	27.0	141	25.7	499	23.8	162	26.3	337	22.5	139	24.8	307	15.3	361	8.7
Regional Board Groups	321	30.9	498	35.7	525	9.5	1,856	25.3	469	45.5	182	25.3	1,915	25.0	752	27.0	1,163	23.7	609	24.6	251	18.0	234	12.7
Group AA	84	32.6	93	24.4	64	8.9	297	25.9	88	19.7	34	24.0	280	30.2	107	34.4	173	27.7	73	35.5	33	22.7	40	14.2
Group BB	32	27.4	46	37.9	16	11.8	139	27.3	32	119.3	16	19.2	213	26.4	78	26.5	135	26.4	59	20.4	8	24.8	19	7.6
Group CC	19	33.5	16	83.9	20	7.4	102	37.1	30	12.9	13	29.8	120	31.3	57	33.3	63	29.5	29	25.6	1	14.0	74	8.8
Group DD	44	27.6	106	25.4	98	8.3	328	22.2	78	14.5	59	31.1	648	20.9	237	22.1	411	20.2	189	19.6	207	15.9	98	8.7
Group EE	3	33.3	14	26.9	84	7.8	174	14.2	53	150.7	12	12.3	50	21.3	31	22.5	19	19.3	42	13.9	-	-	1	12.0
Group FF	73	27.2	150	33.5	30	7.0	316	29.7	84	51.8	20	27.4	308	25.0	130	25.8	178	24.3	103	25.0	2	142.5	1	7.0
Group GG	59	35.6	73	59.0	37	6.5	191	37.0	34	20.3	28	20.4	296	26.0	112	29.8	184	23.7	114	31.5	-	-	-	-
Group HH	7	38.4	-	-	176	12.4	309	17.5	70	17.7	-	-	-	-	-	-	-	-	-	-	-	-	1	728.0

* Not available in 1949 ≠ Includes discharges with age not stated ∓ Excludes 051 in 1949

TABLE I - continued

Category or Hospital Group	Surgical								Orthopaedic and Traumatic			
	Varicose veins (460,462)	Haemorrhoids (461)	Hernia, all forms (560,561)	*Inguinal hernia, without obstr'n (560.0)*	*Appendicitis (550-552)	*Acute, without peritonitis (550.0)*	*Acute, with peritonitis (550.1)*	Hyperplasia of prostate (610)	Internal derangement of knee joint (734)	Hallux valgus and varus (747)	Prolapsed intervertebral disc (735)	Synovitis, bursitis and tenosynovitis (741,742)
1949: Numbers and Average Stay by Ages												
All hospitals, total	2,741 12.5	1,891 13.9	8,831 13.8	*5,367 13.5*	10,497 12.7	*5,649 11.6*	*1,305 18.6*	2,047 26.4	751 14.9	914 14.8	1,209 19.8	865 8.3
Ages 0-14	5 7.4	11 12.3	2,009 9.3	*1,218 10.0*	2,444 12.7	*1,455 11.5*	*387 17.9*	2 28.0	25 15.6	26 13.4	2 31.0	153 13.0
" 15-	1,549 9.0	935 13.4	2,663 14.0	*1,961 13.9*	6,494 11.8	*3,451 10.8*	*537 18.5*	30 22.4	617 14.9	427 14.7	812 20.0	441 6.9
" 45	1,012 14.4	832 14.3	3,135 15.7	*1,871 15.1*	1,273 16.3	*615 15.4*	*278 19.7*	651 23.6	100 14.4	410 15.3	367 19.4	227 7.7
" 65 and over	166 33.9	109 16.6	1,000 16.6	*307 16.3*	253 18.9	*109 18.0*	*103 19.1*	1,353 27.9	4 14.2	46 12.3	15 23.4	41 10.1
1950: Numbers and Average Stay by Sex and by Social Class												
All hospitals, total	2,865 13.0	2,072 14.2	9,393 13.9	*5,757 13.3*	10,607 12.9	*5,916 11.5*	*1,532 19.7*	2,310 27.7	1,004 15.3	802 14.3	1,135 23.5	959 9.2
Males	1,199 12.1	1,327 14.4	6,683 13.4	*5,053 13.3*	5,064 13.1	*3,064 11.5*	*866 19.0*	2,310 27.7	852 15.1	76 15.5	663 21.7	439 10 2
Females	1,666 13.6	745 13.9	2,710 15.3	*704 13.0*	5,543 12.8	*2,852 11.4*	*666 20.7*		152 16.7	726 14.2	472 26.1	520 8.4
Social class I, II	439 9.8	295 14.0	1,168 13.6	*781 13.5*	1,463 12.6	*773 10.9*	*199 19.3*	353 25.8	174 13.9	141 12.9	231 20.9	120 9.3
Social class III	1,249 11.0	999 13.9	4,411 13.5	*3,001 13.1*	5,057 12.8	*2,800 11.7*	*719 18.9*	794 26.8	538 15.6	347 14.5	507 23.9	431 9.3
Social class IV, I	586 11.4	480 14.1	2,204 13.9	*1,411 13.6*	2,073 13.0	*1,122 11.5*	*309 19.9*	486 28.0	204 15.8	157 13.1	240 23.0	216 10.0
Social class Not assigned	591 21.2	298 15.8	1,610 15.5	*564 13.2*	2,014 13.4	*1,221 11.2*	*305 21.9*	677 29.6	88 15.5	157 16.8	157 27.2	192 8.1
Excl. London Teaching:-												
Social class I, II	267 10.6	233 13.4	820 13.1	*523 12.9*	1,194 12.5	*668 10.9*	*181 18.7*	280 24.8	94 14.1	52 11.0	153 19.7	66 8.9
Social class III	853 10.9	795 13.4	3,320 13.0	*2,210 12.5*	4,326 12.8	*2,467 11.6*	*654 18.2*	645 26.1	354 13.7	135 13.4	338 22.5	261 9.9
Social class IV, V	415 11.4	406 13.6	1,754 13.4	*1,115 13.2*	1,807 12.9	*985 11.2*	*286 19.5*	398 26.8	147 15.1	81 12.0	191 21.3	134 9.7
Social class Not assigned	235 22.0	173 14.7	1,030 15.4	*317 13.3*	1,485 13.2	*914 11.0*	*257 20.9*	519 28.2	39 12.7	53 19.4	76 22.5	83 9.4

1950: Numbers and Average Stay by Hospital Groups

London Teaching Groups	1,095	13.9	465	16.4	2,469	15.2	1,592	14.6	1,795	13.3	882	12.1	154	25.9	468	31.9	370	17.5	481	14.8	377	27.4	415	8.7
Group A	241	12.4	63	17.1	328	12.9	216	11.2	233	12.1	135	10.5	27	18.6	62	31.3	11	8.0	1	2.0	48	7.0	60	5.7
Group B	189	8.4	51	16.2	436	15.9	288	14.9	190	15.4	97	13.3	31	28.8	92	36.9	63	23.3	21	20.2	68	37.9	38	12.3
Group C	50	10.7	26	15.0	97	18.4	61	18.4	100	12.4	42	10.6	6	26.3	12	33.6	1	123.0	-	-	-	-	8	7.9
Group D	118	33.7	39	19.8	209	20.9	137	20.7	169	15.8	98	12.9	31	25.8	41	41.0	18	26.7	22	24.7	38	39.8	37	10.2
Group E	116	13.3	69	19.7	309	16.6	191	16.0	294	12.3	128	11.6	17	18.2	75	24.6	39	8.1	21	12.7	67	34.0	28	14.4
Group F	50	12.2	37	13.1	142	16.3	93	15.5	117	14.7	43	13.3	7	31.6	41	25.8	29	14.9	28	10.0	26	24.1	46	6.0
Group G	85	6.0	51	10.6	305	12.9	198	12.8	305	11.0	71	10.7	14	28.1	62	26.3	21	16.3	8	19.4	34	28.4	56	7.8
Group H	242	14.2	127	16.7	390	16.3	250	15.9	290	15.0	214	13.4	12	39.5	77	37.0	32	13.1	8	12.2	36	21.7	74	4.5
Group I	1	5.0	1	4.0	247	9.4	158	9.4	95	12.2	53	10.3	9	27.3	-	-	1	35.0	-	-	1	7.0	6	27.2
Group J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Group K	-	-	-	-	6	23.7	-	-	1	8.0	1	8.0	-	-	-	-	-	-	-	-	-	-	-	-
Group L	2	8.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	155	17.9	372	14.4	59	21.4	61	11.7
Group M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Group N	-	-	1	67.0	-	-	-	-	1	40.0	-	-	-	-	6	25.7	-	-	-	-	-	-	1	12.0
Group O	1	7.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Provincial Teaching Groups	1,157	11.3	1,111	13.1	4,890	12.9	2,914	12.5	5,666	12.4	3,204	10.9	889	18.2	1,257	24.6	390	13.9	192	13.4	647	20.2	365	9.3
Group P	15	25.7	23	11.3	150	12.3	89	12.4	290	9.5	212	8.9	23	15.1	58	20.3	12	14.8	2	6.0	6	12.3	5	6.0
Group Q	138	8.7	76	11.4	426	9.3	260	9.2	545	9.4	297	7.5	137	13.9	165	21.3	18	13.4	4	8.8	66	18.0	51	6.4
Group R	104	13.0	89	14.0	366	15.0	204	15.3	728	13.7	416	11.6	155	19.9	90	33.9	6	17.0	2	16.0	35	27.9	19	12.2
Group S	245	8.6	193	15.6	898	14.5	595	14.1	723	14.0	412	12.8	77	21.4	243	20.0	61	14.1	24	11.9	82	26.0	62	9.2
Group T	90	9.3	156	11.1	516	15.4	267	14.9	1,019	13.0	656	11.9	151	19.6	191	25.0	59	12.6	47	7.6	117	10.0	61	6.2
Group U	136	12.6	103	10.7	627	11.6	320	10.9	709	10.8	439	9.0	146	17.7	123	27.1	44	11.4	14	9.0	95	19.3	35	9.6
Group V	80	11.1	213	11.5	1,006	9.7	651	9.8	600	12.4	301	11.4	125	16.9	159	25.7	101	14.5	43	13.7	137	19.6	49	9.6
Group W	100	14.6	91	15.3	341	15.2	135	13.8	555	12.4	288	11.0	38	19.6	102	22.8	37	14.2	13	11.2	83	28.8	12	13.8
Group X	249	12.7	167	15.1	560	15.2	393	14.3	497	14.0	183	12.4	37	20.6	126	30.5	52	15.7	43	23.1	26	24.2	71	12.4
Regional Board Group	613	14.5	496	14.6	2,034	14.9	1,251	13.6	3,146	13.6	1,830	12.2	489	20.7	585	31.0	244	14.2	129	14.0	111	29.7	179	10.2
Group AA	103	9.9	75	12.4	312	13.2	200	11.4	352	14.2	235	12.0	86	21.0	93	26.4	27	17.0	37	17.3	23	27.9	21	12.6
Group BB	22	12.3	49	12.9	219	13.4	135	12.4	417	11.6	269	10.9	37	19.3	58	45.4	21	16.9	10	10.6	16	31.9	33	6.5
Group CC	58	21.9	19	20.3	90	14.0	61	13.7	177	15.2	81	12.2	40	21.0	36	43.4	-	-	-	-	3	26.3	4	10.0
Group DD	193	11.4	164	14.8	727	14.1	455	14.3	1,144	13.3	689	12.7	147	17.7	186	27.3	122	12.7	38	11.8	8	22.4	47	6.6
Group EE	95	11.9	38	11.5	153	15.4	99	14.3	147	11.6	45	10.8	11	19.6	18	29.1	12	14.4	13	14.2	7	26.6	20	6.2
Group FF	47	32.5	50	15.7	226	20.6	118	15.1	244	13.2	131	12.2	34	19.6	57	32.5	14	17.5	5	12.0	34	31.6	6	7.3
Group GG	95	15.7	101	16.4	254	16.5	145	14.7	349	14.3	198	12.5	44	22.4	137	29.3	46	14.2	24	14.0	20	31.6	28	11.3
Group HH	-	-	-	-	53	11.3	38	10.8	316	16.2	182	12.5	90	25.5	-	-	2	18.0	2	17.0	-	-	20	26.0

* Includes 553, Other diseases of appendix in 1949

† Includes discharges with age not stated

TABLE I - continued

Category or Hospital Group	Obstetrical		Gynaecological												Ear, Nose and Throat									
	Delivery, normal and complicated (660-678)		Uterine fibromyoma (214)		Other benign neoplasm of uterus (215)		Cervicitis etc. (630.0, 630.1)		Disorders of menstruation (634)		Abortion (650-652)		Utero-vaginal prolapse (631)		Otitis media without mastoiditis (391)		Mastoiditis (392,393)		Chronic sinusitis (513)		Deflected septum, nasal polyp (514,515)		Hypertrophied tonsils and adenoids (510)	
1949: Numbers and Average Stay by Ages																								
All hospitals, total *	28,901	11.8	2,803	19.0	1,353	11.0	1,754	9.3	4,380	8.6	3,750	8.5	4,473	20.5	3,163	12.0	1,465	19.5	1,618	10.0	1,910	5.8	11,891	4.1
Ages 0-14	6	10.3	1	24.0	-	-	10	7.6	18	7.1	1	1.0	1	4.0	2,199	11.4	864	20.4	589	9.8	145	6.8	10,079	3.6
" 15-	28,716	11.8	1,501	18.6	729	11.6	1,375	9.2	3,194	8.3	3,697	8.5	1,511	19.6	729	13.3	475	17.6	733	9.7	1,222	5.9	1,666	6.3
" 45-	102	12.4	1,268	19.4	568	10.2	332	9.7	1,113	9.6	39	7.8	2,402	20.7	196	13.6	102	19.6	264	11.2	446	5.5	111	8.1
" 65 and over	-	-	29	20.2	54	11.0	29	11.6	44	8.2	-	-	550	21.9	29	14.1	19	26.0	20	11.6	79	4.1	12	13.2
1950: Numbers and Average Stay by Sex and by Social Class																								
All hospitals, total	32,289	12.0	3,024	18.6	1,616	10.6	1,826	9.0	6,028	8.5	4,048	8.3	4,827	20.6	3,073	12.7	1,485	21.8	1,888	9.6	2,492	5.7	18,072	4.2
Males															1,656	13.0	820	22.4	1,030	9.5	1,673	5.9	8,925	4.2
Females	32,289	12.0	3,024	18.6	1,616	10.6	1,826	9.0	6,028	8.5	4,048	8.3	4,827	20.6	1,417	12.3	665	21.0	858	9.7	819	5.5	9,147	4.3
Social class I, II	3,835	12.2	494	18.4	237	10.7	251	8.6	716	8.8	509	8.2	575	20.2	330	11.5	122	20.4	248	9.6	324	6.4	2,015	4.2
Social class III	16,171	11.9	1,347	19.0	677	10.5	800	8.9	2,688	8.1	1,901	8.2	1,691	19.6	1,333	12.6	685	21.2	905	9.5	1,278	5.7	8,397	3.7
Social class IV, V	6,342	12.0	586	17.8	327	10.8	383	9.3	1,364	8.7	855	8.7	1,030	20.4	616	13.3	339	21.5	334	9.6	497	5.4	3,134	3.8
Social class Not assigned	5,941	12.2	597	19.0	375	10.6	392	9.0	1,260	8.9	783	8.0	1,531	21.9	794	12.8	339	23.8	401	9.9	393	5.9	4,526	5.5
Excl. London Teaching:-																								
Social class I, II	3,066	11.9	381	17.9	190	10.0	221	8.3	576	8.9	449	7.7	507	19.5	234	11.0	101	18.2	171	9.2	231	5.5	1,416	3.6
Social class III	13,687	11.7	1,087	18.5	555	10.5	682	8.8	2,208	7.9	1,748	8.2	1,514	19.1	972	12.2	587	20.4	656	8.7	985	4.9	6,351	3.3
Social class IV, V	5,482	11.7	490	17.5	270	10.6	337	9.2	1,174	8.6	800	8.6	896	19.8	441	12.9	299	21.2	252	8.8	413	5.0	2,412	3.5
Social class Not assigned	1,639	11.1	255	18.9	175	9.1	216	8.4	613	8.0	454	7.6	822	20.8	411	11.2	220	18.4	237	8.3	265	4.9	1,661	3.9

1950: Numbers and Average Stay by Hospital Groups

London Teaching Groups	8,415	12.9	811	19.8	426	11.7	370	9.8	1,457	9.2	597	9.1	1,088	23.6	1,015	14.0	278	29.1	572	11.6	598	8.0	6,232	5.6
Group A	537	15.1	105	17.1	48	11.8	17	9.3	161	9.7	53	10.2	140	21.3	12	7.5	6	12.8	10	9.5	3	5.3	85	7.6
Group B	662	13.9	141	24.5	101	13.3	36	8.6	169	8.9	44	9.3	127	27.4	145	18.0	32	23.8	33	12.6	104	8.3	355	7.9
Group C	562	14.5	67	21.6	41	11.8	47	13.1	103	9.9	22	8.5	89	26.0	131	13.1	14	23.1	35	11.1	25	8.1	300	7.2
Group D	1,046	12.4	79	19.6	24	9.4	43	6.1	227	7.7	125	10.0	116	20.9	115	12.8	26	26.5	125	11.6	107	7.6	1,133	7.2
Group E	850	11.5	213	19.0	119	11.3	81	10.7	364	10.0	146	8.9	319	24.6	68	14.3	21	33.3	60	17.3	55	8.9	562	7.3
Group F	473	12.0	46	20.1	17	13.6	10	13.1	63	11.0	27	6.7	49	26.0	86	15.9	3	28.7	38	16.3	79	10.6	325	8.6
Group G	567	11.6	72	14.8	27	8.2	55	7.9	141	8.3	71	7.5	94	19.8	119	11.2	45	17.1	123	10.6	53	5.4	1,029	3.4
Group H	1,374	14.1	85	20.4	47	11.3	80	10.5	227	9.1	58	8.7	153	22.6	163	13.1	77	18.0	106	8.2	151	7.5	1,123	5.6
Group I	-	-	-	-	-	-	-	-	1	39.0	-	-	-	-	175	14.7	53	62.2	37	10.4	17	6.8	1,273	3.3
Group J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Group K	1	10.0	-	-	-	-	-	-	-	-	-	-	-	-	1	8.0	1	15.0	5	18.8	4	6.0	47	8.6
Group L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Group M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Group N	-	-	3	24.7	2	16.0	1	4.0	1	3.0	-	-	1	19.0	-	-	-	-	-	-	-	-	-	-
Group O	2,343	12.5	-	-	-	-	-	-	-	-	51	10.3	-	-	-	-	-	-	-	-	-	-	-	-
Provincial Teaching Groups	14,772	11.8	1,782	17.8	973	10.3	1,094	9.0	3,651	8.1	1,743	7.8	3,062	19.4	1,553	12.0	973	19.9	1,045	9.2	1,643	4.9	8,171	3.5
Group P	1,634	12.0	61	13.7	29	5.8	41	4.7	161	7.1	144	8.2	53	16.4	51	7.2	30	15.2	61	7.3	89	5.5	718	2.9
Group Q	1,157	12.2	175	14.7	97	9.2	76	8.4	224	7.0	254	5.3	305	16.8	198	9.4	76	13.8	248	9.4	165	6.0	812	4.2
Group R	19	12.7	110	16.5	37	15.4	154	9.1	135	10.0	313	8.0	134	23.3	92	9.1	95	23.4	60	9.6	78	8.3	220	5.9
Group S	1,784	12.5	452	21.0	271	10.9	167	9.3	563	10.2	258	8.1	607	22.6	211	13.4	163	26.2	102	13.5	113	8.0	2,139	3.0
Group T	1,516	8.7	114	12.6	54	6.8	65	3.4	410	4.6	69	4.3	206	15.3	216	11.4	14	13.4	114	6.9	64	3.2	203	5.0
Group U	1,357	12.0	229	17.0	142	9.9	179	6.0	442	7.0	100	9.2	432	18.7	362	12.1	101	21.8	88	8.2	363	3.5	939	2.8
Group V	1,509	13.0	199	17.4	79	11.5	94	12.5	374	9.6	206	8.7	428	18.5	230	11.6	168	21.6	114	8.1	318	3.5	1,656	2.3
Group W	3,450	11.3	250	18.0	139	9.3	160	8.4	708	7.4	269	8.2	436	18.5	131	18.0	8	22.8	43	10.7	59	8.3	136	6.7
Group X	2,346	12.8	192	19.5	125	11.8	158	14.2	634	9.5	130	9.7	461	20.5	62	12.8	318	16.3	215	9.3	394	4.9	1,348	5.3
Regional Board Groups	9,102	11.5	431	19.9	217	9.8	362	8.1	920	8.8	1,708	8.5	677	21.0	505	12.2	234	20.7	271	6.8	251	5.8	3,669	3.4
Group AA	1,202	12.4	107	18.5	58	8.6	66	6.5	210	7.6	276	6.6	114	20.0	110	12.5	49	29.1	52	11.4	24	6.0	709	2.4
Group BB	601	10.0	49	21.2	28	11.0	53	6.8	101	8.3	78	9.4	96	23.5	9	4.7	1	1.0	4	9.2	-	-	79	3.5
Group CC	959	12.3	22	21.6	7	7.6	45	10.6	14	12.6	113	9.6	48	21.0	2	48.5	-	-	1	18.0	-	-	506	3.9
Group DD	1,695	10.8	156	19.1	53	7.7	83	6.7	227	7.8	372	5.3	211	21.3	214	9.5	132	15.9	82	8.0	171	5.7	799	4.7
Group EE	912	13.0	20	19.0	14	8.1	39	4.2	30	8.1	49	8.1	31	19.5	16	12.0	6	18.3	69	1.1	7	4.4	898	2.7
Group FF	2,123	12.9	30	26.4	30	13.6	45	12.1	179	10.6	324	10.0	80	20.1	5	9.2	10	20.3	5	6.2	11	5.5	25	7.4
Group GG	1,608	9.1	46	20.3	27	11.9	31	12.7	154	9.9	347	9.5	97	20.2	18	12.4	9	22.2	28	8.8	32	7.3	65	7.4
Group HH	2	10.5	1	3.0	-	-	-	-	5	6.2	149	13.5	-	-	131	16.4	27	29.7	30	6.3	6	3.2	588	2.9

* Includes discharges with age not stated

TABLE 2 - Thirty-one selected diagnoses: distribution by days of in-patient care - 1950.

Thirty-one selected diagnoses arranged according to the hospital department or specialty in which they are mainly treated: distribution of discharges classified to each condition in 1950 by days of in-patient care; (single days from 1-19, 10-day intervals from 20-99, and then by intervals of 100-, 200-, 400-, 600-, to 800 and over).

NOTE: This table provides data from which variance, standard error, etc., may be calculated for the average stays shown in Table 1. The distributions for 1950 are not available in any greater detail. The total patient-days used in computing the average stays for Table 1 were obtained by adding together individual days of care and not by calculation from the distributions.

TABLE 2

Number of days in hospital	Medical					Medical or Surgical					Ophthalmological	
	Chronic rheumatic heart disease (410-416)	Coronary heart disease etc. (420)	Acute tonsillitis and pharyngitis, etc. (051, 472, 473)	Pneumonia (490-493)	Bronchitis, other than chronic (500, 501)	Thyrotoxicosis (252)	Peptic ulcer (540, 541)	Ulcer of stomach (540)	Ulcer of duodenum (541)	Cholecystitis and cholelithiasis (584, 585)	Cataract (385)	Strabismus (384)
Total discharges	**1,867**	**2,071**	**1,727**	**4,434**	**1,134**	**2,397**	**9,207**	**3,500**	**5,707**	**2,857**	**3,068**	**3,010**
1	84	207	64	214	19	317	316	140	176	45	53	51
2	50	54	72	71	23	48	142	62	80	29	136	50
3	28	43	225	64	31	45	134	64	70	35	120	54
4	36	43	292	69	40	34	142	49	93	40	161	58
5	40	43	144	92	57	32	152	48	104	56	91	74
6	33	46	153	113	58	31	157	60	97	58	63	179
7	46	44	207	146	66	37	138	48	90	67	95	372
8	48	40	116	172	66	48	162	60	102	59	44	216
9	60	35	95	172	76	37	173	53	120	66	45	351
10	39	50	69	188	69	56	208	73	135	79	66	225
11	55	54	46	160	47	58	294	87	207	72	69	325
12	50	42	43	191	48	80	308	98	210	84	138	213
13	50	37	31	167	31	50	259	85	174	117	236	271
14	71	38	20	172	52	50	357	97	260	146	374	265
15	59	38	24	157	36	56	272	85	187	113	169	63
16	53	36	20	143	31	48	288	89	199	124	157	43
17	49	32	12	151	33	55	275	92	183	113	135	34
18	47	36	12	144	18	60	277	91	186	129	114	38
19	43	24	9	128	27	65	260	107	153	102	90	24
20 -	317	324	40	854	151	545	2,485	912	1,573	731	499	71
30 -	185	226	20	407	56	313	1,279	548	731	340	114	19
40 -	145	250	5	180	40	158	596	281	315	139	55	5
50 -	93	130	2	117	17	73	278	141	137	55	21	4
60 -	46	85	2	62	14	45	121	69	52	22	10	1
70 -	42	35	1	18	9	26	58	22	36	17	3	3
80 -	36	26	2	18	.	11	29	13	16	7	2	.
90 -	14	19	1	13	3	7	11	5	6	1	1	.
100 -	47	23	.	36	8	11	28	17	11	8	6	.
200 -	.	6	.	7	3	1	6	2	4	1	1	.
400 -	.	.	.	2	.	.	1	1	.	.	.	.
600 -	1	2	.	1	.	.	.	.	.	.	.	1
800 and over	.	3	.	4	3	.	.	.	.	2	.	.
Not stated	.	.	.	1	2	.	1	1	.	.	.	.

(82685)

TABLE 2 - continued

Number of days in hospital	Surgical								Orthopaedic and Traumatic			
	Varicose veins (460,462)	Haemorrhoids (461)	Hernia, all forms (560,561)	*Inguinal hernia, without obstr'n (560.0)*	Appendicitis (550-552)	*Acute, without peritonitis (550.0)*	*Acute, with peritonitis (550.1)*	Hyperplasia of prostate (610)	Internal derangement of knee joint (734)	Hallux valgus and varus (747)	Prolapsed intervertebral disc (735)	Synovitis, bursitis and tenosynovitis (741,742)
Total discharges	2,865	2,072	9,393	5,757	10,607	5,916	1,532	2,310	1,004	802	1,135	959
1	156	35	217	84	82	38	11	37	31	10	96	136
2	185	33	223	107	82	38	8	34	10	8	30	100
3	177	37	168	62	93	61	9	44	10	13	37	92
4	195	29	152	73	126	72	19	38	9	13	22	65
5	184	16	172	82	297	224	23	54	8	26	20	59
6	162	27	290	160	468	336	25	41	22	35	23	38
7	227	50	414	243	939	628	68	49	31	73	33	68
8	173	57	418	270	1,101	733	80	36	20	15	25	35
9	197	87	596	414	1,162	749	75	41	12	16	20	32
10	200	138	810	574	1,250	782	91	35	13	11	24	36
11	159	221	830	595	949	494	94	46	42	25	22	25
12	124	210	698	483	644	334	65	46	68	32	22	30
13	100	172	603	403	462	211	78	55	109	91	29	37
14	84	217	702	492	452	192	74	76	163	133	27	40
15	39	131	401	244	275	126	53	75	69	37	21	25
16	39	101	354	228	240	95	64	74	65	57	38	19
17	44	82	308	188	212	94	48	81	64	32	35	14
18	27	75	268	153	195	81	59	67	42	36	27	14
19	26	40	193	106	155	80	29	48	30	21	22	5
20-	147	238	1,167	645	888	356	315	574	152	92	222	50
30-	82	42	257	107	288	118	111	312	18	18	155	22
40-	44	23	72	22	126	36	66	182	7	5	88	6
50-	23	2	33	9	53	17	29	96	4	1	29	3
60-	21	4	17	4	15	7	7	50	1	.	31	2
70-	17	2	6	3	23	8	11	43	1	.	11	2
80-	8	.	5	1	9	2	7	30	1	.	8	1
90-	7	1	6	3	8	1	6	10	.	.	4	1
100-	15	1	10	2	11	2	7	31	2	1	14	2
200-	1	.	1	.	2	1	.	3	.	1	.	.
400-	.	.	.	.	.	.	.	1	.	.	.	.
600-	1	.	.	.	.	.	.	.	.	.	.	.
800 and over	1	.	1	.	.	.	.	1	.	.	.	.
Not stated	.	1	1	.	.	.	.	.	.	.	.	.

(82685)

TABLE 2 - continued

Number of days in hospital	Obstetrical	Gynaecological						Ear, Nose and Throat				
	Delivery, normal and complicated (660-678)	Uterine fibromyoma (214)	Other benign neoplasm of uterus (215)	Cervicitis etc. (630.0, 630.1)	Disorders of menstruation (634)	Abortion (650-652)	Uterovaginal prolapse (631)	Otitis media without mastoiditis (391)	Mastoiditis (392,393)	Chronic sinusitis (513)	Deflected septum, nasal polyp (514,515)	Hypertrophied tonsils and adenoids (510)
Total discharges	**32,289**	**3,024**	**1,616**	**1,826**	**6,028**	**4,048**	**4,827**	**3,073**	**1,485**	**1,888**	**2,492**	**18,072**
1	153	25	17	65	115	86	38	76	18	104	125	2,825
2	199	32	64	87	404	245	57	98	17	106	230	3,700
3	261	35	74	133	509	247	38	140	25	121	469	3,630
4	292	42	131	143	563	316	26	148	17	115	309	1,855
5	314	44	150	195	660	373	17	177	25	125	209	1,034
6	694	49	165	167	783	450	19	208	27	154	272	1,349
7	1,353	69	272	272	1,086	522	35	264	53	311	395	1,962
8	2,211	35	63	50	210	403	65	202	47	136	153	500
9	4,529	35	44	65	159	308	34	187	54	104	103	349
10	6,317	51	38	65	177	266	38	192	54	90	48	236
11	3,697	43	44	75	125	172	34	145	64	79	33	142
12	3,010	39	31	67	104	132	45	140	44	62	36	87
13	1,980	106	53	60	86	90	84	134	68	43	22	74
14	1,569	281	79	116	175	73	268	145	89	56	16	71
15	1,080	141	38	24	61	59	178	85	68	29	7	36
16	777	163	35	31	72	50	183	77	76	31	9	24
17	573	245	49	42	87	40	425	66	47	27	8	31
18	484	229	43	29	77	22	404	60	51	16	8	20
19	361	178	33	23	81	22	282	40	51	19	4	12
20-	1,685	909	149	91	374	116	2,045	292	321	94	25	76
30-	462	191	23	21	93	28	367	91	111	32	7	28
40-	161	51	13	2	15	15	94	48	70	12	1	12
50-	65	20	6	1	3	3	26	25	30	11	1	5
60-	21	6	.	.	5	3	13	12	19	4	1	4
70-	10	4	1	1	1	2	3	11	8	1	.	2
80-	12	.	.	.	1	1	6	6	8	1	.	.
90-	7	.	.	1	.	3	1	1	4	3	1	3
100-	9	1	1	.	1	1	1	3	15	2	.	4
200-	1	.	.	.	1	.	.	.	4	.	.	.
400-	.	.	.	.	.	.	.	.	.	.	.	.
600-	.	.	.	.	.	.	.	.	.	.	.	.
800 and over	.	.	.	.	.	.	.	.	.	.	.	.
Not stated	2	.	.	.	.	.	1	.	.	.	.	1

TABLE 3 - Fifty-eight selected diagnoses: social class distribution of discharges - 1950.

Fifty-eight selected diagnoses arranged according to the hospital department or specialty in which they are mainly treated: percentage distribution by social class in 1950 for each diagnosis, of discharges where social class could be assigned, and the percentage of total discharges with occupational data unstated or not sufficiently specific to permit social class assignment.

Males and females shown separately for all hospitals combined, and for London Teaching Hospitals, Provincial Teaching Hospitals and Regional Board Hospitals.

NOTE: Distributions by social class for the discharges in 1949 relating to these diseases are given in Table H.3 of the Hospital In-patient Statistics Supplement to the 1949 Statistical Review: A description of the social classes, and a note on the limitations and defects of the material, will be found on pp. 9 and 17-18 of the same volume.*

* The Registrar General's Statistical Review: Supplement on Hospital In-patient Statistics, 1949. H.M. Stationery Office, price 15s. 0d. net.

TABLE 3

Principal Diagnosis on Discharge	Hospital Group	MALES						FEMALES					
		Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned				Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			
				Total	% Distribution					Total	% Distribution		
					I&II	III	IV&V				I&II	III	IV&V
All selected diagnoses	**All hospitals**	**60,436**	**17**	**50,392**	**15.5**	**57.5**	**27.0**	**104,379**	**26**	**76,827**	**16.1**	**57.7**	**26.2**
	London Teaching	15,825	25	11,813	18.8	57.7	23.6	27.835	49	14,100	19.7	56.7	23.6
	Provincial Teaching	31,208	13	27,112	14.9	56.2	28.9	52,562	17	43,385	16.7	57.0	26.3
	Regional Boards	13,403	14	11,467	13.7	60.4	25.9	23,982	19	19,342	12.1	59.9	28.1
Conditions mainly treated in Medical departments													
Diabetes mellitus (260)	**All hospitals**	**964**	**19**	**779**	**21.7**	**55.1**	**23.2**	**1,505**	**49**	**765**	**17.4**	**52.3**	**30.3**
	London Teaching	212	23	164	24.4	57.9	17.7	325	63	120	19.2	51.7	29.2
	Provincial Teaching	565	16	475	22.5	52.6	24.8	873	43	498	17.9	52.8	29.3
	Regional Boards	187	25	140	15.7	60.0	24.3	307	52	147	14.3	51.0	34.7
Pernicious and other hyperchromic anaemias (290)	**All hospitals**	**240**	**16**	**201**	**13.9**	**60.2**	**25.9**	**424**	**52**	**205**	**15.1**	**55.1**	**29.8**
	London Teaching	40	15	34	14.7	55.9	29.4	74	66	25	24.0	44.0	32.0
	Provincial Teaching	174	15	148	14.9	60.1	25.0	272	44	151	15.9	57.6	26.5
	Regional Boards	26	27	19	5.3	68.4	26.3	78	63	29	3.4	51.7	44.8
Hypochromic (iron deficiency) and unspecified anaemias (291:293)	**All hospitals**	**272**	**14**	**235**	**19.1**	**46.4**	**34.5**	**617**	**35**	**399**	**13.8**	**54.4**	**31.8**
	London Teaching	86	21	68	16.2	45.6	38.2	166	51	81	17.3	55.6	27.2
	Provincial Teaching	156	10	141	19.1	48.2	32.6	346	27	254	12.6	55.1	32.3
	Regional Boards	30	13	26	26.9	38.5	34.6	105	39	64	14.1	50.0	35.9
Rheumatoid arthritis and allied conditions (722)	**All hospitals**	**464**	**13**	**403**	**17.9**	**59.3**	**22.8**	**704**	**42**	**409**	**21.0**	**54.5**	**24.4**
	London Teaching	178	19	145	17.9	59.3	22.8	247	49	125	24.0	56.0	20.0
	Provincial Teaching	187	9	170	20.0	59.4	20.6	297	36	190	20.5	52.1	27.4
	Regional Boards	99	11	88	13.6	59.1	27.3	160	41	94	18.1	57.4	24.5

Chronic rheumatic heart disease (410-416)	**All hospitals**	**535**	**16**	**449**	**14.7**	**56.1**	**29.2**	**1,332**	**43**	**761**	**13.8**	**59.5**	**26.7**
	London Teaching	184	17	153	19.0	51.6	29.4	502	60	200	14.5	54.5	31.0
	Provincial Teaching	268	16	225	11.1	58.7	30.2	592	30	412	13.8	62.1	24.0
	Regional Boards	83	14	71	16.9	57.7	25.4	238	37	149	12.8	59.1	28.2
Arteriosclerotic heart disease, including coronary disease (420)	**All hospitals**	**1,434**	**21**	**1,139**	**26.0**	**52.6**	**21.4**	**637**	**62**	**243**	**24.3**	**52.3**	**23.5**
	London Teaching	449	22	349	30.4	47.3	22.3	186	73	51	23.5	49.0	27.5
	Provincial Teaching	652	17	541	27.0	52.3	20.7	286	53	134	25.4	50.0	24.6
	Regional Boards	333	25	249	17.7	60.6	21.7	165	65	58	22.4	60.3	17.2
Hypertension with heart disease other than involving coronary arteries (440-443)	**All hospitals**	**532**	**29**	**380**	**24.7**	**48.2**	**27.1**	**475**	**62**	**179**	**22.3**	**47.5**	**30.2**
	London Teaching	163	34	107	24.3	55.1	20.6	179	74	47	27.7	48.9	23.4
	Provincial Teaching	230	18	189	28.6	48.1	23.3	158	46	86	24.4	45.3	30.2
	Regional Boards	139	40	84	16.7	39.3	44.0	138	67	46	13.0	50.0	37.0
Hypertension without mention of heart (444-447)	**All hospitals**	**791**	**12**	**695**	**26.0**	**49.9**	**24.0**	**1,096**	**39**	**674**	**22.6**	**54.3**	**23.1**
	London Teaching	198	13	173	31.8	50.9	17.3	340	48	178	24.7	54.5	20.8
	Provincial Teaching	432	8	396	24.7	49.5	25.8	550	27	402	23.1	53.7	23.1
	Regional Boards	161	22	126	22.2	50.0	27.8	206	54	94	16.0	56.4	27.7
Acute tonsillitis and pharyngitis including streptococcal sore throat (051;472;473)	**All hospitals**	**805**	**18**	**661**	**15.3**	**58.4**	**26.3**	**922**	**16**	**778**	**21.2**	**52.4**	**26.3**
	London Teaching	362	24	275	17.8	56.0	26.2	362	24	276	22.1	49.3	28.6
	Provincial Teaching	219	15	186	14.0	60.8	25.3	259	13	225	25.3	51.1	23.6
	Regional Boards	224	11	200	13.0	59.5	27.5	301	8	277	17.0	56.7	26.3
Lobar pneumonia (490)	**All hospitals**	**1,062**	**16**	**891**	**12.6**	**54.2**	**33.2**	**728**	**32**	**496**	**10.5**	**54.6**	**34.9**
	London Teaching	117	38	72	22.2	47.2	30.6	102	62	39	17.9	43.6	38.5
	Provincial Teaching	420	15	358	14.0	53.4	32.7	298	30	210	11.0	56.2	32.9
	Regional Boards	525	12	461	10.0	56.0	34.1	328	25	247	8.9	55.1	36.0
Other pneumonias (491-493)	**All hospitals**	**1,471**	**19**	**1,188**	**15.5**	**51.6**	**32.9**	**1,173**	**37**	**736**	**15.5**	**50.0**	**34.5**
	London Teaching	319	30	224	17.9	52.2	29.9	287	52	139	20.9	44.6	34.5
	Provincial Teaching	595	14	513	16.0	48.1	35.9	440	29	313	15.0	44.1	40.9
	Regional Boards	557	19	451	13.7	55.2	31.0	446	36	284	13.4	59.2	27.5
Acute bronchitis (500)	**All hospitals**	**298**	**24**	**227**	**9.3**	**48.5**	**42.3**	**288**	**32**	**196**	**13.8**	**56.6**	**29.6**
	London Teaching	88	43	50	14.0	36.0	50.0	73	47	39	20.5	46.2	33.3
	Provincial Teaching	94	17	78	10.3	55.1	34.6	76	22	59	11.9	57.6	30.5
	Regional Boards	116	15	99	6.1	49.5	44.4	139	29	98	12.2	60.2	27.6

TABLE 3 - continued

Principal Diagnosis on Discharge	Hospital Group	MALES: Total Discharges	MALES: % with Social Class not assigned	MALES: Discharges with Social Class assigned: Total	MALES: % Distribution I&II	MALES: % Distribution III	MALES: % Distribution IV&V	FEMALES: Total Discharges	FEMALES: % with Social Class not assigned	FEMALES: Discharges with Social Class assigned: Total	FEMALES: % Distribution I&II	FEMALES: % Distribution III	FEMALES: % Distribution IV&V
		Conditions mainly treated in Medical departments (continued)											
Bronchitis unqualified (501)	**All hospitals**	**301**	**26**	**224**	**14.3**	**50.9**	**34.8**	**247**	**32**	**167**	**14.4**	**49.1**	**36.5**
	London Teaching	65	42	38	13.2	65.8	21.1	64	42	37	18.9	40.5	40.5
	Provincial Teaching	112	9	102	17.6	47.1	35.3	93	24	71	14.1	52.1	33.8
	Regional Boards	124	32	84	10.7	48.8	40.5	90	34	59	11.9	50.8	37.3
Chronic bronchitis (502)	**All hospitals**	**715**	**22**	**560**	**9.8**	**47.7**	**42.5**	**284**	**47**	**151**	**17.9**	**45.0**	**37.1**
	London Teaching	151	22	118	9.3	47.5	43.2	87	53	41	24.4	34.1	41.5
	Provincial Teaching	270	19	218	13.3	51.4	35.3	94	27	69	15.9	47.8	36.2
	Regional Boards	294	24	224	6.7	44.2	49.1	103	60	41	14.6	51.2	34.2
		Conditions which may be treated in either Medical or Surgical departments											
Nontoxic nodular goitre (251)	**All hospitals**	**140**	**2**	**137**	**20.4**	**52.6**	**27.0**	**1,023**	**27**	**751**	**17.4**	**51.0**	**31.6**
	London Teaching	54	4	52	23.1	50.0	26.9	373	43	212	20.3	59.0	20.8
	Provincial Teaching	77	1	76	14.5	56.6	28.9	551	17	456	16.7	46.9	36.4
	Regional Boards	9	-	9	55.6	33.3	11.1	99	16	83	14.5	53.0	32.5
Thyrotoxicosis with or without goitre (252)	**All hospitals**	**350**	**5**	**333**	**19.5**	**61.0**	**19.5**	**2,047**	**27**	**1,503**	**19.2**	**53.9**	**26.9**
	London Teaching	109	9	99	25.3	56.6	18.2	648	45	354	23.4	53.7	22.9
	Provincial Teaching	218	3	212	16.5	63.7	19.8	1,240	18	1,020	18.1	53.3	28.5
	Regional Boards	23	4	22	22.7	54.5	22.7	159	19	129	15.5	59.7	24.8
Bronchiectasis (526)	**All hospitals**	**746**	**19**	**606**	**11.9**	**56.3**	**31.8**	**830**	**33**	**559**	**11.6**	**62.4**	**25.9**
	London Teaching	286	33	191	17.8	61.8	20.4	339	52	163	16.0	63.2	20.9
	Provincial Teaching	329	10	297	9.1	57.6	33.3	367	21	290	8.3	62.4	29.3
	Regional Boards	131	10	118	9.3	44.1	46.6	124	15	106	14.2	61.3	24.5

(540)	London Teaching	672	7	623	11.9	54.9	33.2	283	54	131	13.7	40.5	45.8
	Provincial Teaching	1,325	8	1,216	12.6	52.5	35.0	468	36	301	16.3	46.2	37.5
	Regional Boards	513	10	463	11.2	56.4	32.4	239	40	144	16.0	52.1	31.9
Ulcer of duodenum (541)	**All hospitals**	**4,818**	**6**	**4,515**	**14.3**	**57.0**	**28.7**	**889**	**31**	**609**	**16.1**	**54.8**	**29.1**
	London Teaching	940	9	855	17.7	58.5	23.9	206	54	94	23.4	47.9	28.7
	Provincial Teaching	2,903	6	2,739	14.2	55.4	30.4	495	22	387	14.7	58.1	27.1
	Regional Boards	975	6	921	11.3	60.5	28.2	188	32	128	14.8	50.0	35.2
Cholecystitis and cholelithiasis including biliary colic (584;585)	**All hospitals**	**558**	**15**	**477**	**27.7**	**51.8**	**20.5**	**2,299**	**40**	**1,385**	**18.2**	**51.6**	**30.2**
	London Teaching	119	15	101	34.7	47.5	17.8	481	61	189	19.0	53.4	27.5
	Provincial Teaching	330	14	285	27.0	51.6	21.4	1,318	32	902	17.4	52.3	30.3
	Regional Boards	109	17	91	22.0	57.1	20.9	500	41	294	20.1	48.3	31.6
								Conditions mainly treated in Surgical departments					
Non-acute lymphadenitis including non-specific mesenteric adenitis (468.0-468.2)	**All hospitals**	**454**	**22**	**354**	**12.4**	**61.3**	**26.3**	**419**	**26**	**311**	**14.8**	**63.7**	**21.5**
	London Teaching	122	43	70	15.7	60.0	24.3	126	44	70	17.1	55.7	27.1
	Provincial Teaching	187	13	162	14.2	56.2	29.6	178	17	147	12.9	66.0	21.1
	Regional Boards	145	16	122	8.2	68.9	23.0	115	18	94	16.0	66.0	18.1
Varicose Veins (460:462)	**All hospitals**	**1,199**	**6**	**1,123**	**15.9**	**59.3**	**24.8**	**1,666**	**31**	**1,151**	**22.6**	**50.6**	**26.8**
	London Teaching	478	10	431	18.6	60.3	21.1	617	50	308	29.9	44.2	26.0
	Provincial Teaching	445	4	428	14.7	56.5	28.7	712	19	578	20.8	52.4	26.8
	Regional Boards	276	4	264	13.6	62.1	24.2	337	21	265	18.1	54.3	27.5
Haemorrhoids (461)	**All hospitals**	**1,327**	**5**	**1,260**	**16.1**	**56.0**	**27.9**	**745**	**31**	**514**	**17.9**	**57.2**	**24.9**
	London Teaching	278	8	255	18.4	58.4	23.1	187	55	85	17.6	64.7	17.6
	Provincial Teaching	727	3	702	14.8	55.4	29.8	384	23	296	18.2	55.4	26.4
	Regional Boards	322	6	303	17.2	55.1	27.7	174	24	133	17.3	56.4	26.3
Anal fissure and fistula; abscess of anal and rectal regions (574;575)	**All hospitals**	**686**	**10**	**617**	**20.7**	**55.8**	**23.5**	**447**	**30**	**315**	**24.1**	**51.1**	**24.8**
	London Teaching	182	19	148	23.0	56.1	20.9	149	48	78	37.2	48.7	14.1
	Provincial Teaching	366	7	340	18.2	55.6	26.2	223	20	178	21.3	55.1	23.6
	Regional Boards	138	7	129	24.8	55.8	19.4	75	21	59	15.3	42.4	42.4
Inguinal hernia without obstruction (560.0)	**All hospitals**	**5,053**	**8**	**4,654**	**15.2**	**57.8**	**26.9**	**704**	**23**	**539**	**13.4**	**57.5**	**29.1**
	London Teaching	1,431	12	1,260	19.2	58.8	22.0	161	47	85	18.8	58.8	22.4
	Provincial Teaching	2,530	6	2,377	13.8	56.0	30.2	384	15	328	11.9	57.3	30.8
	Regional Boards	1,092	7	1,017	13.6	61.0	25.5	159	21	126	13.5	57.1	29.4

TABLE 3 - continued

Principal Diagnosis on Discharge	Hospital Group	MALES: Total Discharges	MALES: % with Social Class not assigned	MALES: Discharges with Social Class assigned: Total	MALES: % Distribution I&II	MALES: % Distribution III	MALES: % Distribution IV&V	FEMALES: Total Discharges	FEMALES: % with Social Class not assigned	FEMALES: Discharges with Social Class assigned: Total	FEMALES: % Distribution I&II	FEMALES: % Distribution III	FEMALES: % Distribution IV&V
		Conditions mainly treated in Surgical departments (continued)											
Other hernia of abdominal cavity without obstruction (560 rdr.)	All hospitals	1,049	12	918	13.8	57.8	28.3	1,537	33	1,037	14.4	53.0	32.6
	London Teaching	295	17	244	19.3	59.0	21.7	425	50	211	14.7	52.6	32.7
	Provincial Teaching	557	8	513	12.7	55.0	32.4	828	21	656	13.4	53.2	33.4
	Regional Boards	197	18	161	9.3	65.2	25.5	284	40	170	17.6	52.9	29.4
Hernia of abdominal cavity with obstruction (561)	All hospitals	581	24	442	18.6	52.7	28.7	469	59	193	15.0	49.7	35.2
	London Teaching	95	29	67	14.9	53.7	31.3	62	65	22	9.1	40.9	50.0
	Provincial Teaching	321	20	258	19.8	51.2	29.1	270	57	115	16.5	51.3	32.2
	Regional Boards	165	29	117	17.9	55.6	26.5	137	59	56	14.3	50.0	35.7
Acute appendicitis without mention of peritonitis (550.0)	All hospitals	3,064	17	2,551	16.0	60.6	23.4	2,852	25	2,144	17.0	58.4	24.5
	London Teaching	456	30	318	16.7	60.1	23.3	426	40	257	20.2	55.3	24.5
	Provincial Teaching	1,660	16	1,393	16.2	59.2	24.6	1,544	24	1,168	17.3	57.5	25.2
	Regional Boards	948	11	840	15.4	63.2	21.4	882	18	719	15.4	61.1	23.5
Acute appendicitis with peritonitis (550.1)	All hospitals	866	12	758	15.7	59.2	25.1	666	30	469	17.1	57.6	25.4
	London Teaching	81	21	64	15.6	62.5	21.9	73	42	42	19.0	59.5	21.4
	Provincial Teaching	513	11	457	15.8	55.6	28.7	376	30	264	18.2	53.4	28.4
	Regional Boards	272	13	237	15.6	65.4	19.0	217	25	163	14.7	63.8	21.5
Other and unqualified appendicitis, incl. chronic and subacute forms (551.552)	All hospitals	1,134	11	1,011	18.7	58.6	22.7	2,025	18	1,660	18.2	57.0	24.8
	London Teaching	245	16	207	28.5	56.5	15.0	514	26	378	23.0	57.1	19.8
	Provincial Teaching	547	13	476	18.1	56.1	25.8	1,026	15	871	18.6	54.8	26.6
	Regional Boards	342	4	328	13.4	63.4	23.2	485	15	411	12.9	61.6	25.5

Hyperplasia of prostate (610)	**All hospitals**	**2,310**	**29**	**1,633**	**21.6**	**48.6**	**29.8**						
	London Teaching	468	34	310	23.5	48.1	28.4						
	Provincial Teaching	1,257	27	920	22.2	46.2	31.6						
	Regional Boards	585	31	403	18.9	54.6	26.5						
		Conditions mainly treated in the Traumatic and Orthopaedic Surgery department											
Fractured vault and base of skull; multiple and unqualified skull fractures, with or without head injury (N800:801:803:804)	**All hospitals**	**854**	**27**	**620**	**11.8**	**56.1**	**32.1**	**318**	**44**	**178**	**19.1**	**48.3**	**32.6**
	London Teaching	122	34	81	10.0	48.1	42.0	49	73	13	15.4	46.2	38.5
	Provincial Teaching	546	30	381	11.0	54.9	34.1	201	40	121	17.4	47.9	34.7
	Regional Boards	186	15	158	14.6	63.3	22.2	68	35	44	25.0	50.0	25.0
Concussion or other head injury (incl. scalp wounds) without skull fracture (N852-856)	**All hospitals**	**1,675**	**24**	**1,272**	**9.0**	**59.4**	**31.6**	**600**	**40**	**359**	**13.6**	**49.3**	**37.0**
	London Teaching	210	27	153	12.4	51.6	35.9	78	50	39	17.9	48.7	33.3
	Provincial Teaching	1,035	26	764	8.5	57.7	33.8	377	39	230	12.6	48.3	39.1
	Regional Boards	430	17	355	8.7	66.2	25.1	145	38	90	14.4	52.2	33.3
Fracture of ankle (N824)	**All hospitals**	**188**	**10**	**169**	**16.6**	**55.0**	**28.4**	**193**	**49**	**99**	**22.2**	**44.4**	**33.3**
	London Teaching	61	20	49	22.4	63.3	14.3	63	51	31	25.8	45.2	29.0
	Provincial Teaching	96	6	90	15.6	55.6	28.9	80	46	43	20.9	44.2	34.9
	Regional Boards	31	3	30	10.0	40.0	50.0	50	50	25	20.0	44.0	36.0
Fracture of tibia and fibula (N823)	**All hospitals**	**690**	**18**	**565**	**10.8**	**58.1**	**31.1**	**316**	**45**	**173**	**13.9**	**50.3**	**35.8**
	London Teaching	132	30	93	20.4	54.8	24.7	72	47	38	15.8	57.9	26.3
	Provincial Teaching	394	14	339	9.1	54.9	36.0	165	41	97	14.4	44.3	41.2
	Regional Boards	164	19	133	8.3	68.4	23.3	79	52	38	10.5	57.9	31.6
Fracture of femur (N820:821)	**All hospitals**	**635**	**24**	**481**	**11.4**	**53.4**	**35.1**	**876**	**70**	**261**	**18.0**	**47.9**	**34.1**
	London Teaching	92	32	63	12.7	52.4	34.9	153	75	39	12.8	51.3	35.9
	Provincial Teaching	387	22	302	10.6	55.0	34.4	456	66	156	17.9	46.2	35.9
	Regional Boards	156	26	116	12.9	50.0	37.1	267	75	66	21.2	50.0	28.8
Internal derangement of knee joint (734)	**All hospitals**	**852**	**7**	**789**	**18.3**	**60.1**	**21.7**	**152**	**16**	**127**	**23.6**	**50.4**	**26.0**
	London Teaching	303	11	270	26.3	56.3	17.4	67	24	51	17.6	62.7	19.6
	Provincial Teaching	329	7	307	13.0	60.9	26.1	61	10	55	27.3	43.6	29.1
	Regional Boards	220	4	212	15.6	63.7	20.8	24	12	21	28.6	38.1	33.3

TABLE 3 - continued

Principal Diagnosis on Discharge	Hospital Group	MALES: Total Discharges	MALES: % with Social Class not assigned	MALES: Discharges with Social Class assigned: Total	MALES: % Distribution I&II	MALES: % Distribution III	MALES: % Distribution IV&V	FEMALES: Total Discharges	FEMALES: % with Social Class not assigned	FEMALES: Discharges with Social Class assigned: Total	FEMALES: % Distribution I&II	FEMALES: % Distribution III	FEMALES: % Distribution IV&V
Conditions mainly treated in the Traumatic and Orthopaedic Surgery department (continued)													
Displacement of intervertebral disc. (735)	**All hospitals**	**663**	**6**	**623**	**17.2**	**53.0**	**29.9**	**472**	**25**	**355**	**34.9**	**49.9**	**15.2**
	London Teaching	181	8	166	21.1	59.6	19.3	196	34	130	33.1	53.8	13.1
	Provincial Teaching	414	5	393	15.0	51.4	33.6	233	19	188	39.4	45.2	15.4
	Regional Boards	68	6	64	20.3	45.3	34.4	43	14	37	18.9	59.5	21.6
Hallux valgus and varus (747)	**All hospitals**	**76**	**5**	**72**	**9.7**	**59.7**	**30.6**	**726**	**21**	**573**	**23.4**	**53.1**	**23.6**
	London Teaching	33	9	30	3.3	73.3	23.3	448	23	347	25.4	54.8	19.9
	Provincial Teaching	30	3	29	13.8	41.4	44.8	162	20	130	18.5	50.8	30.8
	Regional Boards	13	-	13	15.4	69.2	15.4	116	17	96	22.9	50.0	27.1
Osteomyelitis and periostitis (730)	**All hospitals**	**638**	**16**	**538**	**13.2**	**62.5**	**24.3**	**311**	**23**	**238**	**10.9**	**64.7**	**24.4**
	London Teaching	156	16	131	17.6	64.1	18.3	85	36	54	9.3	70.4	20.4
	Provincial Teaching	366	16	306	11.8	61.1	27.1	176	20	141	12.1	62.4	25.5
	Regional Boards	116	13	101	11.9	64.4	23.8	50	14	43	9.3	65.1	25.6
Synovitis, bursitis and tenosynovitis (741,742)	**All hospitals**	**439**	**10**	**396**	**12.4**	**59.8**	**27.8**	**520**	**29**	**371**	**19.1**	**52.3**	**28.6**
	London Teaching	164	12	144	14.6	56.9	28.5	251	35	162	20.4	54.3	25.3
	Provincial Teaching	187	8	172	9.3	64.5	26.2	178	20	143	16.1	53.8	30.1
	Regional Boards	88	9	80	15.0	55.0	30.0	91	27	66	22.7	43.9	33.3
Conditions mainly treated in the Gynaecology department													
Uterine fibromyoma (214)	**All hospitals**							**3,024**	**20**	**2,427**	**20.4**	**55.5**	**24.1**
	London Teaching							811	42	469	24.1	55.4	20.5
	Provincial Teaching							1,782	10	1,600	20.6	53.9	25.5
	Regional Boards							431	17	358	14.2	62.8	22.9

Other benign neoplasm of uterus (215)	**All hospitals**					**1,616**	**23**	**1,241**	**19.1**	**54.6**	**26.3**
	London Teaching					426	47	226	20.8	54.0	25.2
	Provincial Teaching					973	14	838	19.3	55.1	25.5
	Regional Boards					217	18	177	15.8	52.5	31.6
Cervicitis and other infective diseases of uterus (630.0;630.1)	**All hospitals**					**1,826**	**21**	**1,434**	**17.5**	**55.8**	**26.7**
	London Teaching					370	48	194	15.5	60.8	23.7
	Provincial Teaching					1,094	11	970	17.9	54.2	27.8
	Regional Boards					362	25	270	17.4	57.8	24.8
Disorders of menstruation (634)	**All hospitals**					**6,028**	**21**	**4,768**	**15.0**	**56.4**	**28.6**
	London Teaching					1,457	44	810	17.3	59.3	23.5
	Provincial Teaching					3,651	12	3,196	15.3	54.7	30.1
	Regional Boards					920	17	762	11.5	60.5	28.0
Abortion (650-652)	**All hospitals**					**4,048**	**19**	**3,265**	**15.6**	**58.2**	**26.2**
	London Teaching					597	55	268	22.4	57.1	20.5
	Provincial Teaching					1,743	16	1,470	17.1	56.1	26.8
	Regional Boards					1,708	11	1,527	12.9	60.5	26.6
Uterovaginal prolapse (631)	**All hospitals**					**4,827**	**32**	**3,296**	**17.4**	**51.3**	**31.3**
	London Teaching					1,088	65	379	17.9	46.7	35.4
	Provincial Teaching					3,062	20	2,447	17.7	50.6	31.8
	Regional Boards					677	31	470	15.7	58.9	25.3
					Conditions mainly treated in the Obstetrics department						
Delivery without complication specified as spontaneous or normal (6600)	**All hospitals**					**13,688**	**14**	**11,715**	**13.7**	**61.7**	**24.6**
	London Teaching					2,438	50	1,213	22.0	58.0	20.0
	Provincial Teaching					6,205	5	5,915	15.9	62.6	21.5
	Regional Boards					5,045	9	4,587	8.6	61.6	29.8
Delivery without complication, with type of delivery unspecified (660.6)	**All hospitals**					**8,348**	**27**	**6,092**	**13.0**	**60.9**	**26.1**
	London Teaching					3,468	58	1,440	14.6	61.9	23.5
	Provincial Teaching					2,765	4	2,648	16.1	59.9	24.1
	Regional Boards					2,115	5	2,004	7.8	61.6	30.6
Delivery, complicated or assisted (including delivery before admission) (660.1-660.5;660.7;670-678)	**All hospitals**					**10,253**	**17**	**8,541**	**16.8**	**61.2**	**21.9**
	London Teaching					2,509	42	1,460	20.0	61.0	19.0
	Provincial Teaching					5,802	5	5,497	17.9	61.0	21.1
	Regional Boards					1,942	18	1,584	10.2	62.1	27.7

TABLE 3 - continued

Principal Diagnosis on Discharge	Hospital Group	MALES: Total Discharges	MALES: % with Social Class not assigned	MALES: Discharges with Social Class assigned: Total	MALES: % Distribution I&II	MALES: % Distribution III	MALES: % Distribution IV&V	FEMALES: Total Discharges	FEMALES: % with Social Class not assigned	FEMALES: Discharges with Social Class assigned: Total	FEMALES: % Distribution I&II	FEMALES: % Distribution III	FEMALES: % Distribution IV&V
Conditions mainly treated in the Ear, Nose and Throat department													
Otitis media, without mention of mastoiditis (391)	All hospitals	1,656	24	1,266	13.4	59.0	27.6	1,417	29	1,013	15.8	57.8	26.4
	London Teaching	559	34	370	12.4	61.1	26.5	456	43	262	19.1	51.5	29.4
	Provincial Teaching	843	21	662	13.1	55.9	31.0	710	26	524	13.5	60.3	26.1
	Regional Boards	254	8	234	15.8	64.5	19.7	251	10	227	17.2	59.5	23.3
Mastoiditis, with or without otitis media (392,393)	All hospitals	820	19	668	10.2	60.5	29.3	665	28	478	11.3	58.8	29.9
	London Teaching	161	39	98	14.3	64.3	21.4	117	48	61	11.5	57.4	31.1
	Provincial Teaching	542	15	459	8.3	59.0	32.7	431	29	307	10.4	59.6	30.0
	Regional Boards	117	5	111	14.4	63.1	22.5	117	6	110	13.6	57.3	29.1
Sinusitis (471,513)	All hospitals	1,095	15	930	17.0	61.3	21.7	899	29	634	17.2	59.8	23.0
	London Teaching	342	18	279	19.4	62.0	18.6	252	43	144	18.8	60.4	20.8
	Provincial Teaching	593	16	500	17.8	57.6	24.6	506	26	373	16.4	60.3	23.3
	Regional Boards	160	6	151	9.9	72.2	17.9	141	17	117	17.9	57.3	24.8
Deflected nasal Septum (514)	All hospitals	1,101	10	990	16.1	60.8	23.1	395	25	298	13.4	61.7	24.8
	London Teaching	314	15	267	21.3	62.9	15.7	122	30	85	15.3	63.5	21.2
	Provincial Teaching	707	9	644	13.2	59.6	27.2	247	23	190	11.6	60.0	28.4
	Regional Boards	80	1	79	21.5	63.3	15.2	26	12	23	21.7	69.6	8.7
Nasal Polyp (515)	All hospitals	572	10	515	14.8	64.1	21.2	424	30	296	16.6	54.7	28.7
	London Teaching	88	12	77	18.2	66.2	15.6	74	45	41	22.0	48.8	29.3
	Provincial Teaching	381	9	346	15.6	61.0	23.4	308	30	216	16.7	54.6	28.7
	Regional Boards	103	11	92	8.7	73.9	17.4	42	7	39	10.3	61.5	28.2

Hypertrophy of tonsils and adenoids (510)	**All hospitals**	**8,925**	**26**	**6,637**	**14.8**	**63.3**	**21.9**	**9,147**	**24**	**6,909**	**14.9**	**60.8**	**24.3**
	London Teaching	3,179	45	1,752	17.9	61.9	20.2	3,053	47	1,615	17.6	59.6	22.8
	Provincial Teaching	3,898	13	3,382	13.7	62.1	24.2	4,273	15	3,652	14.7	60.5	24.8
	Regional Boards	1,848	19	1.503	13.6	67.6	18.8	1,821	10	1,642	12.9	62.5	24.6
				Conditions mainly treated in the Ophthalmology department									
Strabismus (384)	**All hospitals**	**1,432**	**20**	**1,139**	**12.6**	**60.7**	**26.7**	**1,578**	**20**	**1,255**	**13.2**	**60.5**	**26.3**
	London Teaching	461	39	282	13.5	63.1	23.4	516	37	327	16.8	63.9	19.3
	Provincial Teaching	846	9	767	11.9	60.0	28.2	953	12	842	12.1	58.6	29.3
	Regional Boards	125	28	90	15.6	60.0	24.4	109	21	86	10.5	66.3	23.3
Cataract (385)	**All hospitals**	**1,396**	**28**	**999**	**13.6**	**52.9**	**33.5**	**1,672**	**67**	**556**	**18.7**	**48.9**	**32.4**
	London Teaching	344	29	243	16.0	53.9	30.0	555	77	125	25.6	46.4	28.0
	Provincial Teaching	948	28	678	12.5	52.8	34.7	970	62	365	17.3	48.2	34.5
	Regional Boards	104	25	78	15.4	50.0	34.6	147	55	66	13.6	57.6	28.8

TABLE 4 - All discharges other than maternity conditions: sex and age distribution for diagnostic groups and selected diagnoses - 1951.

All discharges other than those assigned to Section XI of the International Classification:* classified in broad disease or injury groupings distinguishing the commoner diseases and injuries: distributions by sex and age (a) for all discharges (b) for those among them stated to have died in hospital.

Teaching hospitals (London and Provincial combined) and Hospitals under Regional Boards shown separately.

NOTE: The diseases shown in this table comprise selection and amalgamation of titles from a larger table which details the same information for each fourth-digit rubric in the International Statistical Classification. Figures for any particular rubric can be supplied on request, or arrangements can be made for the full table to be studied at the General Register Office.

* Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Sixth Revision, 1948.

TABLE 4

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only										
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
			Teaching Hospitals										
All discharges, excluding deliveries, complications of pregnancy, childbirth and the puerperium, and conditions classified by I.S.C. as special admissions	(a)	M	110,423	12,782	16,658	9,479	12,046	14,053	16,386	14,889	9,674	3,468	988
		F	121,293	8,873	13,808	12,540	15,769	20,048	20,723	14,767	10,259	3,692	814
	(b)	M	4,454	333	83	109	190	360	730	998	994	540	117
		F	3,323	249	69	85	144	268	525	687	763	467	66
Diseases, excluding deliveries and complications of pregnancy, childbirth and the puerperium	(a)	M	99,746	11,923	15,017	7,756	10,316	12,445	15,085	14,043	9,199	3,227	735
		F	115,961	8,288	13,162	11,964	15,278	19,506	20,056	14,141	9,655	3,232	679
	(b)	M	4,217	320	70	96	167	338	704	965	964	499	94
		F	3,149	241	65	79	136	264	515	670	734	391	54
Injuries and other effects of external causes	(a)	M	10,677	859	1,641	1,723	1,730	1,608	1,301	846	475	241	253
		F	5,332	585	646	576	491	542	667	626	604	460	135
	(b)	M	237	13	13	13	23	22	26	33	30	41	23
		F	174	8	4	6	8	4	10	17	29	76	12

Hospitals under Regional Boards

All discharges, excluding deliveries, complications of pregnancy, childbirth and the puerperium, and conditions classified by I.S.C. as special admissions	(a)	M	27,784	3,810	4,531	2,248	2,574	3,066	3,498	3,488	2,896	1,604	69
		F	28,364	2,662	3,771	3,095	3,189	3,805	3,948	3,125	2,881	1,833	55
	(b)	M	2,509	131	30	28	77	143	280	509	709	590	12
		F	2,321	91	18	34	54	113	221	401	658	727	4
Diseases, excluding deliveries and complications of pregnancy, childbirth and the puerperium	(a)	M	25,387	3,534	4,081	1,849	2,257	2,765	3,262	3,314	2,774	1,501	50
		F	26,881	2,497	3,593	2,927	3,094	3,647	3,777	2,965	2,685	1,647	49
	(b)	M	2,416	129	26	24	69	134	270	496	696	562	10
		F	2,227	88	15	31	52	113	214	393	634	684	3
Injuries and other effects of external causes	(a)	M	2,397	276	450	399	317	301	236	174	122	103	19
		F	1,483	165	178	168	95	158	171	160	196	186	6
	(b)	M	93	2	4	4	8	9	10	13	13	28	2
		F	94	3	3	3	2	-	7	8	24	43	1

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
I. INFECTIVE AND PARASITIC DISEASES	(a)																						
	(b)																						
Tuberculosis of respiratory system (001-008)	(a)	M	995	103	96	140	185	144	127	126	50	7	17	1095	35	51	212	326	209	149	78	25	7	3
		F	907	76	84	271	255	109	56	29	17	4	6	867	26	48	332	255	123	47	23	12	1	-
	(b)	M	51	4	1	1	6	6	8	10	6	4	3	87	4	2	3	12	18	16	22	8	2	-
		F	22	3	1	-	4	3	3	3	5	-	-	49	4	1	9	12	14	1	4	3	1	-
Primary tuberculosis complex; tracheo-bronchial glandular tuberculosis (004,005)	(a)	M	117	65	45	4	1	1	-	-	-	-	1	44	20	21	2	-	-	-	-	1	-	-
		F	110	56	46	6	1	-	1	-	-	-	-	33	11	18	3	1	-	-	-	-	-	-
	(b)	M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F																						
Pleurisy specified as tuberculosus (003.0)	(a)	M	69	6	13	13	16	11	3	4	2	-	1	32	2	9	11	4	2	3	1	-	-	-
		F	43	-	7	21	8	3	2	-	1	-	1	31	-	7	13	2	6	2	-	1	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
Pleurisy with effusion without mention of cause (003.1)	(a)	M	109	6	10	19	9	15	12	27	9	1	1	61	1	5	11	9	8	10	10	3	3	1
		F	111	1	11	35	18	11	11	10	8	3	3	41	1	5	11	4	5	5	5	5	-	-
	(b)	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-
Pulmonary tuberculosis; other tuberculosis of respiratory system (001,002,006-008)	(a)	M	700	26	28	104	159	117	112	95	39	6	14	958	12	16	188	313	199	136	67	21	4	2
		F	643	19	20	209	228	95	42	19	8	1	2	762	14	18	305	248	112	40	18	6	1	-
	(b)	M	46	-	-	1	6	6	8	10	8	4	3	87	4	2	3	12	18	16	22	8	2	-
		F	17	3	1	-	3	2	3	3	2	-	-	47	4	1	8	12	14	1	4	2	1	-
Tuberculosis, other forms (010-019)	(a)	M	1144	177	230	186	230	144	99	50	16	5	7	201	26	40	36	36	26	19	11	4	2	1
		F	1414	134	242	364	280	172	111	65	25	12	9	249	29	41	49	59	30	23	8	10	-	-
	(b)	M	53	16	8	8	8	6	3	1	1	-	2	24	4	3	4	2	3	2	2	2	1	1
		F	50	11	7	11	5	3	5	4	2	1	1	22	4	2	4	3	2	3	1	3	-	-
Tuberculosis of meninges and central nervous system (010)	(a)	M	138	66	24	16	12	14	1	2	-	-	3	36	12	11	8	2	2	1	-	-	-	-
		F	136	43	35	31	14	6	5	-	1	-	1	34	9	5	9	6	2	1	1	1	-	-
	(b)	M	37	16	8	5	5	2	-	-	-	-	1	14	4	2	4	2	2	-	-	-	-	-
		F	31	9	7	8	3	2	1	-	-	-	1	13	4	1	3	2	2	1	-	-	-	-

Tuberculosis of bones and joints (inc. late effects) (012,013)	(a)	M	344	38	67	60	87	40	36	13	2	1	-	61	6	10	13	12	8	4	6	1	-	1
		F	386	32	79	104	68	48	31	18	3	1	2	58	4	7	15	14	10	2	3	3	-	-
	(b)	M	4	-	-	-	1	-	2	1	-	-	-	5	-	1	-	-	-	1	1	1	-	1
		F	3	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Tuberculosis of skin and subcutaneous cellular tissue (014)	(a)	M	50	4	11	6	7	7	9	6	-	-	-	6	-	1	2	-	1	1	1	-	-	-
		F	104	8	14	28	11	11	14	10	3	3	2	13	1	2	1	5	1	1	2	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of lymphatic system (015)	(a)	M	283	53	104	44	35	20	15	7	3	1	1	29	5	14	4	4	1	-	-	-	1	-
		F	396	32	94	113	58	38	29	19	6	6	1	63	11	20	6	10	4	8	-	4	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Tuberculosis of genito-urinary system (016)	(a)	M	224	1	11	34	74	47	26	18	9	2	2	43	-	1	4	16	10	7	2	2	1	-
		F	220	-	2	46	69	48	21	10	3	-	1	50	-	3	10	19	10	8	-	-	-	-
	(b)	M	9	-	-	3	1	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
		F	5	-	-	-	1	-	3	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Tuberculosis, other organs (inc. intestines and mesenteric glands) (011; 017,018)	(a)	M	85	7	12	23	12	16	9	4	1	1	-	22	3	3	5	1	3	4	2	1	-	-
		F	148	11	14	36	39	21	10	8	6	2	1	22	3	2	5	5	3	2	2	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-
		F	4	-	-	-	-	1	-	1	1	1	-	4	-	1	-	1	-	1	1	-	-	-
Disseminated tuberculosis (019)	(a)	M	20	8	1	3	3	-	3	-	1	-	1	4	-	-	-	1	1	2	-	-	-	-
		F	24	8	4	6	1	-	1	-	3	-	1	9	1	2	3	-	-	1	-	2	-	-
	(b)	M	3	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	7	2	-	2	1	-	1	-	1	-	-	2	-	-	-	-	-	1	-	1	-	-
Syphilis and Gonococcal infection (020-029; 030-035)	(a)	M	486	5	11	12	42	66	112	157	70	17	3	59	2	1	3	5	12	10	14	10	1	1
		F	302	6	9	27	42	44	69	81	20	4	-	61	3	3	4	6	13	8	12	7	5	-
	(b)	M	32	1	-	-	-	2	3	11	12	3	-	8	-	-	-	-	1	1	3	2	1	-
		F	3	-	-	-	-	-	1	1	1	-	-	11	-	-	-	-	1	-	2	4	4	-
Syphilis and its sequelae (020-029)	(a)	M	461	5	11	12	26	62	107	155	64	16	3	56	2	1	1	5	11	10	14	10	1	1
		F	284	6	8	18	36	41	69	81	20	4	-	55	3	3	2	3	12	8	12	7	5	-
	(b)	M	32	1	-	-	-	2	3	11	12	3	-	8	-	-	-	-	1	1	3	2	1	-
		F	3	-	-	-	-	-	1	1	1	-	-	11	-	-	-	-	1	-	2	4	4	-
Gonorrhoea and its sequelae (030-035)	(a)	M	25	-	-	1	6	4	5	2	6	1	-	3	-	-	2	-	1	-	-	-	-	-
		F	18	-	1	8	6	3	-	-	-	-	-	6	-	-	2	3	1	-	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																					
			Teaching Hospitals											Hospitals under Regional Boards										
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Infectious diseases commonly arising in intestinal tract (040-049)	(a)	M	206	52	33	17	50	29	16	4	3	-	2	223	142	39	6	8	9	9	5	4	1	-
		F	116	32	22	26	10	8	7	3	2	4	2	183	112	28	18	10	4	3	5	1	2	-
	(b)	M	1	-	-	-	1	-	-	-	-	-	-	3	1	-	-	-	-	-	1	-	1	-
		F	1	-	-	-		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms (045-048)	(a)	M	160	41	22	10	48	23	9	3	3	-	1	142	100	22	1	6	5	3	2	3	-	-
		F	82	27	15	17	8	5	2	2	2	3	1	114	74	15	11	6	2	-	4	1	1	-
	(b)	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid and paratyphoid fever; other salmonella infections (040-042)	(a)	M	26	9	8	5	-	1	3	-	-	-	-	76	42	17	5	1	3	3	3	1	1	-
		F	22	5	4	7	1	1	3	1	-	-	-	68	38	12	7	4	2	3	1	-	1	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	1	-	1	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious diseases arising in intestinal tract (043,044; 049)	(a)	M	20	2	3	2	2	5	4	1	-	-	1	5	-	-	-	1	1	3	-	-	-	-
		F	12	-	3	2	1	2	2	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases (036-039; 050-138)	(a)	M	1468	357	310	239	212	142	99	58	28	9	14	1025	484	292	88	58	42	25	12	16	7	1
		F	1244	299	230	236	170	122	85	48	29	11	14	1027	441	280	116	64	44	30	20	19	12	1
	(b)	M	35	13	2	4	3	2	4	6	1	-	-	13	6	3	-	1	-	1	-	1	1	-
		F	18	9	-	-	1	2	1	5	-	-	-	14	8	2	-	1	1	1	-	1	-	-
Scarlet fever (050)	(a)	M	33	9	19	3	1	1	-	-	-	-	-	223	103	110	7	1	-	1	1	-	-	-
		F	18	7	6	2	1	1	-	1	-	-	-	229	84	134	9	-	1	1	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat (051)	(a)	M	14	3	3	2	3	2	1	-	-	-	-	14	7	3	2	1	1	-	-	-	-	-
		F	20	3	4	10	1	1	-	-	-	-	1	18	3	4	8	1	2	-	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria (055)	(a)	M	5	3	1	-	-	-	1	-	-	-	-	17	6	7	-	4	-	-	-	-	-	-
		F	2	-	-	1	-	1	-	-	-	-	-	13	2	7	3	-	1	-	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Whooping cough (056)	(a)	M	53	45	8	-	-	-	-	-	-	-	-	114	102	10	1	-	-	1	-	-	-	-
		F	61	45	13	2	1	-	-	-	-	-	-	133	121	12	-	-	-	-	-	-	-	-
	(b)	M	2	2	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-
Meningococcal infections (057)	(a)	M	77	57	7	5	2	4	-	2	-	-	-	40	30	6	2	-	2	-	-	-	-	-
		F	57	46	1	3	1	-	2	3	1	-	-	40	27	5	1	-	1	2	3	1	-	-
	(b)	M	9	7	-	1	-	-	-	1	-	-	-	3	2	1	-	-	-	-	-	-	-	-
		F	4	3	-	-	-	-	-	1	-	-	-	3	2	-	-	-	-	1	-	-	-	-
Acute Poliomyelitis (080)	(a)	M	95	36	29	9	14	3	1	1	-	-	2	44	15	12	10	4	2	1	-	-	-	-
		F	77	34	20	12	6	2	-	-	-	-	3	40	16	12	7	5	-	-	-	-	-	-
	(b)	M	5	2	1	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Paralytic deformities and other sequelae of poliomyelitis (081)	(a)	M	196	33	90	33	17	14	3	4	-	-	2	41	9	20	6	5	1	-	-	-	-	-
		F	252	51	87	49	39	19	4	-	-	-	3	32	10	12	5	3	2	-	-	-	-	-
	(b)	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute infectious encephalitis (082)	(a)	M	71	19	23	12	13	1	1	1	-	-	1	51	7	16	13	6	4	2	2	1	-	-
		F	37	10	3	8	9	4	1	1	1	-	-	47	3	11	10	13	7	2	1	-	-	-
	(b)	M	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Parkinsonism and other post encephalitic conditions (083)	(a)	M	28	-	-	2	9	11	5	1	-	-	-	8	-	-	-	-	2	4	1	-	1	-
		F	17	-	-	1	5	3	4	2	1	-	1	7	-	-	-	1	3	2	-	1	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (085)	(a)	M	83	46	25	10	1	-	1	-	-	-	-	192	149	38	1	3	1	-	-	-	-	-
		F	55	26	15	9	4	1	-	-	-	-	-	159	119	27	5	4	2	2	-	-	-	-
	(b)	M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Herpes zoster (088)	(a)	M	71	-	1	5	4	4	13	17	19	7	1	18	-	1	1	-	-	3	3	6	4	-
		F	65	-	2	2	5	9	12	15	10	10	-	24	-	-	1	1	1	3	4	5	9	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mumps (089)	(a)	M	36	2	11	18	4	-	-	-	-	1	-	19	6	3	4	5	1	-	-	-	-	-
		F	17	1	6	4	5	1	-	-	-	-	-	19	2	2	11	3	1	-	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis (092)	(a)	M	109	7	19	14	26	22	11	5	4	1	-	41	3	9	7	8	5	4	1	4	-	-
		F	92	8	20	25	11	9	8	5	5	1	-	40	1	6	9	9	5	5	4	1	-	-
	(b)	M	3	-	-	-	-	1	1	1	-	-	-	2	-	1	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
			Teaching Hospitals											Hospitals under Regional Boards										
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
All other infective and parasitic diseases - continued																								
Glandular fever (infectious mono-nucleosis) (093)	(a)	M	105	9	19	39	27	7	1	-	-	-	3	45	4	17	13	7	3	-	-	-	-	1
		F	75	4	9	45	12	2		1	-	-	2	29	2	7	14	4	1	-	1	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial diseases (inc. typhus and Q fever) (100-108)	(a)	M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (110-117)	(a)	M	36	-	2	14	11	5	4	-	-	-	-	6	-	-	2	-	3	1	-	-	-	-
		F	5	1	-	1	2	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal and other worm infestations (123-130)	(a)	M	120	27	14	15	28	16	13	5	1	-	1	18	1	7	1	2	2	2	3	-	-	-
		F	84	19	13	8	11	19	7	3	3	-	1	18	6	3	4	2	2	-	1	-	-	-
	(b)	M	1	-	-	-	-	-	-	1	-	-	.	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fungus infections (131-134)	(a)	M	88	17	8	11	15	17	14	6	-	-	-	11	4	-	2	-	4	-	-	1	-	-
		F	75	7	1	10	20	20	11	6	-	-	-	21	3	-	4	5	6	-	1	-	2	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Remaining infective and parasitic diseases (036-039; others in 050-138)	(a)	M	246	44	31	47	37	34	29	16	4	-	4	123	38	33	16	12	11	6	1	4	2	-
		F	235	37	30	44	37	29	36	11	8	-	3	156	42	37	24	13	9	13	5	11	1	1
	(b)	M	10	1	1	-	1	1	3	2	1	-	-	3	1	-	-	1	-	1	-	-	-	-
		F	8	2	-	-	1	1	1	3	-	-	-	2	1	1	-	-	-	-	-	-	-	-

II. NEOPLASMS

Malignant neoplasms (140-205)	(a)	M	9105	106	132	175	392	776	1790	2624	2230	829	51	1420	6	9	14	38	105	231	390	444	183	-
		F	10532	113	88	142	465	1425	2514	2803	2185	715	82	1451	5	10	12	40	146	319	416	321	181	1
	(b)	M	1436	24	20	26	45	109	272	413	358	155	14	469		3	3	14	32	61	110	160	86	-
		F	1107	18	17	20	38	108	232	287	264	109	14	376	1	2	1	4	23	53	89	118	85	-
Malignant neoplasm of buccal cavity and pharynx (140-148)	(a)	M	873	1	3	15	20	49	131	204	287	158	5	62	-	-	-	3	4	15	7	18	15	-
		F	427	-	2	9	20	55	94	99	103	42	3	38	-	-	1	3	6	4	11	8	5	-
	(b)	M	45	-	-	-	1	1	6	11	18	8	-	13	-	-	-	-	-	2	2	4	5	-
		F	28	-	1	-	-	4	6	7	6	4	-	8	-	-	-	-	1	1	1	1	4	-
Malignant neoplasm of stomach (151)	(a)	M	784	-	-	4	7	60	182	260	207	58	6	171	-	1	-	3	11	28	54	57	17	-
		F	466	-	1	5	7	36	78	146	149	41	3	100	-	-	-	-	5	16	29	35	15	-
	(b)	M	175	-	-	-	1	13	38	51	44	26	2	75	-	1	-	2	3	11	20	29	9	-
		F	114	-	-	3	1	7	24	28	29	19	3	45	-	-	-	-	2	5	13	13	12	-
Malignant neoplasm of large intestine and rectum (153,154)	(a)	M	1063	1	-	3	25	72	184	316	331	127	4	207	-	-	-	1	12	19	51	87	37	-
		F	979	-	1	1	20	94	188	295	274	97	9	232	-	-	1	5	16	39	62	65	44	-
	(b)	M	203	-	-	2	2	14	31	54	61	38	1	74	-	-	-	-	7	3	15	31	18	-
		F	156	-	1	-	4	11	18	37	61	22	2	77	-	-	-	-	4	9	13	25	26	-
Malignant neoplasm of bronchus and lung (inc. trachea) (162,163)	(a)	M	1639	-	1	3	32	141	503	629	290	28	12	330	-	-	-	2	26	97	117	78	10	-
		F	279	-	-	3	14	36	71	90	53	10	2	58	-	-	1	-	4	14	15	19	5	-
	(b)	M	321	-	-	1	8	19	86	133	62	7	5	131	-	-	-	2	12	32	36	43	6	-
		F	56	-	-	-	3	14	11	13	13	2	-	28	-	-	1	-	-	5	6	13	3	-
Malignant neoplasm of breast (170)	(a)	M	47	-	-	-	2	2	9	13	14	7	-	4	-	-	-	-	-	1	1	2	-	-
		F	2414	-	-	4	70	430	701	611	444	136	18	302	-	-	1	6	46	85	89	46	29	-
	(b)	M	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	131	-	-	-	1	13	36	40	26	13	2	50	-	-	-	-	5	11	13	11	10	-
Malignant neoplasm of cervix uteri (171)	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1646	1	-	8	84	289	463	464	261	63	13	158	-	-	-	15	27	42	40	23	11	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	64	-	-	-	3	10	20	15	11	5	-	24	-	-	-	1	2	5	6	5	5	-
Malignant neoplasm of corpus, and of other or unspecified parts of uterus (172-174)	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	633	-	1	3	8	61	174	236	115	29	6	87	-	-	-	-	7	25	30	20	5	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	29	-	-	-	-	1	6	9	6	7	-	8	-	-	-	-	1	1	2	3	1	-
Malignant neoplasm of ovary, Fallopian tube, and broad ligament (175)	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	505	-	1	4	10	88	179	137	63	20	3	82	-	1	1	2	9	30	25	10	4	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	53	-	-	1	-	9	17	15	10	1	-	19	-	-	-	2	-	4	7	4	2	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Malignant neoplasms - continued																								
Malignant neoplasm of other and unspecified female genital organs (176)	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	209	-	-	1	4	9	31	55	76	31	2	32	-	-	-	-	4	5	9	7	6	1
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	5	5	2	1	9	-	-	-	-	1	-	3	3	2	-
Malignant neoplasm of prostate (177)	(a)	M	326	1	-	-	-	2	10	70	163	80	-	149	-	-	-	-	-	4	23	69	53	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	M	39	-	-	-	-	-	1	10	17	11	-	42	-	-	-	-	-	-	3	16	23	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of bladder and other urinary organs (181)	(a)	M	594	2	-	-	7	27	97	184	192	84	1	129	-	-	-	1	6	17	45	44	16	-
		F	180	-	-	-	1	9	23	56	61	27	3	36	-	-	-	-	1	6	16	4	9	-
	(b)	M	77	-	-	-	-	3	11	22	27	14	-	22	-	-	-	-	2	2	4	8	6	-
		F	14	-	-	-	-	-	3	6	5	-	-	4	-	-	-	-	-	1	-	2	1	-
Malignant neoplasm of skin, bone and connective tissue (190; 191; 196,197)	(a)	M	722	4	17	24	44	85	106	175	183	80	4	48	-	2	2	2	3	9	12	9	9	-
		F	504	7	12	18	32	66	67	104	128	67	3	57	1	3	4	1	4	7	15	9	13	-
	(b)	M	41	1	3	1	1	8	4	8	9	6	-	6	-	1	-	-	1	2	1	-	1	-
		F	18	-	-	2	2	4	4	3	2	1	-	7	-	-	-	-	-	2	2	-	3	-
Malignant neoplasm of brain and other parts of nervous system (193)	(a)	M	348	21	39	23	55	42	84	62	14	2	6	14	-	1	1	-	1	3	7	1	-	-
		F	220	22	27	20	33	29	44	32	9	1	3	15	1	3	2	1	1	4	3	-	-	-
	(b)	M	78	1	3	2	10	7	29	20	4	1	1	7	-	-	1	-	-	2	3	1	-	-
		F	66	6	5	5	3	6	16	19	5	-	1	5	1	-	-	-	1	2	1	-	-	-
Hodgkin's disease (201)	(a)	M	251	2	19	38	68	47	31	34	10	1	1	40	-	4	7	9	10	4	6	-	-	-
		F	181	1	3	26	61	31	22	23	8	6	-	14	-	2	-	4	1	2	4	1	-	-
	(b)	M	44	-	3	7	8	10	7	5	4	-	-	7	-	1	-	2	-	1	3	-	-	-
		F	22	-	1	3	8	1	4	3	2	-	-	3	-	1	-	-	1	-	-	1	-	-
Leukaemia and aleukaemia (204)	(a)	M	309	30	23	31	27	50	48	50	43	7	-	28	-	1	1	3	5	2	7	8	1	-
		F	294	20	23	10	25	36	51	56	52	15	6	30	1	-	-	2	2	1	14	8	2	-
	(b)	M	72	8	9	9	6	12	9	6	11	2	-	12	-	-	1	3	3	-	1	3	1	-
		F	64	5	7	4	5	10	13	11	3	4	2	13	-	-	-	1	2	1	4	4	1	-

Lymphosarcoma and other neoplasms of lymphatic and haematopoietic tissues (200; 202,203; 205)	(a)	M	313	7	18	14	35	57	61	71	34	14	2	20	3	-	-	3	4	2	6	1	1	-
		F	260	9	2	8	26	32	60	62	46	13	2	23	-	-	-	-	1	6	9	5	2	-
	(b)	M	58	2	2	1	-	6	14	18	9	4	2	6	-	-	-	1	-	-	3	1	1	-
		F	37	1	1	1	3	5	1	15	7	3	-	7	-	-	-	-	-	-	3	4	-	-
Malignant neoplasm of all other and unspecified sites (others in 140-205)	(a)	M	1836	37	12	20	70	142	344	556	462	183	10	218	3	-	3	11	23	30	54	70	24	-
		F	1335	53	15	22	50	124	268	337	343	117	6	187	2	1	1	1	12	33	45	61	31	-
	(b)	M	280	12	-	3	8	16	35	74	91	38	3	74	-	-	1	4	4	6	19	24	16	-
		F	242	6	1	1	5	13	53	61	73	26	3	69	-	1	-	-	3	6	15	29	15	-
Benign and unspecified neoplasms (210-239)	(a)	M	2981	236	222	256	338	428	565	505	335	81	15	491	25	24	40	50	66	82	103	70	31	-
		F	8598	296	247	626	1213	2483	2472	733	393	102	33	1368	26	34	94	211	382	412	124	65	19	1
	(b)	M	85	6	3	4	10	10	28	14	6	3	1	30	-	1	-	7	3	7	4	4	4	-
		F	80	4	3	4	6	7	24	15	11	4	2	33	-	1	1	4	3	9	5	8	2	-
Benign neoplasm of respiratory system (212)	(a)	M	147	14	17	10	30	28	17	19	10	1	1	12	2	1	-	3	5	1	-	-	-	-
		F	102	7	14	13	13	20	17	9	8	1	-	8	-	1	2	2	2	-	1	-	-	-
	(b)	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign and unspecified neoplasm of breast (213; 232)	(a)	M	9	-	1	1	-	1	6	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	425	-	-	84	111	122	71	22	9	1	5	67	-	-	7	14	23	15	6	2	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign and unspecified neoplasm of ovary (216; 234)	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1022	5	10	138	279	238	167	101	59	20	5	228	2	1	31	72	43	33	21	17	8	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	1	-	-	3	2	3	1	-	6	-	-	1	-	1	-	-	3	1	-
Uterine fibromyoma (214)	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2606	-	-	12	205	1077	1175	97	30	6	4	452	-	1	4	22	182	214	22	7	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	1	6	4	-	2	1	4	-	-	-	-	-	4	-	-	-	-
Uterine polyp. (215 part)	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	983	-	-	17	80	289	409	135	44	7	2	162	-	-	3	21	53	56	23	4	2	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other benign and unspecified neoplasm of uterus and female genital organs (215 rmdr; 217; 233; 235)	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	735	1	-	38	201	299	160	22	11	-	3	101	-	1	8	30	32	26	3	1	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Benign and unspecified neoplasms - continued																								
Benign neoplasm of bladder (219 part)	(a)	M	672	-	-	3	18	64	152	216	174	43	2	171	-	-	1	2	16	32	52	49	19	-
		F	243	-	1	-	5	11	34	81	74	37	-	36	-	-	-	1	3	12	8	6	6	-
	(b)	M	3	-	-	-	1	-	-	-	1	1	-	3	-	-	-	-	-	-	1	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign and unspecified neoplasm of brain and other parts of nervous system (223; 237)	(a)	M	412	20	38	34	53	84	99	66	13	1	4	44	1	1	-	10	7	16	6	2	1	-
		F	502	21	46	46	80	98	110	66	31	3	1	51	1	6	5	4	6	10	12	6	1	-
	(b)	M	54	2	3	1	8	4	21	11	3	-	1	18	-	1	-	6	1	6	2	1	1	-
		F	34	-	1	3	4	5	10	6	4	1	-	17	-	1	-	2	2	4	5	3	-	-
Haemangioma and lymphangioma (228)	(a)	M	222	107	41	30	16	11	9	6	1	1	-	12	3	2	2	2	2	1	-	-	-	-
		F	333	175	47	25	24	22	13	14	6	2	5	26	10	5	3	1	2	2	1	1	-	1
	(b)	M	2	1	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-
		F	4	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pilonidal cyst (221)	(a)	M	173	1	-	50	74	29	16	2	-	-	1	22	-	-	11	6	3	2	-	-	-	-
		F	166	2	-	80	55	23	5	1	-	-	-	27	1	-	12	13	1	-	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign and unspecified neoplasm of skin, bone and connective tissue (220; 222; 225-227; 238)	(a)	M	532	53	67	61	68	93	89	63	27	7	4	94	11	10	13	9	14	12	13	7	5	-
		F	816	57	78	120	84	166	167	96	39	6	3	117	6	7	13	16	22	25	19	9	-	-
	(b)	M	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-
Benign and unspecified neoplasm of all other and unspecified sites (others in 210-239)	(a)	M	814	41	58	67	79	118	177	133	110	28	3	135	8	10	13	18	18	18	32	12	6	-
		F	665	28	51	53	76	118	144	89	82	19	5	93	6	12	6	15	13	19	8	12	2	-
	(b)	M	22	3	-	3	1	5	5	1	2	2	-	7	-	-	-	-	2	-	1	2	2	-
		F	14	2	2	-	1	-	4	2	2	-	1	5	-	-	-	1	-	1	-	2	1	-

III, IV ALLERGIC, ENDOCRINE METABOLIC AND NUTRITIONAL DISEASES; DISEASES OF BLOOD

Allergic disorders (240-245)	(a)	M	618	107	154	41	69	68	79	61	29	5	5	206	46	32	17	15	20	35	25	12	4	-
		F	615	47	78	75	65	87	110	95	47	7	4	232	26	16	18	26	36	51	33	25	1	-
	(b)	M	21	2	-	-	-	-	9	7	3	-	-	13	-	-	-	-	1	2	5	3	2	-
		F	15	-	1	-	-	3	5	3	3	-	-	17	1	-	1	1	2	3	5	4	-	-
Asthma and Hay Fever (240,241)	(a)	M	507	81	137	33	48	53	67	57	25	4	2	187	39	27	14	14	19	34	24	12	4	-
		F	531	40	67	56	57	80	96	82	44	5	4	207	18	12	12	24	35	49	32	24	1	-
	(b)	M	21	2	-	-	-	-	9	7	3	-	-	13	-	-	-	-	1	2	5	3	2	-
		F	15	-	1	-	-	3	5	3	3	-	-	16	1	-	1	1	2	2	5	4	-	-
Angioneurotic oedema, urticaria, allergic eczema and other allergies (242-245)	(a)	M	111	26	17	8	21	15	12	4	4	1	3	19	7	5	3	1	1	1	1	-	-	-
		F	84	7	11	19	8	7	14	13	3	2	-	25	8	4	6	2	1	2	1	1	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Avitaminoses, and nutritional deficiency states (280-286)	(a)	M	168	49	27	3	8	17	25	21	14	4	-	24	11	5	-	2	1	3	1	-	1	-
		F	181	61	28	5	8	30	17	16	9	7	-	33	14	4	2	1	1	2	3	-	6	-
	(b)	M	4	-	-	-	-	1	2	-	1	-	-	2	-	-	-	1	-	-	-	-	1	-
		F	6	-	-	-	1	1	-	2	1	1	-	2	-	-	-	-	-	-	1	-	1	-
Steatorrhoea and sprue (286.0)	(a)	M	96	28	19	1	3	11	19	9	6	-	-	16	8	5	-	2	1	-	-	-	-	-
		F	115	37	20	3	7	24	10	11	3	-	-	13	8	3	1	-	-	1	-	-	-	-
	(b)	M	3	-	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Avitaminosis, and other nutritional deficiency states (inc. malnutrition) (280-285; 286 rmdr.)	(a)	M	72	21	8	2	5	6	6	12	8	4	-	8	3	-	-	-	-	3	1	-	1	-
		F	66	24	8	2	1	6	7	5	6	7	-	20	6	1	1	1	1	1	3	-	6	-
	(b)	M	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
		F	3	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-	-	1	-	1	-
Anaemias (290-293)	(a)	M	567	70	46	28	16	55	71	114	132	33	2	104	6	4	4	-	5	11	24	31	18	1
		F	917	44	35	54	78	163	171	185	128	56	3	210	3	4	7	11	29	37	25	56	37	1
	(b)	M	20	-	-	1	-	2	2	3	8	4	-	8	-	-	-	-	-	-	4	1	2	1
		F	27	1	2	1	1	2	6	7	5	2	-	18	-	-	-	1	1	2	2	4	8	-
Pernicious and other hyperchromic anaemias (290)	(a)	M	190	-	-	3	5	26	30	56	58	12	-	44	-	-	-	-	5	7	15	9	8	-
		F	271	-	1	2	10	36	56	77	66	21	2	73	-	1	-	-	1	11	12	32	16	-
	(b)	M	5	-	-	-	-	-	-	-	3	2	-	5	-	-	-	-	-	-	3	-	2	-
		F	6	-	-	-	-	1	1	2	1	1	-	7	-	-	-	-	-	1	1	1	4	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Anaemias - continued																								
Aplastic, non-regenerative, and leuko-erythroblastic anaemia (292.3-292.5)	(a)	M	100	1	18	8	1	5	13	17	31	6	-	12	-	-	-	-	-	-	1	8	3	-
		F	111	2	13	11	4	5	8	38	15	14	1	11	-	-	-	1	-	-	2	6	2	-
	(b)	M	8	-	-	-	-	1	2	2	1	2	-	2	-	-	-	-	-	-	1	1	-	-
		F	9	-	2	1	1	-	1	2	2	-	-	3	-	-	-	1	-	-	-	1	1	-
Other anaemias (inc. anaemia unspecified) (291; 292 rmdr.; 293)	(a)	M	277	69	28	17	10	24	28	41	43	15	2	48	6	4	4	-	-	4	8	14	7	1
		F	535	42	21	41	64	122	107	70	47	21		126	3	3	7	10	28	26	11	18	19	1
	(b)	M	7	-	-	1	-	1	-	1	4	-	-	1	-	-	-	-	-	-	-	-	-	1
		F	12	1	-	-	-	1	4	3	2	1	-	8	-	-	-	-	1	1	1	2	3	-
Endocrine and metabolic diseases; other diseases of blood (250-277; 287-289; 294-299)	(a)	M	**2080**	**140**	**217**	**192**	**205**	**331**	**391**	**357**	**182**	**49**	**16**	**270**	**14**	**20**	**22**	**38**	**36**	**40**	**43**	**45**	**12**	-
		F	**5412**	**85**	**187**	**460**	**930**	**1187**	**1092**	**800**	**542**	**101**	**28**	**681**	**7**	**13**	**63**	**71**	**119**	**119**	**117**	**125**	**44**	**3**
	(b)	M	**60**	**3**	**4**	**3**	**5**	**12**	**5**	**5**	**16**	**7**	-	**30**	**3**	**1**	-	**1**	**3**	**8**	**5**	**6**	**3**	-
		F	**116**	**1**	**2**	**2**	**4**	**11**	**19**	**28**	**34**	**14**	**1**	**49**	-	**1**	**2**	-	**4**	**6**	**12**	**14**	**10**	-
Non-toxic goitre (250,251)	(a)	M	151	-	2	6	23	52	35	27	6	-	-	9	-	1	-	3	-	3	2	-	-	-
		F	1123	-	5	96	228	374	255	109	40	13	3	104	-	-	12	19	34	24	12	3	-	-
	(b)	M		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	1	-	-	2	2	-	-	2	-	-	-	-	-	1	1	-	-	-
Thyrotoxicosis (252)	(a)	M	339	-	1	20	52	73	105	69	18	1	-	21	-	-	-	7	5	2	5	2	-	-
		F	1988	10	13	212	428	489	454	262	109	7	4	144	-	1	8	21	46	40	23	3	1	1
	(b)	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	-	-	-	2	-	2	8	2	-	1	2	-	-	-	-	-	-	2	-	-	-
Myxoedema, cretinism and other diseases of thyroid gland (253,254)	(a)	M	60	7	4	4	2	9	12	15	6	1	-	6	-	-	-	1	-	1	2	2	-	-
		F	258	7	8	13	21	55	58	53	37	5	1	37	-	-	-	2	9	5	7	8	6	-
	(b)	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	-	-	1	4	-
Diabetes **mellitus**, unqualified (260,part)	(a)	M	455	6	52	42	47	57	85	86	55	21	4	101	3	5	8	10	17	16	15	22	5	-
		F	709	6	56	49	101	72	93	154	142	31	5	212	4	8	16	11	14	26	48	62	22	1
	(b)	M	13	-	-	-	1	2	1	1	5	3	-	8	-	-	-	-	1	2	1	2	2	-
		F	22	1	-	1	-	2	2	2	10	4	-	19	-	1	-	-	2	2	4	5	5	-

Diabetes mellitus with mention of complication (260 rmdr.)	(a)	M	296	-	11	27	17	38	48	61	70	19	5	66	-	3	5	8	7	8	15	15	5	-
		F	461	1	11	24	39	30	54	112	142	43	5	98	-	-	6	2	6	11	19	41	13	-
	(b)	M	17	-	-	-	1	3	2	1	8	2	-	13	-	1	-	-	1	3	3	4	1	-
		F	44	-	1	-	-	5	6	8	15	9	-	14	-	-	1	-	1	2	2	7	1	-
Haemorrhagic conditions (inc. haemophilia and purpura) (295,296)	(a)	M	247	76	88	27	14	21	9	6	5	-	1	23	6	8	6	2	-	-	-	1	-	-
		F	123	23	32	9	10	17	11	16	5	-	-	11	2	1	3	1	-	2	-	2	-	-
	(b)	M	8	1	2	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	1	1	-	-	-	2	-	-	1	-	-	-	-	1	-	-
Remaining endocrine and metabolic diseases; other diseases of blood (270-277; 287-289; 294; 297-299)	(a)	M	532	51	59	66	50	81	97	93	22	7	6	44	5	3	3	7	7	10	4	3	2	-
		F	750	38	62	57	103	150	167	94	67	2	10	75	1	3	18	15	10	11	8	6	2	1
	(b)	M	19	-	2	2	3	4	1	3	2	2	-	9	3	-	-	1	1	3	1	-	-	-
		F	25	-	1	1	1	3	8	6	4	1	-	5	-	-	-	-	1	1	3	-	-	-
V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS																								
Psychoses and Psychoneuroses (300-318)	(a)	M	1933	14	41	216	454	377	327	286	117	95	6	188	6	4	16	37	41	43	20	12	9	-
		F	2762	15	42	327	528	597	577	337	231	92	16	369	2	6	41	74	65	83	57	30	10	1
	(b)	M	32	-	-	1	1	-	1	3	9	17	-	5	-	-	-	-	1	-	-	1	3	-
		F	25	-	-	-	-	1	3	2	6	13	-	7	-	-	-	-	-	1	-	3	3	-
Psychoses (300-309)	(a)	M	1070	3	10	116	252	169	159	169	99	92	1	93	-	-	11	17	18	16	14	10	7	-
		F	1315	2	4	112	195	237	294	195	179	89	8	164	-	-	7	27	25	42	33	20	10	-
	(b)	M	31	-	-	1	-	-	1	3	9	17	-	5	-	-	-	-	1	-	-	1	3	-
		F	22	-	-	-	-	1	2	1	5	13	-	7	-	-	-	-	-	1	-	3	3	-
Psychoneurotic disorders (310-318)	(a)	M	863	11	31	100	202	208	168	117	18	3	5	95	6	4	5	20	23	27	6	2	2	-
		F	1447	13	38	215	333	360	283	142	52	3	8	205	2	6	34	47	40	41	24	10	-	1
	(b)	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of character, behaviour and intelligence (320-326)	(a)	M	425	88	66	62	77	61	44	21	3	-	3	39	11	3	2	5	8	4	3	3	-	-
		F	257	64	41	48	42	32	20	5	5	-	-	26	3	6	2	3	4	5	1	1	1	-
	(b)	M	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Mental deficiency (325)	(a)	M	110	65	22	11	6	3	3	-	-	-	-	17	8	2	1	2	3	-	1	-	-	-
		F	87	47	14	7	10	6	2	-	1	-	-	12	2	5	-	1	2	1	1	-	-	-
	(b)	M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Disorders of character, behaviour and intelligence - continued																								
Personality and behaviour disorders; other conditions classified to 320-326 (320-324; 326)	(a)	M	315	23	44	51	71	58	41	21	3	-	3	22	3	1	1	3	5	4	2	3	-	-
		F	170	17	27	41	32	26	18	5	4	-	-	14	1	1	2	2	2	4	-	1	1	-
	(b)	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS																								
Vascular lesions affecting central nervous system (330-334)	(a)	M	828	9	5	19	35	66	163	199	206	86	40	414	2	1	4	8	15	44	84	141	110	5
		F	715	17	6	10	22	46	124	187	184	92	27	622	2	2	5	8	22	73	143	199	165	3
	(b)	M	267	3	-	1	7	22	45	58	66	42	23	234	-	-	-	2	5	19	53	83	69	3
		F	268	2	-	3	5	9	38	65	86	50	10	356	-	-	-	2	7	41	79	115	111	1
Other diseases of central nervous system (340-357)	(a)	M	1802	211	207	175	275	317	291	203	82	15	26	320	51	37	31	33	39	39	46	31	13	-
		F	1692	164	160	248	267	293	294	167	65	17	17	316	30	27	38	36	45	45	37	36	22	-
	(b)	M	76	8	4	9	7	8	15	11	6	3	5	58	9	2	1	5	6	4	9	13	9	-
		F	49	6	5	3	3	8	6	4	5	8	1	42	4	-	-	1	2	5	6	13	11	-
Meningitis and encephalitis (except meningococcal and tuberculous meningitis) (340: 343)	(a)	M	158	54	20	7	17	21	26	9	1	-	3	58	26	11	3	6	5	3	3	1	-	-
		F	144	56	15	16	16	17	10	10	1	1	2	35	16	9	3	-	1	2	2	2	-	-
	(b)	M	29	3	-	2	3	5	8	5	1	-	2	15	8	2	-	-	2	1	1	1	-	-
		F	15	4	2	-	1	4	1	1	1	1	-	6	3	-	-	-	-	-	2	1	-	-
Intracranial abscess and venous thrombosis; late effects of abscess and pyogenic infection (341,342; 344)	(a)	M	136	35	17	25	16	15	14	8	3	-	3	14	5	3	3	2	-	-	1	-	-	-
		F	75	14	12	20	8	9	4	6	-	1	1	12	-	4	-	2	1	2	1	1	1	-
	(b)	M	27	3	2	5	3	3	5	3	1	-	2	3	1	-	1	1	-	-	-	-	-	-
		F	11	1	2	2	-	2	1	1	-	1	1	5	-	-	-	-	1	1	1	1	1	-
Cerebral paralysis (inc. spastic infantile) (351,352)	(a)	M	178	30	57	13	9	8	17	22	15	5	2	60	8	11	4	1	1	4	8	15	8	-
		F	177	38	37	32	9	12	20	12	7	7	3	60	5	6	1	5	2	3	13	15	10	-
	(b)	M	6	1	-	-	-	-	1	2	2	-	-	14	-	-	-	-	-	-	1	6	7	-
		F	4	-	-	-	-	-	-	-	1	3	-	13	-	-	-	-	-	-	1	7	5	-

Epilepsy (353)	(a)	M	552	75	83	74	110	76	69	39	10	2	14	75	11	10	12	13	12	10	4	1	2	-
		F	456	44	70	100	75	66	63	21	9	2	6	83	9	6	22	13	13	12	1	6	1	-
	(b)	M	5	-	1	1	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-
		F	6	1	-	1	1	1	1	-	-	1	-	3	1	-	-	1	-	-	-	1	-	-
Multiple sclerosis (345)	(a)	M	297	-	1	30	75	117	44	24	4	1	1	37	-	-	2	7	8	5	10	5	-	-
		F	434	1	1	43	110	120	107	46	2	-	4	60	-	-	5	10	17	15	12	1	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	2	1	1	2	3	-	-
		F	3	-	-	-	1	-	2	-	-	-	-	7	-	-	-	-	1	4	2	-	-	-
Other diseases of central nervous system (350; 354-357)	(a)	M	481	17	29	26	48	80	121	101	49	7	3	76	1	2	7	4	13	17	20	9	3	-
		F	406	11	25	37	49	69	90	72	46	6	1	66	-	2	7	6	11	11	8	11	10	-
	(b)	M	9	1	1	1	-	-	-	1	2	3	-	16	-	-	-	2	3	2	5	3	1	-
		F	10	-	1	-	-	1	1	2	3	2	-	8	-	-	-	-	-	-	-	3	5	-
Diseases of nerves and peripheral ganglia (360-369)	(a)	M	424	44	10	13	23	65	80	108	61	18	2	57	9	1	2	8	9	9	10	8	1	-
		F	572	53	9	10	56	89	105	117	98	33	2	46	5	-	4	9	6	12	5	5	-	-
	(b)	M	5	1	-	-	-	1	-	2	-	1	-	5	4	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trigeminal neuralgia (361)	(a)	M	140	-	-	-	-	12	28	53	33	12	2	4	-	-	-	-	1	-	1	1	1	-
		F	249	-	-	-	7	19	49	70	75	28	1	8	-	-	1	-	1	3	-	3	-	-
	(b)	M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sciatica (363)	(a)	M	48	-	1	1	4	17	14	7	3	1	-	21	-	-	-	5	4	4	5	3	-	-
		F	63	-	-	4	17	23	13	5	-	1	-	19	-	-	1	6	4	5	1	2	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erythroedema polyneuritica (365)	(a)	M	46	42	2	-	-	1	-	-	1	-	-	9	9	-	-	-	-	-	-	-	-	-
		F	46	46	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-
	(b)	M	1	1	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-
		F																						
Other diseases of nerves and peripheral ganglia (360; 362; 364; 366-369)	(a)	M	190	2	7	12	19	35	38	48	24	5	-	23	-	1	2	3	4	5	4	4	-	-
		F	214	7	9	6	32	47	43	42	23	4	1	15	1	-	2	3	1	4	4	-	-	-
	(b)	M	2	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Eye (370-389)	(a)	M	5315	317	1102	457	375	452	573	797	818	410	14	196	21	82	10	14	8	7	15	20	19	-
		F	5775	311	1008	345	259	360	615	943	1246	678	10	229	18	67	22	7	14	17	19	28	37	-
	(b)	M	11	1	1	-	-	-	-	-	4	5	-	1	-	-	-	-	-	-	-	-	1	-
		F	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Diseases of Eye - continued																								
Conjunctivitis (inc. ophthalmia); blepharitis; inflammation of lachrymal glands (370-372; 378)	(a)	M	218	58	31	17	18	17	18	28	18	12	1	6	2	-	1	2	-	-	-	-	1	-
		F	401	65	27	23	23	50	81	64	46	21	1	22	3	2	6	1	3	1	1	3	2	-
	(b)	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Corneal ulcer, keratitis, iritis and other inflammatory diseases of eye (373-377; 379; 381)	(a)	M	950	33	64	84	110	199	171	152	101	35	1	19	1	1	5	4	2	3	1	1	1	-
		F	757	29	53	52	75	114	149	135	99	47	4	26	1	1	3	3	5	7	2	2	2	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strabismus (384)	(a)	M	1462	164	863	250	102	42	23	10	2	2	4	100	16	76	2	3	2	1	-	-	-	-
		F	1381	170	852	211	72	40	21	9	4	1	1	91	11	64	12	1	2	1	-	-	-	-
	(b)	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cataract (385)	(a)	M	1264	18	45	20	26	47	130	297	426	251	4	42	-	2	2	2	4	2	9	10	11	-
		F	1663	9	19	8	13	40	119	368	655	429	3	50	-	-	1	-	-	2	9	19	19	-
	(b)	M	4	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Detachment of retina (386)	(a)	M	287	1	22	30	42	46	67	51	19	9	-	-	-	-	-	-	-	-	-	-	-	-
		F	232	1	5	17	33	26	52	62	30	6	-	3	-	-	-	-	-	1	1	1	-	-
	(b)	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glaucoma (387)	(a)	M	583	-	2	8	12	30	95	181	184	68	3	14	-	-	-	-	-	-	3	7	4	-
		F	852	1	2	4	5	41	124	218	321	135	1	21	-	-	-	-	1	2	3	3	12	-
	(b)	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F																						
Other diseases and conditions of eye (380; 382;383; 388,389)	(a)	M	551	43	75	48	65	71	69	78	68	33	1	15	2	3	-	3	-	1	2	2	2	-
		F	489	36	50	30	38	49	69	87	91	39	-	16	3	-	-	2	3	3	3	-	2	-
	(b)	M	2	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

Diseases of ear and mastoid process (390-398)	(a)	M	2247	509	622	263	269	252	204	90	27	3	8	323	115	109	29	21	19	14	11	4	1	-
		F	1987	388	510	273	273	263	144	82	38	8	8	283	86	96	35	21	21	13	5	6	-	-
	(b)	M	12	2	1	2	3	-	4	-	-	-	-	4	1	-	-	1	1	-	-	-	1	-
		F	4	1	1	-	-	-	1	1	-	-	-	3	-	-	-	-	1	1	-	1	-	-
Otitis media without mention of mastoiditis (391)	(a)	M	1211	385	368	130	115	98	78	24	7	2	4	184	93	64	8	7	4	2	5	1	-	-
		F	1008	297	286	135	85	84	61	34	16	5	5	164	70	62	10	7	6	5	2	2	-	-
	(b)	M	7	1	-	1	2	-	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	3	1	1	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	1	-	-
Mastoiditis, with or without otitis media (392,393)	(a)	M	523	79	142	93	69	57	51	22	6	-	4	99	19	33	19	11	7	6	4	-	-	-
		F	384	49	129	70	43	39	27	17	8	-	2	68	11	21	14	8	9	3	1	1	-	-
	(b)	M	5	1	1	1	1	-	1	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of ear and mastoid process; deafness (390; 394-398)	(a)	M	513	45	112	40	85	97	75	44	14	1	-	40	3	12	2	3	8	6	2	3	1	-
		F	595	42	95	68	145	140	56	31	14	3	1	51	5	13	11	6	6	5	2	3	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
VII. DISEASES OF THE CIRCULATORY SYSTEM																								
Rheumatic fever and rheumatic heart disease (400-416)	(a)	M	727	7	128	77	135	156	128	68	23	-	5	158	2	41	17	18	35	15	21	7	2	-
		F	1708	7	170	221	426	422	270	140	36	2	14	390	2	37	54	46	89	75	60	19	6	2
	(b)	M	71	-	4	6	14	13	20	9	5	-	-	24	-	-	2	2	8	3	4	3	2	-
		F	111	-	4	5	21	24	28	17	10	-	2	64	1	-	8	7	12	13	12	8	2	1
Rheumatic fever with and without heart involvement (400,401)	(a)	M	128	4	61	27	16	12	6	1	-	-	1	55	1	27	10	2	6	5	3	1	-	-
		F	149	4	72	23	19	14	12	2	2	-	1	58	2	21	15	4	5	8	1	2	-	-
	(b)	M	8	-	2	1	2	2	1	-	-	-	-	3	-	-	-	1	1	-	-	1	-	-
		F	10	-	3	1	3	1	1	-	1	-	-	8	1	-	1	1	-	3	-	2	-	-
Chorea (402)	(a)	M	61	3	54	2	-	-	1	-	1	-	-	11	-	11	-	-	-	-	-	-	-	-
		F	108	3	78	24	1	1	-	-	-	-	1	18	-	12	5	-	1	-	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Chronic rheumatic heart disease (410-416)	(a)	M	538	-	13	48	119	144	121	67	22	-	4	92	1	3	7	16	29	10	18	6	2	-
		F	1451	-	20	174	406	407	258	138	34	2	12	314	-	4	34	42	83	67	59	17	6	2
	(b)	M	63	-	2	5	12	11	19	9	5	-	-	21	-	-	2	1	7	3	4	2	2	-
		F	101	-	1	4	18	23	27	17	9	-	2	55	-	-	7	6	11	10	12	6	2	1
Arteriosclerotic, degenerative and other heart disease (420-434)	(a)	M	2064	7	20	37	62	175	535	653	420	118	37	813	1	1	7	16	44	155	243	203	139	4
		F	1046	9	16	35	59	74	190	276	276	94	17	562	2	1	9	9	33	50	116	194	147	1
	(b)	M	411	1	2	5	10	25	84	120	120	32	12	295	-	-	2	3	8	37	64	98	81	2
		F	186	1	2	3	6	6	24	44	63	33	4	261	-	-	1	3	7	13	41	97	99	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Arteriosclerotic, degenerative and other heart disease - continued																								
Acute and subacute endocarditis (inc. bacterial endocarditis, unqualified) (430)	(a)	M	69	-	4	8	21	16	12	6	2	-	-	22	-	-	4	6	5	1	2	4	-	-
		F	57	-	-	15	15	9	8	6	3	1	-	13	-	-	1	5	2	4	1	-	-	-
	(b)	M	15	-	1	1	2	3	5	3	-	-	-	7	-	-	2	-	1	1	1	2	-	-
		F	9	-	-	2	1	2	1	-	2	1	-	7	-	-	-	2	1	3	1	-	-	-
Heart disease involving coronary arteries; arteriosclerotic heart disease; angina pectoris (420)	(a)	M	1205	-	-	2	9	76	333	422	267	71	25	301	-	-	-	3	14	81	102	74	25	2
		F	458	-	1	-	3	13	65	146	175	49	6	160	-	-	-	-	7	15	47	59	32	-
	(b)	M	274	-	-	1	1	9	55	88	88	22	10	109	-	-	-	-	2	21	31	37	17	1
		F	99	-	-	-	1	1	6	24	47	18	2	75	-	-	-	-	2	2	17	29	25	-
Other degenerative heart disease; other diseases of the heart (421; 422; 431-434)	(a)	M	790	7	16	27	32	83	190	225	151	47	12	490	1	1	3	7	25	73	139	125	114	2
		F	531	9	15	20	41	52	117	124	98	44	11	389	2	1	8	4	24	31	68	135	115	1
	(b)	M	122	1	1	3	7	13	24	29	32	10	2	179	-	-	-	3	5	15	32	59	64	1
		F	78	1	2	1	4	3	17	20	14	14	2	179	-	-	1	1	4	8	23	68	74	-
Hypertensive disease (440-447)	(a)	M	1056	2	6	17	52	178	293	287	156	51	14	381	1	-	3	3	21	59	116	123	54	1
		F	1243	-	15	29	78	175	369	307	210	50	10	519	1	-	4	11	28	86	120	172	97	-
	(b)	M	119	1	-	-	3	12	21	39	24	17	2	112	-	-	1	-	6	13	33	32	27	-
		F	66	-	-	4	2	6	13	11	20	8	2	125	-	-	-	-	4	11	29	39	42	-
Hypertensive disease with mention of heart (440-443)	(a)	M	422	-	-	1	2	25	83	147	112	42	10	208	-	-	1	-	6	25	62	80	34	-
		F	417	-	-	1	7	28	96	128	120	35	2	242	-	-	1	2	7	23	50	106	53	-
	(b)	M	75	-	-	-	1	3	6	26	21	16	2	70	-	-	-	-	2	7	21	21	19	-
		F	34	-	-	1	-	3	5	4	13	7	1	76	-	-	-	-	-	4	19	28	25	-
Hypertensive disease without mention of heart (444-447)	(a)	M	634	2	6	16	50	153	210	140	44	9	4	173	1	-	2	3	15	34	54	43	20	1
		F	826	-	15	28	71	147	273	179	90	15	8	277	1	-	3	9	21	63	70	66	44	-
	(b)	M	44	1	-	-	2	9	15	13	3	1	-	42	-	-	1	-	4	6	12	11	8	-
		F	32	-	-	3	2	3	8	7	7	1	1	49	-	-	-	-	4	7	10	11	17	-

Diseases of arteries (450-456)	(a)	M	1121	2	6	17	42	143	266	342	220	76	7	243	1	-	1	3	9	24	53	77	75	-
		F	610	4	11	63	80	110	109	89	82	58	4	171	-	-	6	5	6	16	20	46	71	1
	(b)	M	64	-	-	1	3	5	8	14	17	15	1	86	-	-	-	-	1	5	15	31	34	-
		F	50	-	1	1	2	8	9	10	7	12	-	67	-	-	1	-	1	1	10	16	38	-
Peripheral vascular disease (453)	(a)	M	396	2	-	3	21	78	110	110	66	4	2	33	1	-	-	1	5	8	14	3	1	-
		F	273	3	7	40	61	62	56	28	13	3	-	23	-	-	4	3	3	9	1	3	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arteriosclerosis and other diseases of arteries (450-452; 454-456)	(a)	M	725	-	6	14	21	65	156	232	154	72	5	210	-	-	1	2	4	16	39	74	74	-
		F	337	1	4	23	19	48	53	61	69	55	4	148	-	-	2	2	3	7	19	43	71	1
	(b)	M	64	-	-	1	3	5	8	14	17	15	1	85	-	-	-	-	1	5	15	31	33	-
		F	49	-	1	1	2	8	9	9	7	12	-	67	-	-	1	-	1	1	10	16	38	-
Diseases of veins and other diseases of circulatory system (460-468)	(a)	M	2801	114	164	204	462	664	626	388	140	32	7	794	60	111	30	98	171	156	112	38	18	-
		F	2830	71	141	145	483	719	669	394	159	28	21	734	32	74	47	111	147	148	92	59	22	2
	(b)	M	20	-	-	1	1	2	4	3	7	1	1	18	-	-	-	1	1	3	6	3	4	-
		F	35	-	-	-	1	2	6	9	10	7	-	10	-	-	-	-	-	-	1	4	5	-
Varicose veins N.O.S. or of leg, without ulceration or eczema (460 part)	(a)	M	953	3	2	111	221	282	204	98	26	4	2	190	-	1	10	45	61	41	28	2	2	-
		F	1302	-	1	73	281	403	333	156	45	2	8	236	1	-	8	53	74	60	31	6	3	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Varicose veins N.O.S. or of leg, with ulceration or eczema (460 rdr.)	(a)	M	83	-	-	1	9	18	17	16	17	5	-	23	-	-	-	2	4	3	4	5	5	-
		F	180	-	1	1	11	25	50	54	30	6	2	68	-	-	-	3	2	17	22	18	6	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haemorrhoids (461)	(a)	M	1060	2	3	19	165	293	323	190	51	10	4	304	1	3	4	40	86	94	52	19	5	-
		F	610	2	2	21	91	175	173	100	37	6	3	151	-	1	4	24	44	46	17	13	2	-
	(b)	M	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis, thrombo-phlebitis and venous embolism (463-466)	(a)	M	240	-	2	17	21	37	57	65	35	5	1	60	-	-	2	4	12	8	22	8	4	-
		F	313	-	2	8	52	72	71	56	36	11	5	91	-	-	4	13	16	14	16	20	8	-
	(b)	M	17	-	-	1	1	2	2	3	6	1	1	13	-	-	-	1	-	2	6	2	2	-
		F	29	-	-	-	1	1	4	7	10	6	-	10	-	-	-	-	-	-	1	4	5	-
Nonspecific mesenteric lymphadenitis (468.1)	(a)	M	135	27	86	14	4	1	2	1	-	-	-	137	28	95	8	2	1	3	-	-	-	-
		F	113	19	68	15	7	4	-	-	-	-	-	107	17	61	19	9	-	-	-	-	-	1
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphadenitis, chronic or unqualified (468.0; 468.2)	(a)	M	233	77	70	24	25	21	4	6	3	3	-	62	30	10	2	5	3	5	4	2	1	-
		F	183	48	57	16	12	17	10	12	6	3	2	51	14	10	5	6	3	6	3	2	1	1
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Diseases of veins and other diseases of circulatory system - continued																								
All other diseases of circulatory system (462 467; 468.3)	(a)	M	97	5	1	18	17	12	19	12	8	5	-	18	1	2	4	-	4	2	2	2	1	-
		F	129	2	10	11	29	23	32	16	5	-	1	30	-	2	7	3	8	5	3	-	2	-
	(b)	M	2	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-
		F	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM																								
Acute upper respiratory infections and influenza (470-483)	(a)	M	1144	456	374	85	82	39	31	28	21	5	23	519	240	119	38	37	21	17	21	17	6	3
		F	1129	301	311	281	88	48	29	25	15	6	25	580	168	82	169	55	41	23	22	14	2	4
	(b)	M	15	2	-	1	2	-	4	4	2	-	-	11	-	1	-	1	1	-	2	6	-	-
		F	11	1	-	-	-	2	1	3	2	2	-	11	-	-	2	1	2	1	2	1	2	-
Acute nasopharyngitis (common cold) (470)	(a)	M	60	23	18	4	6	4	1	1	-	1	2	18	7	5	2	-	3	-	1	-	-	-
		F	100	14	11	53	11	4	1	2	-	1	3	68	10	3	42	10	3	-	-	-	-	-
	(b)	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute sinusitis (471)	(a)	M	40	5	3	5	9	12	3	2	1	-	-	9	-	6	2	1	-	-	-	-	-	-
		F	43	3	9	8	6	9	2	4	-	-	2	9	-	8	-	1	-	-	-	-	-	-
	(b)	M	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute upper respiratory infection, other or unqualified (inc. acute laryngitis and tracheitis) (474; 475)	(a)	M	333	231	75	6	5	1	3	4	3	-	5	168	136	22	2	-	1	2	3	-	-	2
		F	244	161	54	14	5	4	2	1	1	-	2	112	80	14	8	3	2	1	2	1	-	1
	(b)	M	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (480-483)	(a)	M	146	4	4	26	34	12	19	18	14	4	11	115	15	15	9	13	12	12	16	17	5	1
		F	222	5	4	91	43	17	16	15	12	5	14	153	5	14	41	19	25	16	17	11	2	3
	(b)	M	11	-	-	1	1	-	4	3	2	-	-	9	-	-	-	-	1	-	2	6	-	-
		F	10	-	-	-	-	2	1	3	2	2	-	11	-	-	2	1	2	1	2	1	2	-

Acute tonsillitis and pharyngitis (472; 473)	(a)	M	565	193	274	44	28	10	5	3	3	-	5	209	82	71	23	23	5	3	1	-	1	-
		F	520	118	233	115	23	14	8	3	2	-	4	238	73	43	78	22	11	6	3	2	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and bronchitis (490-493; 500-502; 763)	(a)	M	**2839**	**746**	**256**	**90**	**122**	**222**	**413**	**479**	**337**	**123**	**51**	**1841**	**401**	**159**	**51**	**98**	**154**	**242**	**315**	**260**	**158**	**3**
		F	**1817**	**491**	**194**	**92**	**123**	**156**	**168**	**220**	**214**	**131**	**28**	**1435**	**294**	**117**	**56**	**91**	**103**	**156**	**216**	**237**	**164**	**1**
	(b)	M	**272**	**47**	**4**	**1**	**1**	**7**	**29**	**68**	**61**	**45**	**9**	**260**	**27**	**-**	**1**	**-**	**11**	**35**	**60**	**72**	**53**	**1**
		F	**189**	**52**	**2**	**-**	**1**	**10**	**16**	**28**	**48**	**30**	**2**	**204**	**23**	**2**	**-**	**3**	**2**	**14**	**37**	**49**	**74**	**-**
Lobar pneumonia (490)	(a)	M	536	117	81	33	39	70	75	61	39	12	9	524	83	74	20	49	76	90	63	55	13	1
		F	357	69	45	27	31	47	42	39	33	17	7	340	68	41	19	34	34	46	40	36	22	-
	(b)	M	24	3	-	-	-	-	3	6	5	6	1	36	-	-	-	-	2	8	7	14	5	-
		F	17	3	-	-	-	2	-	5	6	1	-	16	1	-	-	1	-	1	5	6	2	-
Other and unspecified pneumonias (inc. pneumonia of newborn) (491-493; 763)	(a)	M	1227	426	99	39	58	85	134	161	134	69	22	688	201	62	26	36	42	55	118	90	57	1
		F	887	297	82	37	56	64	64	97	105	73	12	646	141	50	23	39	45	64	91	103	90	-
	(b)	M	177	41	3	1	1	5	13	35	40	33	5	144	26	-	1	-	5	13	30	37	31	1
		F	143	45	2	-	1	8	11	19	32	23	2	150	18	1	-	2	2	13	23	35	56	-
Bronchitis, acute or unqualified (500-501)	(a)	M	418	188	52	11	15	16	33	37	44	14	8	342	113	22	4	9	21	32	49	45	47	-
		F	364	123	47	23	21	25	29	35	28	26	7	322	84	25	14	17	18	29	49	51	34	1
	(b)	M	14	3	1	-	-	-	2	2	3	2	1	25	1	-	-	-	2	2	7	7	6	-
		F	14	4	-	-	-	-	1	1	5	3	-	17	4	-	-	-	-	-	1	3	9	-
Chronic bronchitis (502)	(a)	M	658	15	24	7	10	51	171	220	120	28	12	287	4	1	1	4	15	65	85	70	41	1
		F	209	2	20	5	15	20	33	49	48	15	2	127	1	1	-	1	6	17	36	47	18	-
	(b)	M	57	-	-	-	-	2	11	25	13	4	2	55	-	-	-	-	2	12	16	14	11	-
		F	15	-	-	-	-	-	4	3	5	3	-	21	-	1	-	-	-	-	8	5	7	-
Diseases of upper respiratory tract and pharynx, other than acute infectious (510-517)	(a)	M	**10536**	**2097**	**5238**	**905**	**859**	**621**	**449**	**220**	**88**	**24**	**35**	**2532**	**423**	**1679**	**140**	**111**	**78**	**49**	**39**	**8**	**-**	**5**
		F	**9893**	**1583**	**5256**	**1318**	**647**	**479**	**331**	**151**	**79**	**16**	**33**	**2449**	**321**	**1735**	**192**	**63**	**64**	**39**	**18**	**11**	**2**	**4**
	(b)	M	**3**	**-**	**-**	**-**	**-**	**1**	**1**	**1**	**-**	**-**	**-**	**5**	**-**	**2**	**1**	**-**	**1**	**-**	**1**	**-**	**-**	**-**
		F	**3**	**-**	**-**	**-**	**2**	**-**	**1**	**-**	**-**	**-**	**-**	**2**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**
Chronic tonsillitis (510 part)	(a)	M	1223	303	759	60	68	17	10	1	1	2	2	467	76	343	27	16	3	1	-	-	-	1
		F	1426	208	887	184	76	38	21	4	4	-	4	573	76	438	40	10	4	3	-	1	-	1
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophied (diseased) tonsils and adenoids (510 rdr.)	(a)	M	6552	1715	4035	350	259	130	42	5	-	1	15	1600	329	1175	48	25	13	2	5	-	-	3
		F	6633	1314	4021	775	284	158	53	9	3	-	16	1598	230	1205	101	22	21	10	5	1	-	3
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonsillar abscess (quinsy) (511)	(a)	M	42	3	4	8	12	10	4	1	-	-	-	27	1	2	8	8	2	6	-	-	-	-
		F	45	-	8	16	10	6	2	1	-	-	2	19	-	3	9	-	4	2	-	1	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Diseases of upper respiratory tract and pharynx, other than acute infectious - continued																								
Chronic or unspecified sinusitis (513)	(a)	M	955	43	294	135	155	124	113	67	12	3	9	218	8	123	22	27	18	10	9	-	-	1
		F	811	32	253	140	122	105	84	46	21	2	6	144	6	72	21	12	15	10	5	3	-	-
	(b)	M	2	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deflected nasal septum (514)	(a)	M	973	2	55	294	276	195	110	29	8	1	3	49	1	4	10	10	15	7	2	-	-	-
		F	366	4	24	122	89	71	43	7	3	-	3	12	-	2	4	1	4	1	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nasal polyp (515)	(a)	M	482	2	33	37	65	102	119	75	41	5	3	56	1	7	5	9	8	11	9	6	-	-
		F	381	-	15	51	49	67	93	65	32	8	1	29	-	4	5	1	4	7	4	2	2	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases of upper respiratory tract and pharynx (512; 516; 517)	(a)	M	309	29	58	21	24	43	51	42	26	12	3	115	7	25	20	16	19	12	14	2	-	-
		F	231	25	48	30	17	34	35	19	16	6	1	74	9	11	12	17	12	6	4	3	-	-
	(b)	M	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-
Diseases of lung and pleural cavity (518-527)	(a)	M	1667	154	336	136	164	198	301	247	104	18	9	473	89	70	31	37	38	77	89	34	8	-
		F	1214	151	393	169	145	137	78	76	46	15	4	303	56	59	35	28	38	24	34	15	14	-
	(b)	M	52	2	-	-	4	7	17	13	8	1	-	33	3	-	-	1	1	5	11	6	6	-
		F	25	3	-	1	1	2	2	4	5	5	2	23	1	-	-	-	4	4	5	2	7	-
Pleurisy (519)	(a)	M	92	2	7	15	13	14	16	15	6	2	2	50	1	8	10	1	13	6	7	4	-	-
		F	57	1	4	14	14	8	11	4	1	-	-	38	-	3	8	6	3	6	7	4	1	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Empyema and abscess of lung (518; 521)	(a)	M	195	15	4	13	23	33	50	43	11	2	1	71	9	3	2	3	4	27	18	4	1	-
		F	106	18	9	11	11	27	10	7	8	4	1	41	6	5	5	2	5	5	11	1	1	-
	(b)	M	6	-	-	-	1	-	3	2	-	-	-	6	2	-	-	-	-	2	2	-	-	-
		F	5	2	-	-	-	-	-	1	-	2	-	2	1	-	-	-	-	-	1	-	-	-

Pneumoconiosis and other pulmonary fibrosis of occupational origin (523: 524)	(a)	M	157	1	1	-	3	26	57	53	15	1	-	6	-	-	-	-	-	2	2	2	-	-
		F	3	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	(b)	M	7	-	-	-	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic interstitial pneumonia; emphysema without mention of bronchitis (525: 527.1)	(a)	M	141	2	9	2	11	15	38	39	21	3	1	34	-	1	-	2	1	10	14	6	-	-
		F	39	3	2	2	-	6	2	10	10	4	-	7	1	-	1	-	1	-	3	-	1	-
	(b)	M	8	-	-	-	-	4	1	1	2	-	-	4	-	-	-	1	-	2	-	1	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	2	-	1	-
Bronchiectasis; atelectasis, 1 year and over (526: 527.0)	(a)	M	778	73	277	68	70	79	99	67	35	8	2	164	15	38	15	22	13	14	32	11	4	-
		F	881	81	350	134	109	82	48	47	22	6	2	143	9	42	16	19	28	10	8	8	3	-
	(b)	M	20	2	-	-	2	2	6	7	1	-	-	16	1	-	-	-	-	1	8	3	3	-
		F	10	-	-	1	1	1	1	2	1	2	1	9	-	-	-	-	4	3	1	1	-	-
All other diseases of lung and pleural cavity (520: 522: 527.2)	(a)	M	304	61	38	38	44	31	41	30	16	2	3	148	64	20	4	9	7	18	16	7	3	-
		F	128	48	28	8	11	13	6	7	5	1	1	73	40	9	5	1	1	3	4	2	8	-
	(b)	M	11	-	-	-	1	1	3	3	2	1	-	6	-	-	-	-	-	-	1	2	3	-
		F	8	1	-	-	-	1	1	1	2	1	1	9	-	-	-	-	-	1	1	1	6	-
IX. DISEASES OF THE DIGESTIVE SYSTEM																								
Diseases of teeth and supporting structures (530-535)	(a)	M	**1213**	**41**	**162**	**288**	**312**	**161**	**134**	**71**	**32**	**5**	**7**	**90**	**12**	**14**	**16**	**20**	**12**	**10**	**3**	**2**	**1**	-
		F	**1721**	**22**	**199**	**556**	**402**	**212**	**158**	**97**	**52**	**9**	**14**	**170**	**6**	**15**	**31**	**45**	**33**	**22**	**12**	**5**	**1**	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	**1**	-	-	-	**1**	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dental sepsis and abscess; other inflammatory diseases of teeth and gums (531, 532)	(a)	M	177	6	43	24	34	24	21	15	6	1	3	38	2	9	8	10	2	5	1	1	-	-
		F	225	3	37	57	41	30	20	22	14	1	-	87	-	8	14	25	19	10	5	5	1	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dental caries; unerupted teeth; all other diseases of teeth and gums (530; 533-535)	(a)	M	1036	35	119	264	278	137	113	56	26	4	4	52	10	5	8	10	10	5	2	1	1	-
		F	1496	19	162	499	361	182	138	75	38	8	14	83	6	7	17	20	14	12	7	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of tongue, buccal cavity, and salivary glands (536-538)	(a)	M	**279**	**40**	**26**	**25**	**38**	**51**	**47**	**21**	**20**	**9**	**2**	**39**	**15**	**6**	**2**	**4**	-	**3**	**4**	**2**	**3**	-
		F	**229**	**31**	**26**	**22**	**31**	**38**	**35**	**25**	**15**	**5**	**1**	**72**	**25**	**7**	**6**	**5**	**7**	**6**	**6**	**3**	**6**	**1**
	(b)	M	**1**	-	-	-	-	-	-	**1**	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	**1**	-	-	-	-	-	-	-	**1**	-	-	**7**	-	-	-	-	-	-	-	**1**	**5**	**1**

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																					
			Teaching Hospitals											Hospitals under Regional Boards										
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Diseases of oesophagus, stomach, and duodenum (539-545)	(a)	M	7366	34	35	238	919	1655	2151	1496	656	117	65	1813	10	7	73	195	403	517	329	224	48	7
		F	2237	16	16	90	218	409	585	479	326	88	10	624	6	7	35	55	113	158	108	103	37	2
	(b)	M	256	4	-	4	5	34	56	65	64	21	3	105	-	-	1	2	9	15	32	36	10	-
		F	54	-	-	-	2	3	3	14	16	13	3	29	-	-	-	-	1	3	3	12	10	-
Ulcer of stomach or duodenum without perforation (540.0; 541.0)	(a)	M	5276	5	9	151	634	1226	1629	1096	434	70	22	1340	1	7	44	144	297	404	237	165	35	6
		F	1418	1	6	43	143	284	385	318	189	44	5	459	1	1	15	39	86	122	88	78	28	1
	(b)	M	154	-	-	2	3	21	37	39	40	10	2	64	-	-	1	-	5	9	23	22	4	-
		F	34	-	-	-	1	-	2	12	11	7	1	23	-	-	-	-	-	3	3	10	7	-
Perforated ulcer of stomach or duodenum (540.1; 541.1)	(a)	M	971	-	-	61	174	215	220	159	81	25	36	306	-	-	22	38	71	73	58	36	7	1
		F	123	-	-	6	17	25	27	19	19	7	3	40	-	-	-	6	8	10	4	9	3	-
	(b)	M	65	-	-	2	1	12	8	17	16	9	-	37	-	-	-	2	3	6	7	14	5	-
		F	17	-	-	-	1	2	1	2	5	5	1	5	-	-	-	-	1	-	-	2	2	-
Gastritis; indigestion N.O.S. and other disorders of stomach function (543; 544)	(a)	M	398	6	6	13	59	96	106	73	33	4	2	57	7	-	5	6	10	8	9	11	1	-
		F	269	6	3	26	37	44	61	48	35	8	1	63	4	5	13	7	8	8	8	7	2	1
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Other diseases of stomach and duodenum; diseases of oesophagus (539; 542; 545)	(a)	M	721	23	20	13	52	118	196	168	108	18	5	110	2	-	2	7	25	32	25	12	5	-
		F	427	9	7	15	21	56	112	94	83	29	1	62	1	1	7	3	11	18	8	9	4	-
	(b)	M	37	4	-	-	1	1	11	9	8	2	1	4	-	-	-	-	1	-	2	-	1	-
		F	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (550-553)	(a)	M	3478	164	862	781	634	471	267	164	73	23	39	1466	73	427	304	270	171	116	60	33	10	2
		F	3892	106	659	1305	760	510	270	149	75	25	33	1448	38	302	420	251	158	147	81	30	19	2
	(b)	M	24	2	2	1	-	5	2	2	8	1	1	22	2	5	-	1	-	-	7	5	2	-
		F	19	2	3	1	1	1	1	3	6	1	-	16	2	-	-	1	1	2	3	7	-	-
Acute appendicitis without mention of peritonitis (550.0)	(a)	M	1996	71	499	506	385	249	137	71	31	16	31	899	39	292	194	154	106	60	33	16	4	1
		F	1862	49	333	677	318	220	124	69	36	10	26	803	24	203	236	130	77	67	42	14	10	-
	(b)	M	8	-	1	-	-	2	-	1	3	-	1	5	-	1	-	-	-	-	3	1	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-
Acute appendicitis with peritonitis (550.1)	(a)	M	469	61	88	70	61	61	43	45	30	5	5	219	26	60	32	29	21	16	18	12	5	-
		F	360	33	65	46	47	45	45	41	25	10	3	171	8	40	27	12	25	21	22	10	5	1
	(b)	M	16	2	1	1	-	3	2	1	5	1	-	15	2	4	-	1	-	-	3	4	1	-
		F	15	2	2	-	1	1	1	1	6	1	-	14	2	-	-	1	1	2	3	5	-	-

Appendicitis, other and unqualified, and other diseases of appendix (551-553)	(a)	M	1013	32	275	205	188	161	87	48	12	2	3	348	8	75	78	87	44	40	9	5	1	1
		F	1670	24	261	582	395	245	101	39	14	5	4	474	6	59	157	109	56	59	17	6	4	1
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-
		F	3	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity (560-561)	(a)	M	5566	941	446	348	547	868	1142	827	313	116	18	1462	201	70	106	151	245	296	223	116	53	1
		F	2223	332	167	45	157	332	452	391	237	100	10	547	48	20	17	29	93	81	82	104	73	-
	(b)	M	38	2	-	-	-	-	2	8	13	13	-	21	2	-	-	-	-	1	2	8	8	-
		F	57	1	-	-	-	2	3	17	18	16	-	22	-	-	-	-	-	1	3	9	9	-
Inguinal hernia without mention of obstruction (560.0)	(a)	M	4302	670	373	320	472	744	908	585	182	37	11	1111	142	62	100	138	210	234	154	58	12	1
		F	579	72	75	32	81	123	97	70	23	4	2	125	13	14	8	13	28	22	12	9	6	-
	(b)	M	4	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inguinal hernia with obstruction (561.0)	(a)	M	257	41	3	6	11	12	38	52	50	42	2	101	13	1	2	2	6	9	18	29	21	-
		F	34	1	-	-	2	4	8	8	8	2	1	21	-	-	-	1	4	4	1	5	6	-
	(b)	M	13	1	-	-	-	-	-	1	4	7	-	9	1	-	-	-	-	-	-	4	4	-
		F	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-
Femoral hernia with or without obstruction (560.1; 561.1)	(a)	M	259	2	6	5	13	41	81	65	28	17	1	92	1	2	-	7	13	23	25	12	9	-
		F	557	6	6	5	29	100	151	109	90	57	4	200	-	-	3	6	37	28	31	56	39	-
	(b)	M	6	-	-	-	-	-	-	2	2	2	-	3	-	-	-	-	-	-	-	2	1	-
		F	24	-	-	-	-	-	3	4	9	8	-	12	-	-	-	-	-	1	1	6	4	-
Umbilical hernia, with or without obstruction (560.2; 561.2)	(a)	M	313	158	35	1	6	16	29	39	24	5	-	59	31	2	-	-	5	8	6	3	4	-
		F	454	214	80	2	15	34	41	40	16	10	2	84	33	4	1	3	12	9	11	7	4	-
	(b)	M	5	-	-	-	-	-	-	2	2	1	-	3	1	-	-	-	-	-	1	-	1	
		F	12	-	-	-	-	-	-	7	1	4	-	1	-	-	-	-	-	-	-	1	-	-
Other and unspecified hernia, with or without obstruction (Others in 560; 561)	(a)	M	435	70	29	16	45	55	86	86	29	15	4	99	14	3	4	4	11	22	20	14	7	-
		F	599	39	6	6	30	71	155	164	100	27	1	117	2	2	5	6	12	18	27	27	18	-
	(b)	M	10	1	-	-	-	-	1	2	3	3	-	5	-	-	-	-	-	1	1	2	1	-
		F	20	1	-	-	-	2	-	6	8	3	-	7	-	-	-	-	-	-	2	2	3	
Other diseases of intestines and peritoneum (570-578; 764)	(a)	M	2508	568	148	141	268	354	356	320	248	81	24	837	273	54	43	66	97	96	83	81	43	1
		F	2546	350	92	223	293	386	382	386	294	119	21	820	179	36	82	85	98	98	76	101	62	3
	(b)	M	97	18	-	1	2	12	9	20	24	7	4	61	17	-	1	2	1	7	10	12	11	-
		F	108	13	2	4	7	8	12	19	24	16	3	55	10	-	-	2	3	8	8	12	12	-
Intussusception (570.0)	(a)	M	168	155	6	-	1	-	1	1	1	1	2	39	35	1	-	-	-	-	1	2	-	-
		F	80	71	4	1	1	-	1	-	2	-	-	13	11	2	-	-	-	-	-	-	-	-
	(b)	M	3	2	-	-	-	-	1	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
		F	4	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
Other intestinal obstruction; peritonitis; peritoneal adhesions (570 rmdr. 576; 577)	(a)	M	414	19	17	21	40	62	76	84	69	21	5	156	4	7	7	9	31	23	31	28	16	-
		F	426	14	13	31	40	72	72	81	60	37	6	145	2	3	15	14	25	22	17	28	19	-
	(b)	M	46	2	-	-	1	4	4	9	18	6	2	26	2	-	-	1	-	2	6	8	7	-
		F	53	2	2	1	2	4	9	7	14	11	1	20	-	-	-	1	1	3	4	4	7	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Other diseases of intestines and peritoneum - continued																								
Anal fissure and fistula; abscess of anal-rectal regions (574: 575)	(a)	M	529	23	17	39	117	152	98	57	16	4	6	138	7	7	9	27	35	28	12	10	2	1
		F	324	9	6	32	68	94	51	49	9	3	3	71	-	5	12	16	21	10	3	4	-	-
	(b)	M	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastro-enteritis and colitis, (inc. diarrhoea of newborn) (571: 764)	(a)	M	406	273	10	27	18	14	27	13	14	4	6	276	195	24	11	12	7	11	6	6	4	-
		F	374	189	15	68	26	20	28	11	13	2	2	255	148	13	32	16	9	18	8	6	4	1
	(b)	M	15	12	-	-	-	-	2	-	-	-	1	14	11	-	1	1	-	-	-	-	1	-
		F	11	8	-	-	-	-	-	1	2	-	-	10	9	-	-	-	-	1	-	-	-	-
Diverticulitis (572.1)	(a)	M	181	-	-	-	1	12	40	39	68	21	-	63	-	-	1	-	2	12	18	15	15	-
		F	278	-	-	-	4	13	38	89	100	31	3	93	-	-	-	1	10	14	18	34	16	-
	(b)	M	4	-	-	-	-	-	-	2	2	-	-	8	-	-	-	-	-	3	1	2	2	-
		F	11	-	-	-	-	-	1	3	4	3	-	11	-	-	-	-	1	2	-	7	1	-
Ulcerative colitis (572.2)	(a)	M	153	2	4	19	28	45	29	17	6	1	2	26	-	-	4	4	8	6	3	1	-	-
		F	251	-	3	24	64	70	51	26	10	1	2	45	-	-	3	7	8	10	5	10	1	1
	(b)	M	10	1	-	1	1	3	1	1	1	-	1	3	-	-	-	-	1	1	-	1	-	-
		F	21	-	-	3	4	3	1	5	2	1	2	6	-	-	-	1	-	2	2	-	1	-
Constipation (573.0)	(a)	M	217	58	55	9	12	8	13	20	22	19	1	53	15	11	3	8	2	4	1	7	2	-
		F	244	36	42	31	16	13	32	20	30	20	4	83	13	9	15	9	7	10	5	7	7	1
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of intestines and peritoneum (Others in 570-578)	(a)	M	440	38	39	26	51	61	72	89	52	10	2	86	17	4	8	6	12	12	11	12	4	-
		F	569	31	9	36	74	104	109	110	70	25	1	115	5	4	5	22	18	14	20	12	15	-
	(b)	M	18	1	-	-	-	5	1	7	3	1	-	6	1	-	-	-	-	1	2	1	1	-
		F	7	-	-	-	1	1	1	3	-	1	-	7	-	-	-	-	1	-	2	1	3	-
Diseases of liver, gallbladder, and pancreas (580-587)	(a)	M	921	60	22	12	48	106	217	254	143	43	16	200	8	1	4	10	23	43	45	49	17	-
		F	2217	52	14	34	133	313	599	618	357	86	11	639	8	1	10	29	92	162	168	117	52	-
	(b)	M	77	9	1	2	3	8	11	19	14	6	4	30	2	-	-	3	2	5	3	9	6	-
		F	95	6	1	3	1	8	15	23	29	8	1	53	1	-	-	-	6	2	17	14	13	-

Cirrhosis of liver (581)	(a)	M	208	1	5	3	13	25	64	58	29	4	6	37	1	1	-	4	4	7	7	10	3	-
		F	200	-	2	7	7	20	63	55	42	2	2	26	-	-	-	-	7	3	5	7	4	-
	(b)	M	34	-	1	-	3	5	9	9	5	1	1	10	-	-	-	2	2	1	1	2	2	-
		F	32	-	1	2	-	1	10	9	8	1	-	13	-	-	-	-	1	-	4	6	2	-
Cholelithiasis and cholecystitis without mention of calculi (584; 585)	(a)	M	484	-	1	5	18	59	115	160	89	29	8	123	-	-	3	5	12	26	31	34	12	-
		F	1734	-	3	20	102	263	493	497	278	73	5	527	1	-	7	25	75	134	149	99	37	-
	(b)	M	22	-	-	-	-	2	2	7	6	3	2	11	-	-	-	1	-	-	1	5	4	-
		F	36	-	-	-	1	4	3	9	14	5	-	21	-	-	-	-	1	-	9	7	4	-
Other diseases of liver and gall-bladder; diseases of pancreas (580; 582; 583; 586; 587)	(a)	M	229	59	16	4	17	22	38	36	25	10	2	40	7	-	1	1	7	10	7	5	2	-
		F	283	52	9	7	24	30	43	66	37	11	4	86	7	1	3	4	10	25	14	11	11	-
	(b)	M	21	9	-	2	-	1	-	3	3	2	1	9	2	-	-	-	-	4	1	2	-	-
		F	27	6	-	1	-	3	2	5	7	2	1	19	1	-	-	-	4	2	4	1	7	-

X. DISEASES OF THE GENITO-URINARY SYSTEM

Nephritis and nephrosis (590-594)	(a)	M	427	63	103	49	65	41	65	27	10	3	1	114	17	19	12	23	14	14	10	4	1	-
		F	350	40	79	54	51	46	33	33	13	1	-	115	13	21	11	15	16	13	17	8	1	-
	(b)	M	55	1	4	4	12	9	12	7	3	2	1	30	1	1	4	4	4	8	4	3	1	-
		F	50	3	3	6	7	8	6	13	3	1	-	30	2	2	1	2	4	7	6	6	-	-
Acute nephritis (590)	(a)	M	130	22	56	15	15	6	11	3	2	-	-	41	9	10	3	10	6	2	1	-	-	-
		F	92	17	26	17	11	12	3	5	1	-	-	41	9	16	8	3	4	1	-	-	-	-
	(b)	M	6	-	2	-	-	-	3	1	-	-	-	4	-	-	-	1	1	1	1	-	-	-
		F	3	-	-	-	2	-	-	1	-	-	-	4	-	1	1	1	-	1	-	-	-	-
Chronic and other nephritis; renal sclerosis (591-594)	(a)	M	297	41	47	34	50	35	54	24	8	3	1	73	8	9	9	13	8	12	9	4	1	-
		F	258	23	53	37	40	34	30	28	12	1	-	74	4	5	3	12	12	12	17	8	1	-
	(b)	M	49	1	2	4	12	9	9	6	3	2	1	26	1	1	4	3	3	7	3	3	1	-
		F	47	3	3	6	5	8	6	12	3	1	-	26	2	1	-	1	4	6	6	6	-	-
Other diseases of urinary system (600-609)	(a)	M	1644	107	113	106	200	266	288	278	205	70	11	467	18	17	26	52	81	72	92	68	40	1
		F	2041	110	152	207	309	332	353	302	217	51	8	496	25	39	58	84	70	72	61	61	25	1
	(b)	M	40	3	-	1	2	2	3	3	15	7	4	30	1	-	-	2	1	5	5	4	12	-
		F	35	1	-	4	1	1	3	8	11	5	1	27	1	-	-	2	1	2	2	13	6	-
Pyelitis; infections of kidney and cystitis (600; 605)	(a)	M	294	27	24	23	35	43	46	52	27	14	3	136	5	5	7	25	24	17	20	19	14	-
		F	677	61	65	110	115	96	69	70	68	19	4	259	17	30	43	40	30	32	18	34	14	1
	(b)	M	18	2	-	-	2	-	1	-	9	3	1	21	1	-	-	-	1	3	4	3	9	-
		F	18	-	-	2	1	1	1	3	5	4	1	21	-	-	-	1	1	2	2	10	5	-
Urinary infections, unqualified (609 part)	(a)	M	91	13	3	8	14	9	10	13	12	8	1	20	3	1	1	2	3	3	2	3	1	1
		F	138	36	33	11	12	11	12	14	6	2	1	23	6	3	1	2	3	1	6	1	-	-
	(b)	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Other diseases of urinary system - continued																								
Calculi of urinary system (602: 604)	(a)	M	449	11	8	23	62	111	113	78	37	5	1	118	1	3	7	16	27	26	23	13	2	-
		F	286	2	5	28	44	69	65	43	22	7	1	77	1	3	3	21	14	12	11	9	3	-
	(b)	M	7	-	-	1	-	1	-	1	2	1	1	3	-	-	-	2	-	-	1	-	-	-
		F	5	-	-	1	-	-	1	2	1	-	-	5	-	-	-	1	-	-	-	3	1	-
Stricture of urethra (608)	(a)	M	259	6	18	4	19	30	52	48	60	20	2	72	3	2	-	2	11	6	19	18	11	-
		F	25	-	-	1	1	3	6	6	6	2	-	1	-	-	-	-	-	1	-	-	-	-
	(b)	M	4	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caruncle of urethra (609 part)	(a)	M	5	2	-	-	-	-	1	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
		F	256	-	2	-	11	19	69	83	55	15	2	44	-	-	1	1	3	10	14	9	6	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases of urinary system (601: 603: 606: 607: rmdr. 609)	(a)	M	546	48	60	48	70	73	66	87	68	23	3	120	6	6	11	7	15	20	28	15	12	-
		F	659	11	47	57	126	134	132	86	60	6	-	92	1	3	10	20	20	16	12	8	2	-
	(b)	M	10	1	-	-	-	-	2	2	2	2	1	5	-	-	-	-	-	2	-	1	2	-
		F	11	1	-	1	-	-	1	3	4	1	-	1	1	-	-	-	-	-	-	-	-	-
Diseases of male genital organs (610-617)	(a)	M	**3025**	**355**	**277**	**131**	**138**	**158**	**285**	**557**	**739**	**366**	**19**	**1001**	**91**	**51**	**38**	**18**	**45**	**77**	**181**	**314**	**185**	**1**
	(b)	M	**103**	-	-	-	-	**1**	-	**4**	**42**	**56**	-	**107**	-	-	-	-	-	**1**	**8**	**50**	**48**	-
Hyperplasia of prostate (610)	(a)	M	1514	-	-	2	2	8	80	405	660	347	10	608	-	-	-	1	1	25	131	280	169	1
	(b)	M	99	-	-	-	-	-	-	4	41	54	-	105	-	-	-	-	-	1	8	48	48	-
Hydrocele (613)	(a)	M	424	81	28	37	27	52	90	81	23	3	2	125	23	5	9	5	20	19	31	9	4	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Redundant prepuce and phimosis (615)	(a)	M	616	227	213	50	47	32	19	12	11	4	1	136	58	34	15	5	6	5	4	4	5	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Other diseases of male genital organs (611; 612; 614; 616; 617)	(a)	M	471	47	36	42	62	66	96	59	45	12	6	132	10	12	14	7	18	28	15	21	7	-
	(b)	M	4	-	-	-	-	1	-	-	1	2	-	2	-	-	-	-	-	-	-	2	-	-
Diseases of breast (620; 621)	(a)	M	61	2	1	12	9	5	15	9	5	3	-	4	-	-	2	-	-	1	1	-	-	-
		F	914	8	2	83	168	322	276	30	19	3	3	176	-	1	41	41	55	30	3	3	2	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic cystic and other diseases of breast (620; 621.1; 621.2)	(a)	M	53	1	1	10	8	5	13	8	5	2	-	2	-	-	1	-	-	-	1	-	-	-
		F	648	2	-	28	68	267	242	25	12	2	2	81	-	-	10	4	37	25	2	2	1	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute mastitis not associated with lactation (621.0)	(a)	M	8	1	-	2	1	-	2	1	-	1	-	2	-	-	1	-	-	1	-	-	-	-
		F	266	6	2	55	100	55	34	5	7	1	1	95	-	1	31	37	18	5	1	1	1	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ovary, Fallopian tube and parametrium (622-637)	(a)	F	15901	16	86	1455	3713	4479	3732	1547	723	116	34	2877	12	20	343	753	816	604	206	103	19	1
	(b)	F	27	-	-	-	-	4	10	3	6	4	-	6	-	-	-	-	1	2	-	2	1	-
Salpingitis and oophoritis, diseases of parametrium, and pelvic peritoneum (622-624; 626)	(a)	F	652	8	9	148	231	171	56	19	4	1	5	200	1	4	56	73	50	12	3	1	-	-
	(b)	F	6	-	-	-	-	1	3	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-
Cervicitis (630.0)	(a)	F	1601	1	2	159	597	583	204	32	17	2	4	369	1	-	52	166	105	35	8	1	1	-
	(b)	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vaginitis and vulvitis (inc. trichomonal vaginitis) (630.2 part)	(a)	F	349	3	13	31	58	59	68	78	31	6	2	41	2	5	6	4	2	7	7	5	3	-
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterovaginal prolapse (631)	(a)	F	3981	-	1	9	238	950	1302	931	476	68	6	657	-	1	1	48	169	227	130	71	10	-
	(b)	F	14	-	-	-	-	1	4	2	5	2	-	2	-	-	-	-	-	-	-	1	1	-
Malposition of uterus (632)	(a)	F	520	-	1	63	310	124	19	1	-	-	2	103	-	-	12	56	29	6	-	-	-	-
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysmenorrhoea (634 part)	(a)	F	752	-	5	355	254	118	19	-	-	-	1	118	-	1	70	30	13	3	-	-	-	1
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																					
		Teaching Hospitals											Hospitals under Regional Boards										
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Diseases of ovary, Fallopian tube and parametrium - continued																							
Bleeding specified as post-menopausal (634 part)	(a) F	674	-	-	-	3	21	286	242	103	19	-	75	-	-	-	-	3	31	30	10	1	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysfunctional bleeding and other disorders of menstruation (634 rmdr.)	(a) F	3950	-	25	312	874	1590	1065	62	12	4	6	733	-	5	57	151	309	198	9	4	-	-
	(b) F	3	-	-	-	-	2	1	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-
Sterility, female (636)	(a) F	915	-	-	107	621	184	2	1	-	-	-	137	-	-	18	98	20	-	-	1	-	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Cysts of ovary not classifiable to 235 (625 part)	(a) F	91	-	1	32	37	16	4	-	1	-	-	31	-	-	8	15	7	1	-	-	-	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of female genital organs (Others in 622-637)	(a) F	2416	4	29	239	490	663	707	181	79	16	8	413	8	4	63	112	109	84	19	10	4	-
	(b) F	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE																							
Infections of skin and subcutaneous tissue (690-698)	(a) M	917	177	160	122	108	117	95	79	34	18	7	305	63	57	34	28	41	34	32	7	8	1
	(a) F	806	147	91	183	84	97	70	69	44	10	11	278	63	54	38	29	25	24	21	13	8	3
	(b) M	3	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-
	(b) F	1	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	1	-

Boil, abscess and cellulitis, (inc. acute lymphadenitis) (690-694)	(a)	M	784	160	142	100	88	100	83	61	27	16	7	253	54	46	26	21	34	31	26	6	8	1
		F	663	131	74	156	62	75	56	57	34	7	11	229	50	39	33	24	24	19	18	11	8	3
	(b)	M	2	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	1	-
Other local infections of skin, inc. infectious warts and molluscum contagiosum (695-698)	(a)	M	133	17	18	22	20	17	12	18	7	2	-	52	9	11	8	7	7	3	6	1	-	-
		F	143	16	17	27	22	22	14	12	10	3	-	49	13	15	5	5	1	5	3	2	-	-
	(b)	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of skin and subcutaneous tissue (700-716)	(a)	M	1487	161	123	197	208	214	231	193	118	34	8	371	42	36	47	33	46	56	47	36	27	1
		F	1617	109	163	250	210	206	266	218	136	50	9	361	24	28	50	32	44	74	47	42	18	2
	(b)	M	11	-	1	1	1	1	1	3	2	1	-	8	-	-	-	-	1	3	1	1	2	-
		F	16	1	1	-	2	2	1	1	3	4	1	3	-	-	-	-	-	-	-	1	2	-
Eczema and dermatitis (700-703)	(a)	M	572	124	29	38	67	83	98	81	38	12	2	225	34	14	17	18	32	33	34	27	15	1
		F	377	62	25	40	34	46	67	52	36	13	2	146	18	14	21	6	16	31	21	16	3	-
	(b)	M	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	1	1	1	-	-
		F	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Psoriasis (706.0)	(a)	M	138	1	12	14	28	19	30	20	9	4	1	16	-	4	-	1	2	4	4	1	-	-
		F	161	2	35	34	31	8	20	20	8	3	-	17	-	3	3	3	1	2	1	2	1	1
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus; erythema multiforme; lupus erythematosus; scleroderma; dermatomyositis (704; 705.1; 705.4; 710.0)	(a)	M	75	3	6	6	8	14	9	14	10	5	-	13	1	3	1	-	2	3	-	1	2	-
		F	177	10	13	9	32	22	28	32	17	12	2	25	1	3	2	3	2	9	2	2	1	-
	(b)	M	4	-	1	-	1	-	-	-	1	1	-	3	-	-	-	-	1	-	-	-	2	-
		F	12	-	1	-	2	2	1	-	1	4	1	1	-	-	-	-	-	-	-	-	1	-
Chronic ulcer of skin (715)	(a)	M	120	4	-	12	14	24	30	15	18	2	1	22	1	1	-	4	1	5	2	3	5	-
		F	93	3	3	5	5	16	25	13	15	7	1	37	1	-	-	-	1	9	6	15	5	-
	(b)	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
All other diseases of skin and subcutaneous tissue (Others in 700-716)	(a)	M	582	29	76	127	91	74	64	63	43	11	4	95	6	14	29	10	9	11	7	4	5	-
		F	809	32	87	162	108	114	126	101	60	15	4	136	4	8	24	20	24	23	17	7	8	1
	(b)	M	5	-	-	1	-	1	1	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																								
Diseases of tendon, fascia and muscle (740-744)	(a)	M	585	36	71	45	93	93	113	90	33	6	5	105	10	19	8	6	17	27	13	4	1	-
		F	744	27	68	126	133	119	143	92	28	4	4	100	7	10	19	16	17	10	13	5	2	1
	(b)	M	7	2	1	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-
		F	11	1	1	1	3	1	2	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-
Myasthenia gravis and inborn defect of muscle (744.0; 744.1)	(a)	M	56	12	15	8	1	11	3	4	1	1	-	2	-	1	-	-	-	-	1	-	-	-
		F	105	5	8	17	20	19	20	7	8	-	1	1	-	-	-	-	-	-	-	-	1	-
	(b)	M	6	2	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	1	1	1	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Synovitis, bursitis and tenosynovitis (741; 742)	(a)	M	335	21	48	28	68	58	53	36	18	1	4	74	10	16	4	5	11	17	9	1	1	-
		F	522	20	52	101	90	81	93	67	13	2	3	84	6	10	17	15	13	9	10	2	1	1
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of tendon, fascia and muscle (740; 743; 744.2)	(a)	M	194	3	8	9	24	24	57	50	14	4	1	29	-	2	4	1	6	10	3	3	-	-
		F	117	2	8	8	23	19	30	18	7	2	-	15	1	-	2	1	4	1	3	3	-	-
	(b)	M	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Arthritis and rheumatism, except rheumatic fever (720-727)	(a)	M	1119	50	109	66	111	203	232	225	99	17	7	307	5	49	20	26	43	56	63	22	23	-
		F	1489	47	107	77	119	234	360	324	167	42	12	423	4	35	34	27	57	80	87	70	29	-
	(b)	M	14	1	-	1	-	-	-	2	6	3	1	6	1	-	-	-	-	-	-	2	3	-
		F	11	1	-	1	1	-	1	2	3	2	-	13	-	-	-	-	-	-	-	6	7	-
Rheumatoid arthritis and allied conditions (722)	(a)	M	385	9	13	25	47	95	96	69	26	3	2	112	-	1	7	10	24	30	27	6	7	-
		F	622	16	27	35	71	119	172	117	53	7	5	221	2	2	12	17	30	54	59	33	12	-
	(b)	M	6	1	-	-	-	-	-	1	3	-	1	3	-	-	-	-	-	-	-	-	3	
		F	5	1	-	-	1	-	-	1	2	-	-	10	-	-	-	-	-	-	-	5	5	-
Osteo-arthritis (arthrosis) and allied conditions (723)	(a)	M	367	-	4	7	23	53	81	123	62	12	2	54	-	-	1	3	4	10	19	9	8	-
		F	519	1	4	-	11	65	136	175	92	33	2	81	-	-	-	-	5	16	17	30	13	-
	(b)	M	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	1	1	1	2	-	2	-	-	-	-	-	-	-	1	1	-

Arthritis, other and unspecified (720; 721; 724; 725)	(a)	M	177	28	34	11	21	26	30	20	4	2	1	42	1	9	4	4	1	8	9	3	3	-
		F	143	18	19	15	13	15	26	19	15	1	2	19	1	6	1	1	1	3	2	3	1	-
	(b)	M	1	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Torticollis N.E.C. (726.2)	(a)	M	40	8	17	3	5	4	3	-	-	-	-	9	3	5	-	1	-	-	-	-	-	-
		F	46	8	24	6	-	2	2	3	1	-	-	6	1	5	-	-	-	-	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute and subacute rheumatism (727A; 727B)	(a)	M	70	3	35	12	6	5	4	2	3	-	-	49	1	26	7	6	2	5	1	-	1	-
		F	56	2	27	13	4	6	2	-	-	-	2	32	-	15	9	1	6	-	-	1	-	-
	(b)	M	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lumbago, fibrositis and other muscular rheumatism; rheumatism chronic or unqualified (rmdr. 726-727)	(a)	M	80	2	6	8	9	20	18	11	4	-	2	41	-	8	1	2	12	3	7	4	4	-
		F	103	2	6	8	20	27	22	10	6	1	1	64	-	7	12	8	15	7	9	3	3	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of bones and joints; musculoskeletal deformities (730-738; 745-749)	(a)	M	3207	352	452	474	603	609	418	211	62	11	15	567	34	80	114	93	101	76	47	16	6	-
		F	2871	169	404	391	395	539	491	319	133	19	11	426	17	53	67	47	86	85	39	23	8	1
	(b)	M	9	-	-	-	3	-	3	1	2	-	-	3	-	-	-	-	-	-	2	-	1	-
		F	9	1	-	-	2	-	3	2	-	1	-	2	-	-	-	-	1	-	1	-	-	-
Osteomyelitis and periostitis (730)	(a)	M	502	60	132	68	69	76	50	23	15	2	7	111	11	35	22	10	7	8	9	8	1	-
		F	233	34	71	34	28	28	10	12	9	5	2	55	9	17	14	4	3	3	1	3	-	1
	(b)	M	4	-	-	-	3	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
		F	2	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Osteochondrosis and other diseases of bone (731-733)	(a)	M	272	34	56	46	35	24	23	35	16	3	-	40	3	11	3	3	2	2	8	3	5	-
		F	242	11	50	31	26	41	27	37	14	5	-	28	-	3	4	3	-	2	4	6	6	-
	(b)	M	2	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-
		F	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Internal derangement of knee joint (734)	(a)	M	712	-	13	162	263	172	80	19	1	1	1	174	-	3	54	49	45	16	6	1	-	-
		F	128	-	7	39	36	28	13	2	2	-	1	39	-	5	15	7	6	4	2	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Loose bodies in knee joint (738 part)	(a)	M	77	-	5	21	22	11	13	3	-	2	-	16	-	1	5	4	1	4	1	-	-	-
		F	38	-	3	9	7	3	9	6	-	1	-	7	-	-	1	1	2	2	-	-	1	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Displacement of intervertebral disc (735)	(a)	M	597	-	-	34	106	220	147	70	15	-	5	74	-	1	3	17	25	22	4	2	-	-
		F	437	-	1	43	103	163	93	22	8	-	4	63	-	-	9	8	24	18	4	-	-	-
	(b)	M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Diseases of bones and joints; musculoskeletal deformities - continued																								
Hallux valgus and varus (747)	(a)	M	86	4	4	6	10	17	29	12	2	2	-	14	-	1	1	1	2	3	4	2	-	-
		F	767	2	29	61	93	161	209	152	56	3	1	120	-	3	6	9	30	39	22	10	1	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clubfoot (748)	(a)	M	422	201	144	40	15	13	7	-	2	-	-	43	10	16	10	1	4	1	1	-	-	-
		F	276	80	109	37	14	16	13	4	3	-	-	22	1	11	5	1	2	1	1	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Other diseases of joint and musculoskeletal deformities (736-738 rmdr.; 745; 746; 749)	(a)	M	539	53	98	97	83	76	69	49	11	1	2	95	10	12	16	8	15	20	14	-	-	-
		F	750	42	134	137	88	99	117	84	41	5	3	92	7	14	13	14	19	16	5	4	-	-
	(b)	M	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
IV. CONGENITAL MALFORMATIONS																								
Congenital Malformations (750-759)	(a)	M	3255	1524	1071	247	158	123	71	35	18	1	7	281	138	74	21	10	17	13	3	2	1	2
		F	2523	1134	612	242	200	147	99	51	30	2	6	207	84	24	29	22	25	13	4	4	2	-
	(b)	M	122	93	7	4	3	5	4	2	2	-	2	24	16	2	-	-	1	2	1	1	-	1
		F	72	57	5	1	2	3	2	-	1	-	1	16	9	-	-	2	2	2	-	-	1	-
Congenital malformations of nervous system and sense organs (750-753)	(a)	M	286	159	74	15	14	13	6	-	4	-	1	18	10	2	3	1	-	-	-	1	1	-
		F	279	151	76	15	12	7	11	2	3	-	2	26	16	3	2	-	3	1	-	1	-	-
	(b)	M	20	19	-	-	1	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
		F	12	12	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-
Congenital malformations of heart (754.0-754.4)	(a)	M	396	135	170	50	17	18	4	1	-	-	1	17	10	5	1	-	-	-	1	-	-	-
		F	484	149	209	48	40	23	11	2	2	-	-	31	8	13	5	4	1	-	-	-	-	-
	(b)	M	44	35	2	3	-	3	-	-	-	-	1	6	5	-	-	-	-	-	1	-	-	-
		F	28	21	5	1	1	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-

Cleft palate and harelip (755)	(a)	M	556	402	101	27	17	5	2	-	-	-	2	13	8	2	1	1	-	-	-	-	-	1
		F	394	248	70	39	24	6	3	2	-	-	2	5	5	-	-	-	-	-	-	-	-	-
	(b)	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hypertrophic pyloric stenosis (756.0)	(a)	M	273	273	-	-	-	-	-	-	-	-	-	60	59	-	-	-	-	1	-	-	-	-
		F	50	50	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-
	(b)	M	3	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Undescended testicle (757.0)	(a)	M	441	12	340	70	10	7	1	-	1	-	-	55	-	38	11	1	3	2	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital dislocation of hip (758.0)	(a)	M	61	43	14	1	3	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-	-
		F	339	269	34	10	12	8	5	-	1	-	-	20	19	1	-	-	-	-	-	-	-	-
	(b)	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of bone and joint (758.1-758.6)	(a)	M	185	63	45	8	24	20	21	4	-	-	-	14	7	2	-	3	2	-	-	-	-	-
		F	242	49	51	32	34	30	32	11	2	-	1	20	3	4	5	2	5	1	-	-	-	-
	(b)	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations (Others in 750-759)	(a)	M	1057	437	327	76	73	60	37	30	13	1	3	99	40	24	5	4	12	10	2	1	-	1
		F	735	218	172	98	78	73	37	34	22	2	1	92	20	3	17	16	16	11	4	3	2	-
	(b)	M	51	33	5	1	1	2	4	2	2	-	1	14	7	2	-	-	1	2	-	1	-	1
		F	30	22	-	-	1	3	2	-	1	-	1	8	2	-	-	1	2	2	-	-	1	-
XV. CERTAIN DISEASES OF EARLY INFANCY																								
Certain diseases of early infancy (760-762; 765-776)	(a)	M	436	426	9	-	-	-	-	-	-	-	1	166	165	-	-	-	-	-	-	-	-	1
		F	327	306	11	2	1	1	-	-	-	-	6	115	109	1	-	1	1	-	-	-	-	3
	(b)	M	42	42	-	-	-	-	-	-	-	-	-	24	23	-	-	-	-	-	-	-	-	1
		F	39	38	-	-	-	-	-	-	-	-	1	14	14	-	-	-	-	-	-	-	-	-
Pemphigus neonatorum, umbilical sepsis and other sepsis of newborn (765-768)	(a)	M	23	23	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-
		F	26	26	-	-	-	-	-	-	-	-	-	6	5	-	-	-	-	-	-	-	-	1
	(b)	M	3	3	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Haemolytic and haemorrhagic disease of newborn (770; 771)	(a)	M	72	71	1	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-
		F	70	67	3	-	-	-	-	-	-	-	-	13	12	-	-	-	-	-	-	-	-	1
	(b)	M	8	8	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	11	11	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Certain diseases of early infancy - continued																								
Nutritional maladjustment (772)	(a)	M	196	196	-	-	-	-	-	-	-	-	-	84	84	-	-	-	-	-	-	-	-	-
		F	134	129	-	-	-	-	-	-	-	-	5	52	51	-	-	-	-	-	-	-	-	1
	(b)	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
Post natal atelectasis and asphyxia; birth injuries (760-762)	(a)	M	73	65	8	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-
		F	51	39	8	1	1	1	-	-	-	-	1	13	10	1	-	1	1	-	-	-	-	-
	(b)	M	16	16	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-
		F	18	17	-	-	-	-	-	-	-	-	1	5	5	-	-	-	-	-	-	-	-	-
Immaturity, conditions attributed to maternal toxaemia; ill-defined diseases (769; 773-776)	(a)	M	72	71	-	-	-	-	-	-	-	-	1	37	36	-	-	-	-	-	-	-	-	1
		F	46	45	-	1	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-
	(b)	M	14	14	-	-	-	-	-	-	-	-	-	9	8	-	-	-	-	-	-	-	-	1
		F	8	8	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
XVI. SYMPTOMS SENILITY AND ILL-DEFINED CONDITIONS																								
Senility without mention of psychosis (794)	(a)	M	30	-	-	-	-	-	-	1	4	25	-	105	-	-	-	-	-	1	-	25	79	-
		F	28	-	-	-	-	-	-	-	3	25	-	187	-	-	-	-	-	1	3	43	140	-
	(b)	M	10	-	-	-	-	-	-	-	1	9	-	54	-	-	-	-	-	1	-	12	41	-
		F	12	-	-	-	-	-	-	-	-	12	-	125	-	-	-	-	-	1	2	29	93	-
Symptoms, and ill-defined conditions (780-792; 795)	(a)	M	4552	556	682	334	488	623	689	568	408	150	54	1090	112	144	109	110	144	153	145	104	66	3
		F	4656	393	608	577	608	738	739	494	331	123	45	1176	94	117	182	166	149	138	150	111	67	2
	(b)	M	76	2	-	2	2	7	10	10	25	17	1	49	2	-	-	-	3	-	6	16	22	-
		F	54	2	-	-	3	5	9	8	18	7	2	38	-	1	-	-	-	1	5	12	19	-
Convulsions; Jacksonian epilepsy (780.2; 780.3)	(a)	M	150	91	26	3	8	7	9	5	-	-	1	19	13	2	-	-	-	-	3	1	-	-
		F	124	81	10	9	7	7	5	3	1	-	1	31	24	3	-	1	1	2	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Acute heart failure, undefined (782.4)	(a)	M	45	-	-	-	2	1	5	12	16	8	1	66	-	-	-	-	2	2	16	24	22	-
		F	37	-	-	-	3	6	5	8	9	6	-	60	-	-	-	1	3	7	12	17	20	-
	(b)	M	18	-	-	-	1	1	2	4	7	2	1	33	-	-	-	-	2	-	4	12	15	-
		F	18	-	-	-	1	3	2	2	6	4	-	25	-	-	-	-	-	1	3	8	13	-
Epistaxis (783.0)	(a)	M	218	8	18	17	12	24	40	50	38	10	1	45	5	4	3	2	5	11	6	7	2	-
		F	182	5	13	8	6	14	28	42	39	24	3	49	1	3	6	2	3	6	11	11	6	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Haematemesis; Melaena (1 year and over) (784.5; 785.8)	(a)	M	364	9	7	14	40	56	82	79	52	16	9	79	-	1	2	7	15	13	20	14	7	-
		F	175	8	5	6	14	26	32	36	31	12	5	48	1	-	1	4	5	13	11	8	5	-
	(b)	M	8	-	-	-	-	1	1	2	3	1	-	2	-	-	-	-	-	-	-	2	-	-
		F	4	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Other symptoms referable to upper gastro-intestinal tract (784 rmdr.)	(a)	M	164	85	9	1	4	8	21	20	8	6	2	33	15	3	1	-	2	5	3	3	1	-
		F	165	45	8	6	6	21	26	25	18	7	3	35	9	1	4	3	5	5	6	2	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal pain (785.5)	(a)	M	1118	130	266	95	123	151	161	106	60	18	8	321	42	72	49	31	35	44	34	9	5	-
		F	1503	73	249	264	256	221	200	119	80	32	9	468	28	65	86	85	63	51	46	33	10	1
	(b)	M	2	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pain referable to urinary system (786.0)	(a)	M	232	1	3	22	52	72	46	27	7	-	2	91	1	-	12	23	29	12	10	3	1	-
		F	138	-	8	26	28	27	27	12	4	4	2	49	-	1	5	8	12	6	11	5	-	1
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haematuria (789.4)	(a)	M	168	9	23	7	13	26	29	29	22	9	1	46	3	5	8	6	5	6	6	7	-	-
		F	106	9	17	10	14	13	9	21	9	4	-	31	3	-	3	8	2	5	6	3	1	-
	(b)	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Retention of urine (786.1)	(a)	M	186	7	-	4	7	3	10	25	79	48	3	50	2	-	1	2	1	3	4	16	20	1
		F	47	3	2	-	8	8	6	7	8	3	2	8	-	-	2	1	1	1	1	-	2	-
	(b)	M	13	-	-	-	-	-	-	-	4	9	-	2	-	-	-	-	-	-	-	-	2	-
		F	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Pain in back (787.5)	(a)	M	124	2	3	15	27	31	26	13	6	-	1	11	-	2	2	1	2	2	2	-	-	-
		F	184	1	5	10	35	64	48	11	5	1	4	24	-	1	6	8	3	5	-	1	-	-
	(b)	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia of unknown origin (788.8)	(a)	M	189	38	46	32	29	18	15	4	6	-	1	63	8	20	9	10	7	5	3	1	-	-
		F	239	32	49	66	36	23	14	10	4	2	3	63	11	16	13	9	4	1	3	5	1	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Symptoms, and ill-defined conditions - continued																								
Uraemia unqualified (792)	(a)	M	36	-	-	3	5	4	6	4	8	6	-	12	-	-	-	-	1	-	4	2	5	-
		F	23	1	-	1	1	1	3	6	7	2	1	10	-	-	-	-	-	-	3	3	4	-
	(b)	M	13	-	-	2	-	2	2	2	3	2	-	8	-	-	-	-	1	-	1	2	4	-
		F	12	-	-	-	-	-	2	3	5	1	1	7	-	-	-	-	-	-	2	3	2	-
Other symptoms and ill-defined conditions (780-792 rmdr.; 795)	(a)	M	1558	176	281	121	166	222	239	194	106	29	24	254	23	35	22	28	40	50	34	17	3	2
		F	1733	135	242	171	194	307	336	194	116	26	12	300	17	27	56	36	47	36	40	23	18	-
	(b)	M	20	2	-	-	1	2	4	1	7	3	-	1	-	-	-	-	-	-	-	-	1	-
		F	17	1	-	-	1	2	5	2	4	1	1	5	-	1	-	-	-	-	-	1	3	-
Observation, without need for further medical care (793)	(a)	M	923	87	86	77	144	141	171	124	67	16	10	188	17	22	16	19	24	33	29	18	9	1
		F	1141	51	73	142	201	216	217	143	74	11	13	228	21	12	20	31	39	43	30	23	8	1
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-
XVII. INJURIES																								
Fractures of skull and injuries to head	(a)	M	2847	214	482	535	443	385	291	208	123	70	96	739	71	149	168	85	94	70	47	28	18	9
		F	1073	154	168	161	87	93	117	85	101	74	33	296	38	48	52	22	28	28	29	25	25	1
	(b)	M	122	5	8	10	14	16	10	17	15	9	18	48	-	3	3	8	6	5	9	7	7	-
		F	54	2	4	4	4	2	5	6	11	12	4	18	1	2	2	2	-	3	1	2	5	-
Fracture of face bones (802)	(a)	M	482	8	40	117	108	103	58	34	9	2	3	73	2	9	23	10	19	5	4	-	-	1
		F	114	5	9	37	16	18	16	5	4	3	1	22	1	2	5	3	4	1	3	2	1	-
	(b)	M	2	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other fractures of skull; intracranial injuries (800; 801; 803; 804; 853-855)	(a)	M	742	76	119	111	90	86	76	64	34	28	58	192	26	32	37	20	23	14	21	11	5	3
		F	239	41	45	25	15	19	25	17	20	14	18	64	9	9	12	6	2	7	8	7	4	-
	(b)	M	107	5	8	10	12	14	9	17	11	5	16	41	-	3	3	8	5	4	8	6	4	-
		F	42	2	4	3	3	2	5	5	7	8	3	16	1	1	2	2	-	3	1	2	4	-

Wounds of head; head injury unqualified (850; 851; 856; 904; 905)	(a)	M	565	64	126	77	78	71	45	45	30	20	9	133	13	32	20	16	15	18	6	5	7	1
		F	301	52	44	28	22	21	36	28	33	27	10	65	10	9	6	5	6	5	6	8	10	-
	(b)	M	10	-	-	-	2	1	1	-	3	2	1	4	-	-	-	-	1	-	-	1	2	-
		F	7	-	-	1	1	-	-	1	1	2	1	2	-	1	-	-	-	-	-	-	1	-
Concussion, unqualified (852)	(a)	M	1058	66	197	230	167	125	112	65	50	20	26	341	30	76	88	39	37	33	16	12	6	4
		F	419	56	70	71	34	35	40	35	44	30	4	145	18	28	29	8	16	15	12	8	10	1
	(b)	M	3	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	1	-	-	1	-
		F	5	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Fractures of trunk; fractures of two or more limbs; internal injuries	(a)	M	815	16	56	109	136	154	117	112	64	28	23	165	6	13	19	16	27	23	23	17	20	1
		F	246	8	20	18	33	23	33	32	40	29	10	86	5	4	5	6	11	8	8	26	13	-
	(b)	M	39	1	3	2	6	4	6	5	6	3	3	12	-	-	-	-	2	1	1	1	7	-
		F	5	-	-	1	-	-	-	-	-	4	-	7	-	-	-	-	-	-	2	4	1	-
Fracture of trunk; dislocation of spinal column; injury to spinal cord (805; 806; 958)	(a)	M	207	2	4	30	50	43	29	33	11	3	2	32	2	-	4	5	7	1	9	1	2	1
		F	54	-	5	7	7	8	5	3	12	4	3	25	1	-	-	2	8	2	1	7	4	-
	(b)	M	3	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
Fracture of ribs and sternum; injury to intrathoracic organs (807; 860-862)	(a)	M	217	1	6	17	23	50	44	39	21	11	5	54	1	3	5	3	10	12	4	11	5	-
		F	49	-	1	4	4	5	11	9	8	5	2	27	1	1	2	2	2	3	2	8	6	-
	(b)	M	10	-	1	1	-	1	3	1	1	2	-	4	-	-	-	-	1	-	-	1	2	-
		F	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
Fracture of pelvis; injury to pelvic organs (808; 867)	(a)	M	113	7	17	16	19	12	13	10	11	6	2	28	1	4	1	3	5	1	4	4	5	-
		F	41	1	1	2	8	3	7	6	4	8	1	10	1	-	1	1	-	1	1	4	1	-
	(b)	M	4	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-
Multiple fractures of trunk or two or more limbs, multiple or unspec. internal injury (809; 819; 828; 868; 869)	(a)	M	195	4	11	20	36	41	29	21	17	8	8	33	1	2	7	2	3	3	6	1	8	-
		F	87	6	7	2	13	7	9	12	16	12	3	23	2	2	2	1	1	2	4	7	2	-
	(b)	M	17	1	-	1	4	2	3	2	3	-	1	6	-	-	-	-	-	1	1	-	4	-
		F	2	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	2	1	-	-
Injury to intra-abdominal organs (863-866)	(a)	M	83	2	18	26	8	8	2	9	4	-	6	18	1	4	2	3	2	6	-	-	-	-
		F	15	1	6	3	1	-	1	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	(b)	M	5	-	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Other fractures, dislocations and sprains (excl. fractures of hand)	(a)	M	2510	142	374	369	393	400	326	223	151	87	45	531	32	123	78	62	66	43	47	41	39	-
		F	1758	70	160	104	99	134	232	305	343	272	39	459	10	48	29	11	40	46	62	98	113	2
	(b)	M	28	-	-	-	-	-	1	3	2	22	-	12	-	-	-	-	-	-	1	2	9	-
		F	69	-	-	-	-	-	1	7	12	46	3	48	-	-	-	-	-	-	1	14	32	1
Fractures of thigh (820; 821)	(a)	M	452	63	57	37	27	45	43	59	61	53	7	123	17	16	6	6	12	12	12	16	26	-
		F	656	24	17	10	4	5	37	122	206	214	17	188	5	9	-	1	4	8	14	56	91	-
	(b)	M	16	-	-	-	-	-	1	1	1	13	-	11	-	-	-	-	-	-	-	2	9	-
		F	65	-	-	-	-	-	1	5	11	45	3	42	-	-	-	-	-	-	-	12	30	-
Fractures of leg (823; 824)	(a)	M	732	24	57	123	150	137	96	72	39	15	19	158	7	23	33	32	14	18	11	13	7	-
		F	370	12	23	26	24	47	77	76	61	17	7	113	1	11	9	1	18	13	28	21	10	1
	(b)	M	5	-	-	-	-	-	-	1	-	4	-	1	-	-	-	-	-	-	1	-	-	-
		F	4	-	-	-	-	-	-	2	1	1	-	4	-	-	-	-	-	-	-	2	1	1
Dislocations and sprains of knee (836; 844)	(a)	M	152	1	3	34	42	49	14	2	4	1	2	16	-	2	7	3	2	1	-	1	-	-
		F	28	-	3	10	3	5	1	4	2	-	-	5	-	2	2	-	-	-	1	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other fractures, dislocations and sprains (excl. fractures of hand) (810-814; 818; 822; 825-827; 829-833; 835; 837-843; 845-848)	(a)	M	1174	54	257	175	174	169	173	90	47	18	17	234	8	82	32	21	38	12	24	11	6	-
		F	704	34	117	58	68	77	117	103	74	41	15	153	4	26	18	9	18	25	19	21	12	1
	(b)	M	7	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-
Burns, scalds	(a)	M	613	171	87	75	86	81	54	36	7	3	13	148	61	33	17	15	5	8	3	3	2	1
		F	356	141	66	29	24	20	18	21	13	20	4	106	41	15	5	8	7	12	7	3	8	-
	(b)	M	11	6	1	-	-	1	1	-	1	1	-	4	-	-	-	-	-	-	1	-	2	1
		F	15	4	-	-	-	-	1	-	2	8	-	11	2	-	1	-	-	2	2	2	2	-
Burns confined to eye (940)	(a)	M	198	5	21	34	54	40	28	14	1	-	1	8	1	2	3	2	-	-	-	-	-	-
		F	20	6	3	1	2	5	1	-	2	-	-	2	-	-	-	-	-	-	1	-	1	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Burns involving face, head or neck with or without other parts (941; 946; 948)	(a)	M	152	57	18	17	15	20	10	14	-	-	1	54	16	13	8	7	3	2	2	2	-	1
		F	87	35	14	4	6	6	5	7	2	7	1	24	13	2	1	1	3	2	-	-	2	-
	(b)	M	4	2	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1
		F	7	2	-	-	-	-	1	-	1	3	-	2	1	-	-	-	-	-	-	-	1	-
Other burns (942-945; 947; 949)	(a)	M	263	109	48	24	17	21	16	8	6	3	11	86	44	18	6	6	2	6	1	1	2	-
		F	249	100	49	24	16	9	12	14	9	13	3	80	28	13	4	7	4	10	6	3	5	-
	(b)	M	7	4	1	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	2	-
		F	8	2	-	-	-	-	-	-	1	5	-	9	1	-	1	-	-	2	2	2	1	-
Wounds, fractures and other injuries to hand (excl. burns) (815-817; 834; 883; 884; 886; 887; 903; 914; 915; 925; 926; 954; 996.4; 996.5)	(a)	M	875	44	100	179	174	156	132	62	17	5	6	156	7	15	34	40	25	20	8	7	-	-
		F	269	17	32	78	41	54	32	10	2	1	2	65	8	14	9	6	9	8	7	3	1	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other injuries and effects of external causes	(a)	M	3017	272	542	456	498	432	381	205	113	48	70	658	99	117	83	99	84	72	46	26	24	8
		F	1630	195	200	186	207	218	235	173	105	64	47	471	63	49	68	42	63	69	47	41	26	3
	(b)	M	37	1	1	1	3	1	8	8	6	6	2	17	2	1	1	-	1	4	1	3	3	1
		F	31	2	-	1	4	2	3	4	4	6	5	10	-	1	-	-	-	2	2	2	3	-
Injuries to eye (870; 871; 921; 930; 950)	(a)	M	682	36	165	122	138	104	59	37	10	8	3	34	2	9	4	10	5	2	1	-	-	1
		F	111	15	41	8	11	6	9	7	9	3	2	2	1	-	-	-	1	-	-	-	-	-
	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Injury to face, mouth and neck (inc. injury to cranial nerve) (872-874; 879; 907; 910; 920; 951; 996.0)	(a)	M	493	65	122	72	67	62	53	24	5	9	14	145	21	20	26	24	15	16	8	4	9	2
		F	165	35	35	19	22	15	12	9	8	8	2	60	9	7	8	3	7	7	5	7	6	1
	(b)	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-
Wound, contusion, or superficial injury at sites other than hand, eye or face, (inc. nerve injury) (870-929 rmdr. 950-959 rmdr.)	(a)	M	766	29	152	145	142	136	88	31	20	8	15	196	13	53	32	30	21	19	15	7	5	1
		F	321	25	64	59	32	40	30	27	24	14	6	96	10	20	22	9	4	10	6	9	5	1
	(b)	M	4	-	-	-	-	1	1	-	-	1	1	4	-	-	-	-	-	1	-	-	2	1
		F	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-
Foreign body in digestive tract (935)	(a)	M	183	38	24	19	26	18	26	12	13	3	4	40	18	10	1	2	6	3	-	-	-	-
		F	242	44	23	15	23	26	45	36	16	6	8	54	12	11	5	2	5	6	7	5	1	-
	(b)	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number			Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
			Teaching Hospitals											Hospitals under Regional Boards									
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Other injuries and effects of external causes - continued																								
Effects of poisons (960-979)	(a)	M	270	55	13	27	45	26	34	23	16	5	26	104	26	6	9	15	13	14	6	7	4	4
		F	302	43	5	35	58	45	37	22	19	17	21	160	17	2	20	19	31	30	18	12	11	-
	(b)	M	25	1	1	-	3	-	7	8	4	-	1	10	2	1	1	-	1	2	-	2	1	-
		F	16	1	-	-	3	1	1	1	2	4	3	7	-	1	-	-	-	2	1	1	2	-
Misadventures and complications of medical and surgical procedures (997-999)	(a)	M	371	23	28	36	43	56	90	51	30	10	4	71	7	9	5	10	15	10	8	3	4	-
		F	310	7	12	35	46	56	74	50	18	6	6	60	3	5	11	7	11	11	7	3	1	1
	(b)	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified injuries and reactions to external causes (931-934; 936; 980-996 rmdr.)	(a)	M	252	26	38	35	37	30	31	27	19	5	4	68	12	10	6	8	9	8	8	5	2	-
		F	179	26	20	15	15	30	28	22	11	10	2	39	11	4	2	2	4	5	4	5	2	-
	(b)	M	3	-	-	1	-	-	-	-	1	1	-	3	-	-	-	-	-	1	1	1	-	-
		F	9	-	-	1	1	1	2	-	1	2	1	1	-	-	-	-	-	-	1	-	-	-

TABLE 5 - All discharges other than maternity conditions: distribution by in-patient days for diagnostic groups and selected diagnoses - 1951.

All discharges other than those assigned to Section XI of the International Classification:* classified in broad disease or injury groupings distinguishing the commoner diseases and injuries: distribution by in-patient days (a) for all discharges (b) for those among them stated to have died in hospital.

Teaching hospitals (London and Provincial combined) and Hospitals under Regional Boards shown separately.

NOTE: The diseases shown in this table comprise selection and amalgamation of titles from a larger table which details the same information for each fourth-digit rubric in the International Statistical Classification. Figures for any particular rubric can be supplied on request, or arrangements can be made for the full table to be studied at the General Register Office.

* Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Sixth Revision, 1948.

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only										
		Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
						Teaching Hospitals						
All discharges, excluding deliveries, complications of pregnancy, childbirth and the puerperium, and conditions classified by I.S.C. as special admissions	(a)	231,716	13,407	25,798	45,644	33,173	23,587	34,758	18,648	22,295	9,973	4,433
	(b)	7,777	1,469	839	1,161	805	526	754	501	849	516	357
Diseases, excluding deliveries and complications of pregnancy, childbirth and the puerperium	(a)	215,707	11,138	22,781	42,132	31,349	22,521	33,277	17,856	21,272	9,315	4,066
	(b)	7,366	1,308	772	1,107	777	504	730	491	833	500	344
Injuries and other effects of external causes	(a)	16,009	2,269	3,017	3,512	1,824	1,066	1,481	792	1,023	658	367
	(b)	411	161	67	54	28	22	24	10	16	16	13

		Hospitals under Regional Boards										
All discharges, excluding deliveries, complications of pregnancy, childbirth and the puerperium, and conditions classified by I.S.C. as special admissions	(a)	56,148	2,842	7,175	8,790	8,158	5,369	8,096	4,532	5,743	2,903	2,540
	(b)	4,830	856	499	668	468	273	428	271	427	334	606
Diseases, excluding deliveries and complications of pregnancy, childbirth and the puerperium	(a)	52,268	2,390	6,505	7,855	7,641	5,135	7,751	4,358	5,507	2,716	2,410
	(b)	4,643	791	471	648	451	264	418	264	416	322	598
Injuries and other effects of external causes	(a)	3,880	452	670	935	517	234	345	174	236	187	130
	(b)	187	65	28	20	17	9	10	7	11	12	8

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
I. INFECTIVE AND PARASITIC DISEASES	(a)																						
	(b)																						
Tuberculosis of respiratory system (001-008)	(a)	1902	34	82	171	159	99	216	144	329	313	355	1962	29	51	84	77	72	109	97	255	364	824
	(b)	73	10	6	11	16	3	10	3	7	2	5	136	9	10	14	8	7	10	7	13	11	47
Primary tuberculosis complex; tracheo-bronchial glandular tuberculosis (004-005)	(a)	227	1	6	14	19	3	24	11	46	36	67	77	1	1	1	3	1	5	8	12	9	36
	(b)	4	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Pleurisy specified as tuberculous (003.0)	(a)	112	-	1	4	5	6	21	5	32	20	18	63	-	-	1	2	2	3	5	21	19	10
	(b)	2	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Pleurisy with effusion without mention of cause (003.1)	(a)	220	3	3	20	16	12	30	29	50	38	19	102	-	1	5	6	6	13	9	25	29	8
	(b)	4	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Pulmonary tuberculosis; other tuberculosis of respiratory system (001,002,006-008)	(a)	1343	30	72	133	119	78	141	99	201	219	251	1720	28	49	77	66	63	88	75	197	307	770
	(b)	63	9	6	10	14	3	6	3	7	2	3	134	9	10	14	8	7	9	7	13	11	46
Tuberculosis, other forms (010-019)	(a)	2558	103	141	385	328	215	323	192	300	247	324	450	16	19	58	40	31	57	35	62	49	83
	(b)	103	4	11	10	8	8	16	1	14	15	16	46	-	2	9	3	1	1	4	7	12	7
Tuberculosis of meninges and central nervous system (010)	(a)	274	35	31	23	18	9	16	6	19	29	88	70	7	7	12	4	1	2	2	6	6	23
	(b)	68	1	9	4	6	3	11	1	8	12	13	27	-	1	7	3	1	-	1	5	5	4
Tuberculosis of bones and joints (inc. late effects) (012,013)	(a)	730	16	30	108	56	47	71	61	90	89	162	119	1	2	9	9	7	8	8	16	21	38
	(b)	7	1	1	-	-	1	-	-	2	1	1	6	-	-	-	-	-	-	1	1	3	1

Tuberculosis of skin and subcutaneous cellular tissue (014)	(a)	154	4	9	26	21	18	23	14	18	16	5	19	1	-	3	4	1	2	3	1	2	2
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Tuberculosis of lymphatic system (015)	(a)	679	24	34	140	161	89	98	36	52	29	16	92	1	6	20	17	8	17	5	12	5	1
	(b)	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-
Tuberculosis of genito-urinary system (016)	(a)	444	19	28	66	43	27	77	53	77	45	9	93	4	2	10	5	10	23	11	14	7	7
	(b)	14	1	1	4	1	1	3	-	3	-	-	2	-	-	1	-	-	-	-	-	1	-
Tuberculosis, other organs (inc. intestines and mesenteric glands) (011; 017,018)	(a)	233	5	8	17	28	24	35	22	41	32	21	44	-	1	4	1	4	4	5	11	5	9
	(b)	4	1	-	1	-	2	-	-	-	-	-	6	-	-	1	-	-	-	1	1	2	1
Disseminated tuberculosis (019)	(a)	44	-	1	5	1	1	3	-	3	7	23	13	2	1	-	-	-	1	1	2	3	3
	(b)	10	-	-	1	1	1	2	-	1	2	2	2		1	-	-	-	-	1	-	-	-
Syphilis and Gonococcal infection (020-029; 030-035)	(a)	788	35	57	104	120	73	143	76	120	41	19	120	12	5	8	10	11	12	13	25	20	4
	(b)	35	6	2	4	4	3	4	5	4	1	2	19	4	1	1	2	-	3	1	3	2	2
Syphilis and its sequelae (020-029)	(a)	745	33	53	95	116	71	134	72	114	38	19	111	11	5	8	9	9	12	11	22	20	4
	(b)	35	6	2	4	4	3	4	5	4	1	2	19	4	1	1	2	-	3	1	3	2	2
Gonorrhea and its sequelae (030-035)	(a)	43	2	4	9	4	2	9	4	6	3	-	9	1	-	-	1	2	-	2	3	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious diseases commonly arising in intestinal tract (040-049)	(a)	322	22	40	51	45	36	43	34	44	7	-	406	12	23	38	17	25	76	52	77	76	10
	(b)	2	1	1	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	1	-	-
Dysentery, all forms (045-048)	(a)	242	12	25	42	39	27	37	26	31	3	-	256	8	17	20	10	18	63	41	39	37	3
	(b)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid and para-typhoid fever; other salmonella infections (040-042)	(a)	48	4	11	4	4	4	2	6	10	3	-	144	2	6	18	5	6	13	10	38	39	7
	(b)	1	-	1	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	1	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Infectious diseases commonly arising in intestinal tract continued																							
Other infectious diseases arising in intestinal tract (043,044; 049)	(a)	32	6	4	5	2	5	4	2	3	1	-	6	2	-	-	2	1	-	1	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases (036-039; 050-138)	(a)	2712	142	173	480	473	278	410	232	288	142	94	2052	34	36	196	346	374	456	199	241	106	64
	(b)	53	20	11	10	3	-	-	1	3	5	-	27	11	3	5	4	-	1	-	-	1	2
Scarlet fever (050)	(a)	51	4	2	5	22	13	3	1	1	-	-	452	3	-	7	27	192	147	40	33	3	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat (051)	(a)	34	1	4	15	8	2	2	2	-	-	-	32	-	1	17	10	2	2	-	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria (055)	(a)	7	-	1	1	-	-	1	1	1	2	-	30	-	-	3	-	2	2	4	12	7	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (056)	(a)	114	14	9	17	16	16	21	5	14	2	-	247	5	7	11	19	16	37	30	71	40	11
	(b)	5	3	1	-	1	-	-	-	-	-	-	7	2	-	2	1	-	-	-	-	1	1
Meningococcal infections (057)	(a)	134	19	2	6	18	17	31	17	16	8	-	80	5	1	-	5	11	28	14	12	3	1
	(b)	13	10	2	-	-	-	-	-	1	-	-	6	4	1	-	1	-	-	-	-	-	-
Acute poliomyelitis (080)	(a)	172	8	23	21	29	6	23	20	19	14	9	84	2	2	3	6	1	20	16	18	9	7
	(b)	5	1	2	1	1	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
Paralytic deformities and other sequelae of poliomyelitis (081)	(a)	448	4	15	47	36	33	79	44	77	46	67	73	-	2	13	4	3	8	8	13	7	15
	(b)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Acute infectious encephalitis (082)	(a)	108	3	5	20	16	12	21	12	14	5	-	98	1	-	1	8	16	39	16	12	3	2
	(b)	4	1	2	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
Parkinsonism and other post-encephalitic conditions (083)	(a)	45	-	4	5	3	7	6	4	8	6	2	15	1	-	-	-	2	1	-	-	1	10
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Measles (085)	(a)	138	29	9	22	44	12	16	4	2	-	-	351	5	8	38	142	58	54	17	13	8	8
	(b)	2	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Herpes zoster (088)	(a)	136	2	7	33	15	21	33	10	13	2	-	42	1	1	2	6	3	9	4	10	3	3
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mumps (089)	(a)	53	4	3	9	15	13	6	1	1	-	1	38	-	3	4	7	9	8	3	4	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis (092)	(a)	201	4	11	21	34	18	44	25	28	13	3	81	-	-	4	19	9	12	16	14	5	2
	(b)	3	-	-	2	-	-	-	1	-	-	-	3	-	-	-	2	-	-	-	-	-	1
Glandular fever (infectious mononucleosis) (093)	(a)	180	2	4	38	47	25	41	11	8	4	-	74	-	-	14	15	9	27	5	3	1	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial diseases (including typhus and Q fever) (100-108)	(a)	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (110-117)	(a)	41	1	1	15	14	4	5	-	1	-	-	8	-	-	3	-	2	2	-	1	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal and other worm infestations (123-130)	(a)	204	7	22	61	44	13	14	23	15	4	1	36	-	1	12	9	2	7	2	2	1	-
	(b)	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Fungus infections (131-134)	(a)	163	13	15	42	30	18	6	7	21	7	4	32	2	1	11	5	2	5	1	1	3	1
	(b)	-	-	-	-	-		-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Remaining infective and parasitic diseases (036-039; others in 050-138)	(a)	481	26	36	102	82	48	57	45	49	29	7	279	9	9	53	64	35	48	23	22	12	4
	(b)	18	4	4	5	1	-	-	-	2	2	-	5	2	1	2	-	-	-	-	-	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
II. NEOPLASMS	(a)																						
	(b)																						
Malignant neoplasms	(a)	19637	497	986	2032	1927	1761	3354	2540	4131	1937	472	2871	125	182	262	267	227	499	364	539	280	126
(140-205)	(b)	2543	157	166	338	307	221	317	228	419	251	139	845	58	60	96	85	69	105	82	139	85	66
Malignant neoplasm of buccal cavity and pharynx (140-148)	(a)	1300	24	86	159	204	124	177	112	240	144	30	100	2	8	18	18	12	11	10	13	3	5
	(b)	73	2	7	8	11	8	7	3	9	10	8	21	1	1	3	3	1	2	3	1	3	3
Malignant neoplasm of stomach (151)	(a)	1250	33	45	104	120	85	271	219	263	86	24	271	15	15	24	23	24	39	43	59	25	4
	(b)	289	13	15	38	46	26	50	34	37	18	12	120	10	11	14	16	12	16	13	19	9	-
Malignant neoplasm of large intestine and rectum (153,154)	(a)	2042	55	59	154	144	102	304	282	572	302	68	439	15	21	34	25	30	48	53	95	78	40
	(b)	359	24	24	47	51	33	53	28	57	24	18	151	6	9	21	11	16	14	15	31	15	13
Malignant neoplasm of bronchus and lung (inc. trachea) (162,163)	(a)	1918	52	73	186	205	141	318	259	465	185	34	388	32	23	52	38	31	52	40	79	30	11
	(b)	377	27	19	66	44	30	41	38	59	40	13	159	23	9	22	15	11	18	7	30	14	10
Malignant neoplasm of breast (170)	(a)	2461	46	74	144	210	222	573	425	536	187	44	306	4	11	12	27	31	88	45	47	26	15
	(b)	134	8	15	10	14	5	12	8	29	20	13	50	2	4	2	4	7	6	2	6	5	12
Malignant neoplasm of cervix uteri (171)	(a)	1646	10	50	273	123	354	254	194	289	84	15	158	5	8	12	23	4	47	23	25	10	1
	(b)	64	5	4	6	5	5	5	7	14	10	3	24	4	3	2	1	1	3	3	3	4	-
Malignant neoplasm of corpus, and of other or unspecified parts of uterus (172-174)	(a)	633	8	24	82	60	56	164	101	104	26	8	87	1	5	5	4	13	21	16	15	5	2
	(b)	29	1	1	4	2	1	3	4	7	2	4	8	1	1	2	1	-	-	1	-	1	1

Malignant neoplasm of ovary, Fallopian tube, and broad ligament (175)	(a)	505	16	30	44	24	33	151	77	83	38	9	82	11	8	1	2	7	15	12	20	4	2
	(b)	53	1	4	7	3	2	7	9	10	7	3	19	2	3	1	1	-	4	3	2	1	2
Malignant neoplasm of other and unspecified female genital organs (176)	(a)	209	1	6	23	19	17	18	15	48	54	8	32	-	-	2	2	1	6	2	10	5	4
	(b)	13	1	2	1	1	1	-	-	3	2	2	9	-	-	1	1	-	-	-	3	1	3
Malignant neoplasm of prostate (177)	(a)	326	5	13	40	39	28	58	47	56	32	8	149	3	12	8	13	13	28	18	32	14	8
	(b)	39	1	3	3	6	4	4	3	3	8	4	42	-	5	4	5	5	5	4	6	5	3
Malignant neoplasm of bladder and other urinary organs (181)	(a)	774	18	88	102	62	50	78	92	167	95	22	165	11	25	17	16	10	22	22	25	11	6
	(b)	91	5	6	11	6	12	10	10	14	11	6	26	-	2	3	1	1	3	5	6	3	2
Malignant neoplasm of skin, bone and connective tissue (190,191: 196,197)	(a)	1226	27	94	119	170	149	203	107	196	121	40	105	2	2	19	20	12	15	9	14	9	3
	(b)	59	3	5	5	2	7	5	5	11	9	7	13	1	-	2	-	1	-	1	1	6	1
Malignant neoplasm of brain and other parts of nervous system (193)	(a)	568	22	27	61	51	32	82	57	114	92	30	29	-	-	6	4	-	6	4	7	1	1
	(b)	144	13	13	24	18	7	20	13	17	11	8	12	-	-	3	3	-	3	1	1	-	1
Hodgkin's disease (201)	(a)	432	10	18	37	42	29	70	59	107	54	6	54	1	2	6	4	7	9	10	11	2	2
	(b)	66	3	7	5	10	5	1	7	8	15	5	10	-	-	-	1	1	3	3	-	-	2
Leukaemia and aleukaemia (204)	(a)	603	31	36	90	61	50	98	63	115	54	5	58	3	7	6	9	4	7	5	8	6	3
	(b)	136	15	6	30	15	14	8	13	20	14	1	25	2	5	4	6	-	2	2	2	1	1
Lymphosarcoma and other neoplasms of lymphatic and haematopoietic tissues (200: 202,203: 205)	(a)	573	30	20	48	51	34	64	80	150	67	29	43	1	1	2	5	4	7	5	6	6	6
	(b)	95	4	3	6	5	10	8	9	32	9	9	13	1	1	-	2	1	-	2	2	-	4
Malignant neoplasm of all other and unspecified sites (others in 140-205)	(a)	3171	109	243	366	342	255	471	351	626	316	92	405	19	34	38	34	24	78	47	73	45	13
	(b)	522	31	32	67	68	51	83	37	89	41	23	143	5	6	12	14	12	26	17	26	17	8
Benign and unspecified neoplasms (210-239)	(a)	11579	471	1383	2435	1345	1250	2719	922	740	228	86	1859	71	270	359	197	195	438	156	130	28	15
	(b)	165	15	12	27	27	6	22	9	23	14	10	63	8	4	11	6	5	7	5	6	6	5

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Benign and unspecified neoplasms continued																							
Benign neoplasm of respiratory system (212)	(a)	249	10	74	70	22	11	22	15	16	4	5	20	-	4	8	-	1	3	1	3	-	-
	(b)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign and unspecified neoplasm of breast (213; 232)	(a)	434	19	68	158	100	43	34	7	3	2	-	68	3	12	25	12	2	7	2	3	2	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign and unspecified neoplasm of ovary (216; 234)	(a)	1022	11	25	67	109	179	450	102	70	7	2	228	5	8	5	24	45	95	15	26	4	1
	(b)	10	1	1	5	1	-	1	-	-	-	1	6	2	-	-	1	-	-	1	-	1	1
Uterine fibromyoma (214)	(a)	2606	20	55	163	127	347	1251	420	199	23	1	452	4	16	39	15	48	199	82	43	5	1
	(b)	14	-	2	3	5	1	-	1	1	-	1	4	-	-	1	1	-	2	-	-	-	-
Uterine polyp (215 part)	(a)	983	9	86	609	127	54	68	14	16	-	-	162	5	28	76	23	11	13	2	4	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other benign and unspecified neoplasm of uterus and female genital organs (215 rmdr; 217; 233; 235)	(a)	735	10	33	109	105	130	241	68	35	4	-	101	-	7	12	24	18	24	8	8	-	-
	(b)	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of bladder (219 part)	(a)	915	125	346	239	60	24	40	36	30	12	3	207	20	86	47	8	8	14	10	11	2	1
	(b)	3	-	-	-	2	-	-	-	1	-	-	3	-	-	-	-	-	-	2	1	-	-
Benign and unspecified neoplasm of brain and other parts of nervous system (223; 237)	(a)	914	31	48	119	123	86	128	76	174	89	40	95	5	8	15	9	12	17	6	8	6	9
	(b)	88	10	6	13	12	3	14	5	12	9	4	35	4	3	8	2	2	3	1	3	5	4
Haemangioma and lymphangioma (228)	(a)	555	51	78	135	106	47	78	18	20	13	9	38	2	7	9	7	4	6	1	1	-	1
	(b)	6	1	1	-	-	2	1	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-

Pilonidal cyst (221)	(a)	339	11	9	15	29	70	117	39	35	13	1	49	3	-	3	4	3	18	8	8	2	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign and unspecified neoplasm of skin, bone and connective tissue (220; 222; 225-227; 238)	(a)	1348	89	198	402	243	136	134	55	55	26	10	211	16	33	53	39	29	21	10	8	2	-
	(b)	5	-	1	-	1	-	1	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-
Benign and unspecified neoplasm of all other and unspecified sites (others in 210-239)	(a)	1479	85	363	349	194	123	156	72	87	35	15	228	8	61	67	32	14	21	11	7	5	2
	(b)	36	3	1	5	5	-	4	3	9	2	4	12	1	-	1	2	3	2	1	2	-	-
III, IV. ALLERGIC, ENDOCRINE METABOLIC AND NUTRITIONAL DISEASES; DISEASES OF BLOOD																							
Allergic disorders (240-245)	(a)	1233	60	75	222	217	159	187	120	127	47	19	438	19	31	85	30	61	76	38	32	12	4
	(b)	36	10	5	5	3	3	5	-	4	-	1	30	10	5	7	1	1	2	1	1	1	1
Asthma and Hay fever (240,241)	(a)	1038	44	51	178	189	145	162	100	112	40	17	394	18	26	73	71	52	73	36	29	12	4
	(b)	36	10	5	5	3	3	5	-	4	-	1	29	9	5	7	1	1	2	1	1	1	1
Angioneurotic oedema, urticaria, allergic eczema and other allergies (242-245)	(a)	195	16	24	44	28	14	25	20	15	7	2	44	1	5	12	9	9	3	2	3	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Avitaminoses, and nutritional deficiency states (280-286)	(a)	349	5	7	24	37	19	47	50	69	50	41	57	2	4	4	4	3	15	4	6	6	9
	(b)	10	3	1	-	-	-	1	2	2	-	1	4	1	-	-	-	1	1	-	1	-	-
Steatorrhoea and sprue (286.0)	(a)	211	1	4	6	21	11	22	25	48	41	32	29	-	2	-	2	2	8	-	3	5	7
	(b)	6	-	-	-	-	-	1	2	2	-	1	1	-	-	-	-	1	-	-	-	-	-
Avitaminosis, and other nutritional deficiency states (including malnutrition) (280-285; 286 rmdr)	(a)	138	4	3	18	16	8	25	25	21	9	9	28	2	2	4	2	1	7	4	3	1	2
	(b)	4	3	1	-	-	-	-	-	-	-	-	3	1	-	-	-	-	1	-	1	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Anaemias (290-293)	(a)	1484	87	96	178	151	110	279	212	266	81	22	314	15	6	25	14	13	40	48	104	25	24
	(b)	47	5	3	10	4	2	7	1	9	3	3	26	4	4	3	-	4	3	-	2	-	6
Pernicious and other hyperchromic anaemias (290)	(a)	461	12	7	28	36	34	111	78	110	32	13	117	2	1	6	1	5	15	20	47	12	8
	(b)	11	1	1	3	2	-	-	1	2	-	1	12	2	1	2	-	3	1	-	1	-	2
Aplastic, non-regenerative and leuko-erythroblastic anaemia (292.3-292.5)	(a)	211	43	31	37	19	10	18	15	21	13	4	23	5	2	1	1	2	2	1	3	3	3
	(b)	17	1	1	2	1	2	4	-	4	-	2	5	1	1	-	-	1	-	-	-	-	2
Other anaemias (inc. anaemia unspecified) (291; 292 rmdr. 293)	(a)	812	32	58	113	96	66	150	119	137	36	5	174	8	3	18	12	6	23	27	54	10	13
	(b)	19	3	1	5	1	-	3	-	3	3	-	9	1	2	1	-	-	2	-	1	-	2
Endocrine and metabolic diseases; other diseases of blood (250-277; 287-289; 294-299)	(a)	7492	503	364	820	1100	822	1347	889	1116	409	122	951	45	43	93	111	70	169	133	165	80	42
	(b)	176	42	17	25	11	12	21	8	18	14	8	79	19	9	7	6	3	7	1	4	11	12
Non-toxic goitre (250,251)	(a)	1274	24	29	131	381	249	253	119	80	6	2	113	6	2	18	29	13	21	10	14	-	-
	(b)	5	-	-	1	2	-	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-
Thyrotoxicosis (252)	(a)	2327	302	104	154	165	196	390	362	478	157	19	165	3	7	9	9	12	32	43	39	11	-
	(b)	16	2	-	2	2	4	2	-	1	2	1	2	-	-	-	-	-	1	-	-	1	-
Myxoedema, cretinism and other diseases of thyroid gland (253,254)	(a)	318	23	27	38	47	32	62	30	40	16	3	43	-	3	1	4	3	3	9	11	6	3
	(b)	4	1	2	1	-	-	-	-	-	-	-	5	-	1	-	-	-	1	-	-	1	2
Diabetes mellitus, unqualified (260 part)	(a)	1164	32	46	141	193	113	253	149	161	61	15	313	13	10	33	42	22	64	41	54	20	14
	(b)	35	7	3	5	4	1	5	-	5	4	1	27	6	4	3	3	2	2	-	-	3	4

(82685)

Diabetes mellitus with mention of complication (260 rmdr.)	(a)	757	43	46	89	84	79	126	75	120	59	36	164	16	12	14	13	7	26	17	22	21	16
	(b)	61	21	4	8	-	5	4	4	7	4	4	27	10	4	2	-	-	2	-	1	4	4
Haemorrhagic conditions (including haemophilia and purpura) (295,296)	(a)	370	8	26	76	57	37	54	28	45	26	13	34	-	1	5	2	3	9	4	-	5	5
	(b)	11	3	2	2	-	-	2	-	1	1	-	2	-	-	-	-	-	1	-	-	1	-
Remaining endocrine and metabolic diseases; other diseases of blood (270-277; 287-289; 294; 297-299)	(a)	1282	71	86	191	173	116	209	126	192	84	34	119	7	8	13	12	10	14	9	25	17	4
	(b)	44	8	6	6	3	2	7	3	4	3	2	14	2	-	2	2	1	-	1	3	1	2
V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS																							
Psychoses and Psychoneuroses (300-318)	(a)	4695	151	210	603	691	596	749	307	433	434	521	557	28	45	68	68	47	69	91	109	30	12
	(b)	57	2	7	18	8	7	5	1	2	3	4	12	2	-	1	3	-	1	2	-	1	2
Psychoses (300-309)	(a)	2385	73	79	270	354	357	384	122	205	226	315	257	9	11	16	22	16	38	56	68	13	8
	(b)	53	2	7	17	7	7	4	1	2	3	3	12	2	-	1	3	-	1	2	-	1	2
Psychoneurotic disorders (310-318)	(a)	2310	78	131	333	337	239	365	185	228	208	206	300	19	34	52	46	31	31	25	41	17	4
	(b)	4	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Disorders of character, behaviour and intelligence (320-326)	(a)	682	49	57	91	96	80	85	33	62	52	77	65	6	6	8	16	4	11	4	8	-	2
	(b)	6	2	-	1	1	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Mental deficiency (325)	(a)	197	8	14	38	38	29	30	8	19	6	7	29	2	6	2	4	2	7	1	4	-	1
	(b)	5	2	-	-	1	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Personality and behaviour disorders; other conditions classified to 320-326 (320-324; 326)	(a)	485	41	43	53	58	51	55	25	43	46	70	36	4	-	6	12	2	4	3	4	-	1
	(b)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS																							
Vascular lesions affecting central nervous system (330-334)	(a)	1543	240	110	217	176	103	185	140	198	105	69	1036	135	75	113	90	43	108	59	144	101	163
	(b)	535	216	67	90	40	24	24	25	19	10	20	590	126	67	84	65	21	41	16	38	42	90
Other diseases of central nervous system (340-357)	(a)	3494	109	211	578	561	318	620	341	434	202	120	636	30	59	102	57	42	69	50	80	61	86
	(b)	125	23	25	15	10	10	3	5	9	11	14	100	16	9	17	3	2	6	4	9	5	29
Meningitis and encephalitis (except meningococcal and tuberculous meningitis) (340; 343)	(a)	302	18	18	10	36	19	56	40	63	29	13	93	11	4	8	3	12	19	8	20	5	3
	(b)	44	9	8	5	4	4	2	2	4	3	3	21	9	3	5	-	1	1	-	1	1	-
Intracranial abscess and venous thrombosis; late effects of abscess and pyogenic infection (341, 342; 344)	(a)	211	13	14	14	30	10	27	22	42	27	12	26	5	1	7	2	1	3	-	3	3	1
	(b)	38	10	11	3	3	2	-	1	2	4	2	8	3	-	3	-	-	-	-	1	1	-
Cerebral paralysis (including spastic infantile) (351, 352)	(a)	355	3	14	59	43	35	63	36	55	20	27	120	1	7	15	10	4	9	8	14	21	31
	(b)	10	-	4	1	1	2	-	-	-	-	2	27	1	-	6	2	1	3	4	2	1	7
Epilepsy (353)	(a)	1008	52	95	259	173	86	142	66	84	34	17	158	7	26	44	25	11	14	12	10	4	5
	(b)	11	3	1	3	1	-	-	1	1	-	1	4	1	-	1	-	-	-	-	1	-	1
Multiple sclerosis (345)	(a)	731	9	26	98	113	80	165	84	94	43	19	97	-	5	12	5	6	7	13	17	12	20
	(b)	3	-	-	1	-	-	-	-	-	1	1	16	-	4	1	-	-	1	-	-	-	10

Other diseases of central nervous system (350; 354-357)	(a)	887	14	44	138	166	88	167	93	96	49	32	142	6	16	16	12	8	17	9	16	16	26
	(b)	19	1	1	2	1	2	1	1	2	3	5	24	2	2	1	1	-	1	-	4	2	11
Diseases of nerves and peripheral ganglia (360-369)	(a)	996	43	02	205	184	113	155	68	101	29	16	103	5	7	19	14	6	13	13	15	7	4
	(b)	5	1	1	1	-	1	-	1	-	-	-	5	1	-	2	1	-	-	-	-	1	-
Trigeminal neuralgia (361)	(a)	389	17	43	81	91	41	66	24	22	4	-	12	-	4	3	-	1	2	2	-	-	-
	(b)	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sciatica (363)	(a)	111	15	6	17	14	10	15	9	15	9	1	40	3	-	5	6	2	2	9	9	1	3
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erythroedema polyneuritica (365)	(a)	92	1	2	16	19	5	15	11	13	6	4	13	1	1	6	3	-	1	1	-	-	-
	(b)	1	1	-	-	-	-	-	-	-	-	-	4	1	-	2	1	-	-	-	-	-	-
Other diseases of nerves and peripheral ganglia (360; 362; 364; 366-369)	(a)	404	10	31	91	60	57	59	24	51	10	11	38	1	2	5	5	3	8	1	6	6	1
	(b)	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Diseases of Eye (370-389)	(a)	11090	210	779	2171	2439	1896	1773	835	762	132	43	425	10	23	84	119	64	67	33	11	11	3
	(b)	17	1	2	1	5	2	2	2	1	-	1	1	-	-	-	-	-	-	-	-	1	-
Conjunctivitis (inc. ophthalmia); blepharitis; inflammation of lachrymal glands (370-372; 378)	(a)	619	46	155	227	106	26	34	10	8	6	1	28	3	6	11	5	1	2	-	-	-	-
	(b)	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Corneal ulcer, keratitis, iritis and other inflammatory diseases of eye (373-377; 379; 381)	(a)	1707	17	73	314	324	186	310	188	207	63	25	45	-	3	14	5	8	4	4	3	3	1
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strabismus (384)	(a)	2843	37	110	840	1062	544	181	50	17	2	-	191	-	8	33	96	35	12	4	3	-	-
	(b)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cataract (385)	(a)	2927	48	229	289	300	788	786	275	171	37	4	92	1	4	19	5	10	30	17	1	4	1
	(b)	8	-	1	-	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Detachment of retina (386)	(a)	519	1	11	39	20	17	67	129	184	45	6	3	-	-	-	-	-	-	1	2	-	-
	(b)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Diseases of Eye continued																							
Glaucoma	(a)	1435	25	45	189	419	238	268	123	109	16	3	35	2	-	2	6	6	12	5	1	1	-
(387)	(b)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases and conditions of eye (380; 382,383; 388,389)	(a)	1040	36	156	273	208	97	127	60	66	13	4	31	4	2	5	2	4	7	2	1	3	1
	(b)	4	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Diseases of ear and mastoid process (390-398)	(a)	4234	124	278	740	742	667	892	404	273	89	25	606	16	23	163	138	54	109	45	43	14	1
	(b)	16	8	3	3	-	-	-	-	1	-	1	7	4	-	-	1	-	1	-	1	-	-
Otitis media without mention of mastoiditis (391)	(a)	2219	55	144	490	507	325	337	188	121	37	15	348	11	13	121	105	33	32	15	13	5	-
	(b)	10	6	1	1	-	-	-	-	1	-	1	3	1	-	-	1	-	-	-	1	-	-
Mastoiditis, with or without otitis media (392,393)	(a)	907	14	34	70	96	149	278	115	99	42	10	167	1	5	20	15	15	54	25	22	9	1
	(b)	5	2	2	1	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-
Other diseases of ear and mastoid process; deafness (390; 394-398)	(a)	1108	55	100	180	139	193	277	101	53	10	-	91	4	5	22	18	6	23	5	8	-	-
	(b)	1	-	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
VII. DISEASES OF THE CIRCULATORY SYSTEM																							
Rheumatic fever and rheumatic heart disease (400-416)	(a)	2435	119	112	211	235	162	350	302	479	327	138	548	25	25	43	39	31	82	50	112	96	45
	(b)	182	29	22	24	17	11	18	12	26	17	6	88	17	12	16	6	6	7	7	4	3	10
Rheumatic fever with and without heart involvement (400,401)	(a)	277	4	7	12	13	8	38	21	56	72	46	113	2	1	6	5	3	6	7	29	37	17
	(b)	18	3	-	3	1	1	2	1	4	2	1	11	-	1	3	1	1	-	2	-	-	3

Chorea (402)	(a)	169	1	6	8	13	6	14	9	31	46	35	29	-	1	1	-	2	1	2	6	10	6
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Chronic rheumatic heart disease (410-416)	(a)	1989	114	99	191	209	148	298	272	392	209	57	406	23	23	36	34	26	75	41	77	49	22
	(b)	164	26	22	21	16	10	16	11	22	15	5	76	17	10	13	5	5	7	5	4	3	7
Arteriosclerotic, degenerative and other heart disease (420-434)	(a)	3110	191	166	270	283	219	405	358	731	379	108	1375	121	74	95	83	79	187	157	310	164	105
	(b)	597	146	87	91	58	44	34	35	55	25	22	556	107	59	70	50	28	63	34	48	34	63
Acute and subacute endocarditis (inc. bacterial endocarditis, unqualified) (430)	(a)	126	4	7	5	5	4	11	8	15	47	20	35	2	-	4	2	2	4	2	4	12	3
	(b)	24	3	3	1	2	1	3	5	1	4	1	14	2	-	3	1	1	4	-	-	3	-
Heart disease involving coronary arteries; arteriosclerotic heart disease; angina pectoris (420)	(a)	1663	119	82	128	136	109	195	185	448	221	40	461	49	28	31	26	33	57	44	128	50	15
	(b)	373	102	51	57	41	34	21	18	27	12	10	184	44	22	21	17	18	24	10	16	6	6
Other degenerative heart disease; other diseases of the heart (421,422; 431-434)	(a)	1321	68	77	137	142	106	199	165	268	111	48	879	70	46	60	55	44	126	111	178	102	87
	(b)	200	41	33	33	15	9	10	12	27	9	11	358	61	37	46	32	9	35	24	32	25	57
Hypertensive disease (440-447)	(a)	2299	50	74	212	258	222	423	337	503	181	39	900	39	50	94	60	69	121	124	173	94	66
	(b)	185	21	18	41	21	6	16	21	23	11	7	237	35	26	41	17	17	18	19	18	17	29
Hypertensive disease with mention of heart (440-443)	(a)	839	18	23	68	60	63	146	130	229	82	20	450	26	18	42	23	31	60	74	83	52	41
	(b)	109	15	11	31	11	3	9	9	12	6	2	146	25	16	26	6	9	10	15	10	8	21
Hypertensive disease without mention of heart (444-447)	(a)	1460	32	51	144	198	159	277	207	274	99	19	450	13	32	52	37	38	71	50	90	42	25
	(b)	76	6	7	10	10	3	7	12	11	5	5	91	10	10	15	11	8	8	4	8	9	8
Diseases of arteries (450-456)	(a)	1731	55	78	193	211	189	310	187	274	166	68	414	18	15	42	36	34	55	46	58	49	61
	(b)	114	17	17	16	10	4	8	10	16	8	8	153	14	8	22	12	11	13	9	19	18	27
Peripheral vascular disease (453)	(a)	669	15	26	76	109	97	136	77	81	42	10	56	1	2	6	11	10	8	4	9	3	2
	(b)	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statiscal Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Diseases of arteries continued																							
Arteriosclerosis and other diseases of arteries (450-452; 454-456)	(a)	1062	40	52	117	102	92	174	110	193	124	58	358	17	13	36	25	24	47	42	49	46	59
	(b)	113	17	17	16	10	4	8	10	15	8	8	152	14	8	22	12	11	13	9	18	18	27
Diseases of veins and other diseases of circulatory system (460-468)	(a)	**5631**	**223**	**474**	**1166**	**1312**	**939**	**793**	**287**	**297**	**106**	**34**	**1528**	**48**	**149**	**259**	**374**	**283**	**182**	**69**	**100**	**46**	**18**
	(b)	**55**	**7**	**12**	**8**	**5**	**7**	**3**	**6**	**3**	**3**	**1**	**28**	**5**	**5**	**2**	**6**	**1**	**2**	**2**	**2**	**1**	**2**
Varicose veins N.O.S. or of leg, without ulceration or eczema (460 part)	(a)	2255	159	313	727	583	234	143	37	48	10	1	426	24	89	93	135	34	20	8	16	4	3
	(b)	2	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Varicose veins N.O.S. or of leg, with ulceration or eczema (460 rdr.)	(a)	263	2	5	30	22	19	42	34	66	31	12	91	-	1	7	4	2	16	9	27	18	7
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haemorrhoids (461)	(a)	1670	32	44	85	418	508	418	103	51	9	2	455	4	11	22	104	193	92	15	11	2	1
	(b)	2	1	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-
Phlebitis, thrombo-phlebitis and venous embolism (463-466)	(a)	553	8	19	72	65	74	106	81	80	39	9	151	6	6	13	16	5	19	22	40	19	5
	(b)	46	6	9	7	4	7	2	5	3	2	1	23	5	4	2	4	-	1	2	2	1	2
Nonspecific mesenteric lymphadenitis (468.1)	(a)	248	6	28	73	93	25	13	2	7	1	-	244	7	25	92	79	25	13	2	1	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphadenitis, chronic or unqualified (468.0; 468.2)	(a)	416	10	32	121	95	54	45	21	25	7	6	113	5	8	21	30	18	19	6	4	2	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

All other diseases of circulatory system (462; 467,468.3)	(a)	226	6	33	58	36	25	26	9	20	9	4	48	2	9	11	6	6	3	7	1	1	2
	(b)	5	-	3	-	-	-	-	1	-	1	-	2	-	1	-	-	1	-	-	-	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM																							
Acute upper respiratory infections and influenza (470-483)	(a)	2273	109	449	954	400	119	115	58	49	17	3	1099	48	91	425	236	128	100	29	34	5	3
	(b)	26	13	4	4	3	-	-	1	-	1	-	22	12	3	4	1	-	-	-	-	-	2
Acute nasopharyngitis (common cold) (470)	(a)	160	16	42	59	25	8	4	4	1	1	-	86	5	27	34	8	4	5	2	1	-	-
	(b)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute sinusitis (471)	(a)	83	1	3	27	22	8	10	5	6	1	-	18	11	-	2	2	1	2	-	-	-	-
	(b)	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Acute upper respiratory infection, other or unqualified (inc. acute laryngitis and tracheitis) (474,475)	(a)	577	20	96	204	125	45	39	18	19	8	3	280	4	10	114	72	45	21	6	8	-	-
	(b)	2	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Influenza (480-483)	(a)	368	19	60	122	64	29	34	18	18	4	-	268	12	23	83	42	29	45	9	17	5	3
	(b)	21	12	3	2	2	-	-	1	-	1	-	20	11	3	3	1	-	-	-	-	-	2
Acute tonsillitis and pharyngitis (472,473)	(a)	1085	53	248	542	164	29	28	13	5	3	-	447	16	31	192	112	49	27	12	8	-	-
	(b)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and bronchitis (490-493; 500-502; 763)	(a)	4656	226	218	634	796	517	916	503	561	232	53	3276	153	122	331	501	435	740	399	399	129	67
	(b)	461	188	69	69	36	12	32	18	19	11	7	464	144	71	67	49	20	36	16	17	15	29
Lobar pneumonia (490)	(a)	893	24	24	101	167	115	223	98	99	37	5	864	19	14	73	135	150	230	94	113	34	2
	(b)	41	19	9	5	1	1	4	1	1	-	-	52	18	8	10	5	3	3	-	1	3	1
Other and unspecified pneumonias (inc. pneumonia of newborn) (491-493; 763)	(a)	2114	148	96	269	352	241	385	221	258	117	27	1334	100	53	135	200	138	282	175	165	54	32
	(b)	320	133	51	55	24	8	18	11	10	7	3	294	98	38	44	30	12	23	12	10	8	19
Bronchitis, acute or unqualified (500,501)	(a)	782	27	56	182	156	84	119	55	68	31	4	664	18	33	97	118	94	142	68	52	23	19
	(b)	28	15	-	4	3	1	2	-	3	-	-	42	15	6	2	5	-	4	1	2	-	7

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Pneumonia and bronchitis continued																							
Chronic bronchitis (502)	(a)	867	27	42	82	121	77	189	129	136	47	17	414	16	22	26	48	53	86	62	69	18	14
	(b)	72	21	9	5	8	2	8	6	5	4	4	76	13	19	11	9	5	6	3	4	4	2
Diseases of upper respiratory tract and pharynx, other than acute infectious (510-517)	(a)	20429	2983	6543	7956	1833	475	392	109	99	33	6	4981	216	3269	1141	239	42	43	14	15	-	2
	(b)	6	1	1	-	-	-	1	2	-	1	-	7	4	1	-	2	-	-	-	-	-	-
Chronic tonsillitis (510 part)	(a)	2649	97	937	1270	225	62	40	7	9	2	-	1040	110	677	194	44	4	6	1	3	-	1
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophied (diseased) tonsils and adenoids (510 rdr.)	(a)	13185	2655	4621	4728	851	154	117	30	22	6	1	3198	16	2393	648	108	11	16	4	2	-	-
	(b)	1	-	1	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-
Peritonsillar abscess (quinsy) (511)	(a)	87	3	15	50	14	2	3	-	-	-	-	46	-	4	24	11	2	5	-	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic or unspecified sinusitis (513)	(a)	1766	101	204	594	410	173	166	54	44	16	4	362	74	125	80	48	17	8	5	5	-	-
	(b)	3	1	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-
Deflected nasal septum (514)	(a)	1339	29	222	821	198	43	17	6	2	1	-	61	3	2	42	8	2	1	2	1	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Nasal Polyp (515)	(a)	863	64	376	305	70	16	17	5	8	2	-	85	7	35	36	2	3	2	-	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases of upper respiratory tract and pharynx (512; 516,517)	(a)	540	34	168	188	65	25	32	7	14	6	1	189	6	33	117	18	3	5	2	4	-	1
	(b)	2	-	-	-	-	-	1	1	-	-	-	3	3	-	-	-	-	-	-	-	-	-

Diseases of lung and pleural cavity (518-527)	(a)	2881	68	228	373	342	251	449	314	497	256	103	776	41	26	86	123	79	134	92	119	55	19
	(b)	77	20	11	13	8	1	7	1	11	4	1	56	14	7	5	7	3	6	1	6	2	5
Pleurisy (519)	(a)	149	4	8	26	21	24	25	13	17	10	1	88	-	4	8	20	13	13	14	11	3	2
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Empyema and abscess of lung (518; 521)	(a)	301	6	15	20	25	12	37	39	88	45	14	112	4	-	6	11	3	17	17	30	19	5
	(b)	11	2	1	3	1	-	2	1	1	-	-	8	3	-	1	2	-	1	-	1	-	-
Pneumoconiosis and other pulmonary fibrosis of occupational origin (523,524)	(a)	160	4	7	11	21	13	20	15	41	22	6	7	-	-	1	-	-	2	3	1	-	-
	(b)	7	2	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic interstitial pneumonia; emphysema without mention of bronchitis (525; 527.1)	(a)	180	4	8	21	28	19	28	21	31	13	7	41	1	-	2	4	5	11	7	6	4	1
	(b)	10	1	-	3	2	-	1	-	2	1	-	7	1	-	-	1	1	2	-	1	1	-
Bronchiectasis; atelectasis, 1 year and over (526,527.0)	(a)	1659	30	160	199	174	144	269	187	273	149	74	307	15	10	27	44	28	58	37	58	22	8
	(b)	30	10	5	4	2	1	2	-	4	1	1	25	4	5	3	3	1	2	1	3	-	3
All other diseases of lung and pleural cavity (520; 522; 527.2)	(a)	432	20	30	96	73	39	70	39	47	17	1	221	21	14	42	44	30	33	14	13	7	3
	(b)	19	5	4	3	2	-	1	-	3	1	-	15	6	1	1	1	1	1	-	1	1	2
IX. DISEASES OF THE DIGESTIVE SYSTEM																							
Diseases of teeth and supporting structures (530-535)	(a)	2934	228	1869	662	79	35	36	10	11	3	1	260	34	137	58	13	8	4	3	3	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Dental sepsis and abscess; other inflammatory diseases of teeth and gums (531,532)	(a)	402	16	170	159	24	16	8	4	4	1	-	125	8	65	36	5	5	2	1	3	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Diseases of teeth and supporting structures continued																							
Dental caries; unerupted teeth; all other diseases of teeth and gums (530; 533-535)	(a)	2532	212	1699	503	55	19	28	6	7	2	1	135	26	72	22	8	3	2	2	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of tongue, buccal cavity, and salivary glands (536-538)	(a)	508	22	64	177	107	41	56	15	19	3	4	111	11	13	27	22	16	7	6	4	1	4
	(b)	2	1	-	-	-	-	-	-	1	-	-	7	1	1	-	1	-	-	-	-	1	3
Diseases of oesophagus, stomach, and duodenum (539-545)	(a)	9603	404	555	857	999	1063	2059	1445	1781	399	41	2437	54	84	141	241	221	549	456	543	130	18
	(b)	310	46	40	52	37	34	37	23	29	10	2	134	20	14	30	22	14	13	7	10	1	3
Ulcer of stomach or duodenum without perforation (540.0; 541.0)	(a)	6694	264	236	449	497	645	1563	1181	1508	320	31	1799	32	42	86	140	105	390	391	484	116	13
	(b)	188	26	13	24	26	26	28	14	20	10	1	87	12	9	16	14	9	10	5	8	1	3
Perforated ulcer of stomach or duodenum (540.1; 541.1)	(a)	1094	19	29	58	262	279	234	103	85	21	4	346	8	6	18	62	93	100	24	26	6	3
	(b)	82	16	21	19	9	4	5	4	4	-	-	42	7	5	13	7	5	3	-	2	-	-
Gastritis; indigestion N.O.S. and other disorders of stomach function (543,544)	(a)	667	40	92	161	138	61	83	42	42	8	-	120	8	14	22	18	10	28	8	9	2	1
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Other diseases of stomach and duodenum; diseases of oesophagus (539; 542; 545)	(a)	1148	81	198	189	102	78	179	119	146	50	6	172	6	22	15	21	13	31	33	24	6	1
	(b)	40	4	6	9	2	4	4	5	5	-	1	4	-	-	1	1	-	-	2	-	-	-

Appendicitis (550-553)	(a)	7370	69	123	1351	2969	1193	995	342	274	49	5	2914	15	51	372	1316	436	423	145	121	28	7
	(b)	43	13	4	8	8	4	3	2	1	-	-	38	4	2	11	7	6	3	1	3	1	-
Acute appendicitis without mention of peritonitis (550.0)	(a)	3858	19	64	912	1689	502	418	140	98	16	-	1702	4	17	266	855	244	198	70	44	3	1
	(b)	9	1	1	2	2	3	-	-	-	-	-	7	-	-	2	1	1	2	-	1	-	-
Acute appendicitis with peritonitis (550.1)	(a)	829	14	7	60	171	140	201	96	113	22	5	390	4	3	27	56	65	103	49	60	20	3
	(b)	31	10	3	6	5	1	3	2	1	-	-	29	4	2	9	5	4	1	1	2	1	-
Appendicitis other and unqualified, and other diseases of appendix (551-553)	(a)	2683	36	52	379	1109	551	376	106	63	11	-	822	7	31	79	405	127	122	26	17	5	3
	(b)	3	2	-	-	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-
Hernia of abdominal cavity (560-561)	(a)	7789	169	345	978	2127	1671	1439	642	330	71	17	2009	61	76	137	667	522	366	93	65	18	4
	(b)	95	27	12	27	9	2	8	4	5	1	-	43	13	5	11	4	4	1	1	3	1	-
Inguinal hernia without mention of obstruction (560.0)	(a)	4881	76	154	574	1524	1178	882	340	133	14	6	1236	27	35	67	479	362	212	41	11	2	-
	(b)	4	-	-	2	-	-		1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
Inguinal hernia with obstruction (561.0)	(a)	291	22	16	36	75	53	44	26	13	2	4	122	9	8	8	26	26	25	7	9	4	-
	(b)	14	4	2	6	1	-	-	1	-	-	-	11	3	2	2	2	-	-	1	1	-	-
Femoral hernia with or without obstruction (560.1; 561.1)	(a)	816	15	14	69	234	199	179	64	35	7	-	292	7	5	13	91	83	61	18	8	5	1
	(b)	30	9	5	10	3	-	2	-	1	-	-	15	5	1	6	-	3	-	-	-	-	-
Umbilical hernia, with or without obstruction (560.2; 561.2)	(a)	767	26	117	203	156	89	89	53	28	4	2	143	9	21	27	28	22	25	3	7	1	-
	(b)	17	6	2	5	2	-	2	-	-	-	-	4	1	-	1	1	1	-	-	-	-	-
Other and unspecified hernia, with or without obstruction (Others in 560,561)	(a)	1034	30	44	96	138	152	245	159	121	44	5	216	9	7	22	43	29	43	24	30	6	3
	(b)	30	8	3	4	3	2	4	2	3	1	-	12	4	1	2	1	-	1	-	2	1	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Other diseases of intestines and peritoneum (570-578; 764)	(a)	5054	264	468	819	816	573	829	447	511	234	93	1657	99	145	285	295	180	262	135	160	66	30
	(b)	205	60	25	32	23	7	18	5	17	9	9	116	36	18	17	13	7	6	3	5	7	4
Intussusception (570.0)	(a)	248	9	49	56	64	24	24	7	11	4	-	52	4	4	5	27	5	4	2	1	-	-
	(b)	7	1	2	2	1	-	-	-	-	1	-	4	4	-	-	-	-	-	-	-	-	-
Other intestinal obstruction; peritonitis; peritoneal adhesions (570 remdr.; 576, 577)	(a)	840	58	55	101	113	124	171	83	90	29	16	301	25	18	45	52	44	52	23	27	8	7
	(b)	99	32	15	15	11	5	5	2	13	1	-	46	18	7	8	6	2	3	-	-	1	1
Anal fissure and fistula; abscess of anal-rectal regions (574,575)	(a)	853	18	41	115	138	134	194	106	74	26	7	209	5	12	29	41	25	46	23	23	5	-
	(b)	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Gastro-enteritis and colitis (inc. diarrhoea of newborn) (571; 764)	(a)	780	45	107	153	141	73	100	52	70	31	8	531	19	44	95	113	64	88	36	52	15	5
	(b)	26	13	3	7	2	-	-	-	-	1	-	24	9	3	2	3	2	-	1	1	2	1
Diverticulitis (572.1)	(a)	459	24	18	87	80	59	81	39	52	15	4	156	16	15	16	21	12	21	24	20	6	5
	(b)	15	4	2	3	-	-	1	1	1	1	2	19	3	4	2	2	2	2	2	1	-	1
Ulcerative colitis (572.2)	(a)	404	10	10	32	31	19	59	38	85	73	47	71	-	4	9	9	5	3	5	6	21	9
	(b)	31	3	-	2	4	-	11	1	2	2	6	9	-	-	2	1	1	-	-	-	4	1
Constipation (573.0)	(a)	461	44	95	111	82	30	52	25	16	6	-	136	15	27	56	12	5	12	3	5	-	1
	(b)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of intestines and peritoneum (Others in 570-578)	(a)	1009	56	93	164	167	110	148	97	113	50	11	201	15	21	30	20	20	36	19	26	11	3
	(b)	25	7	3	2	5	2	1	1	1	2	1	13	2	3	3	1	-	1	-	3	-	-

Diseases of liver, gallbladder, and pancreas (580-587)	(a)	3138	105	147	240	269	425	762	462	544	154	30	839	30	21	66	96	105	192	115	153	43	18
	(b)	172	24	20	22	16	21	21	7	21	13	7	83	11	7	13	8	6	7	10	9	5	7
Cirrhosis of liver (581)	(a)	408	58	65	40	36	29	54	23	58	34	11	63	5	3	7	5	3	13	12	8	2	5
	(b)	66	8	8	9	6	9	4	2	7	7	6	23	1	3	1	4	1	3	3	3	1	3
Cholelithiasis and cholecystitis without mention of calculi (584,585)	(a)	2218	35	53	138	174	341	631	380	397	67	2	650	15	14	50	81	93	158	87	116	27	9
	(b)	58	6	4	9	5	6	13	3	9	3	-	32	2	2	7	4	4	4	2	2	2	3
Other diseases of liver and gallbladder; diseases of pancreas (580; 582 583; 586,587)	(a)	512	12	29	62	59	55	77	59	89	53	17	126	10	4	9	10	9	21	16	29	14	4
	(b)	48	10	8	4	5	6	4	2	5	3	1	28	8	2	5	-	1	-	5	4	2	1
X. DISEASES OF THE GENITO-URINARY SYSTEM																							
Nephritis and nephrosis (590-594)	(a)	777	32	28	74	72	57	115	98	152	96	53	229	10	7	15	22	14	35	16	56	36	18
	(b)	105	14	11	18	9	6	10	5	18	12	2	60	8	3	9	7	5	9	4	8	5	2
Acute nephritis (590)	(a)	222	5	5	17	18	17	35	31	49	35	10	82	2	4	2	4	1	12	8	26	19	4
	(b)	9	3	-	-	1	1	1	-	1	2	-	8	1	2	-	1	-	1	-	2	1	-
Chronic and other nephritis; renal sclerosis (591-594)	(a)	555	27	23	57	54	40	80	67	103	61	43	147	8	3	13	18	13	23	8	30	17	14
	(b)	96	11	11	18	8	5	9	5	17	10	2	52	7	1	9	6	5	8	4	6	4	2
Other diseases of urinary system (600-609)	(a)	3685	209	349	749	554	346	611	358	368	117	24	963	43	98	174	154	108	145	84	102	37	18
	(b)	75	6	7	14	7	12	10	8	4	7	-	57	4	7	7	10	1	5	3	8	5	7
Pyelitis; infections of kidney and cystitis (600; 605)	(a)	971	24	75	194	211	117	163	76	85	19	7	395	15	24	66	82	57	61	38	30	13	9
	(b)	36	2	5	6	3	7	4	4	2	3	-	42	2	3	6	9	1	3	3	4	4	7
Urinary infection, unqualified (609 part)	(a)	229	4	12	61	27	27	51	20	18	8	1	43	-	2	6	9	6	9	3	5	2	1
	(b)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculi of urinary system (602; 604)	(a)	735	28	51	104	79	71	162	108	106	22	4	195	6	17	29	28	22	32	22	27	12	-
	(b)	12	1	1	4	1	2	1	1	-	1	-	8	2	2	1	1	-	-	-	2	-	-

(82685)

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Other diseases of urinary system - continued																							
Stricture of urethra (608)	(a)	284	47	51	56	41	19	30	17	16	6	1	73	7	15	21	6	3	5	4	9	1	2
	(b)	4	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
Caruncle of urethra (609 part)	(a)	261	4	23	144	45	25	13	5	2	-	-	45	-	13	19	5	3	2	3	-	-	-
	(b)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases of urinary system (601; 603; 606,607; 609 rdr.)	(a)	1205	102	137	190	151	87	192	132	141	62	11	212	15	27	33	24	17	36	14	31	9	6
	(b)	21	1	1	3	2	2	5	3	1	3	-	6	-	2	-	-	-	1	-	2	1	-
Diseases of male genital organs (610-617)	(a)	3025	161	286	473	476	306	507	291	342	142	41	1001	43	72	146	141	87	158	111	140	76	27
	(b)	103	12	9	11	17	7	14	10	12	4	7	107	8	6	24	12	9	14	8	10	5	11
Hyperplasia of prostate (610)	(a)	1514	33	66	82	97	142	369	248	305	133	39	608	12	24	41	41	37	126	101	125	75	26
	(b)	99	12	9	11	16	7	12	10	11	4	7	105	8	6	23	12	9	13	8	10	5	11
Hydrocele (613)	(a)	424	7	15	75	163	80	63	13	7	1	-	125	4	2	23	55	25	9	4	3	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Redundant prepuce and phimosis (615)	(a)	616	95	161	212	89	32	17	7	2	1	-	136	25	39	50	11	5	3	-	3	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of male genital organs (611,612; 614; 616,617)	(a)	471	26	44	104	127	52	58	23	28	7	2	132	2	7	32	34	20	20	6	9	1	1
	(b)	4	-	-	-	1	-	2	-	1	-	-	2	-	-	1	-	-	1	-	-	-	-
Diseases of breast (620,621)	(a)	975	51	122	281	242	125	92	26	28	8	-	180	18	23	63	35	16	19	1	4	-	1
	(b)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic cystic and other diseases of breast (620,621 1,621 2)	(a)	701	41	91	202	181	87	57	16	18	8	-	83	13	13	35	11	3	6	-	2	-	-
	(b)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Acute mastitis not associated with lactation (621.0)	(a)	274	10	31	79	61	38	35	10	10	-	-	97	5	10	28	24	13	13	1	2	-	1
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ovary, Fallopian tube and parametrium (622-637)	(a)	15901	299	1480	5691	1594	1270	3535	1277	680	66	9	2877	137	377	857	332	216	615	231	97	10	5
	(b)	27	-	2	8	5	1	7	-	2	2	-	6	-	-	1	1	1	2	-	-	-	1
Salpingitis and oophoritis; diseases of parametrium and pelvic peritoneum (622-624; 626)	(a)	652	12	22	107	132	87	170	52	60	5	5	200	4	8	31	44	30	49	18	13	3	-
	(b)	6	-	-	2	1	-	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Cervicitis (630.0)	(a)	1601	28	139	868	184	193	146	30	10	3	-	369	57	54	145	67	19	18	6	3	-	-
	(b)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vaginitis and vulvitis (inc. trichomonal vaginitis) (630.2 part)	(a)	349	11	46	122	92	28	33	8	7	2	-	41	2	10	8	4	2	9	1	2	2	1
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterovaginal prolapse (631)	(a)	3981	40	64	98	129	284	2108	831	395	31	1	657	17	13	15	12	33	355	158	50	3	1
	(b)	14	-	1	3	2	1	3	-	2	2	-	2	-	-	-	-	1	1	-	-	-	-
Malposition of uterus (632)	(a)	520	15	44	132	34	113	151	21	8	1	1	103	5	19	22	3	29	23	1	1	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysmenorrhoea (634 part)	(a)	752	24	150	446	48	30	37	9	7	1	-	118	9	36	53	9	3	7	1	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bleeding specified as post-menopausal (634 part)	(a)	674	5	105	403	66	27	44	14	9	1	-	75	2	19	33	8	6	5	2	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysfunctional bleeding and other disorders of menstruation (634 rmdr.)	(a)	3950	53	449	2047	460	259	436	171	69	6	-	733	15	108	340	100	40	82	25	21	1	1
	(b)	3	-	-	1	1	-	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-
Sterility, female (636)	(a)	915	60	198	532	67	22	23	9	4	-	-	137	14	47	60	9	4	1	1	-	-	1
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Cysts of ovary not classifiable to 235 (625 part)	(a)	91	-	7	9	24	16	25	7	3	-	-	31	1	1	2	6	11	8	2	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Diseases of ovary, Fallopian tube and parametrium continued																							
Other diseases of female genital organs (others in 622-637)	(a)	2416	51	256	927	358	211	362	125	108	16	2	413	11	62	148	70	39	58	16	7	1	1
	(b)	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE																							
Infections of skin and subcutaneous tissue (690-698)	(a)	1723	85	228	516	345	160	186	85	76	30	12	583	24	52	159	125	69	79	32	27	11	5
	(b)	4	-	1	1	1	-	-	-	1	-	-	3	-	-	-	1	-	-	-	-	1	1
Boil, abscess and cellulitis, (inc. acute lymphadenitis) (690-694)	(a)	1447	60	189	458	296	139	153	69	58	20	5	482	11	38	140	115	56	64	23	20	11	4
	(b)	3	-	1	1	1	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	1	1
Other local infections of skin, inc. infectious warts and molluscum contagiosum (695-698)	(a)	276	25	39	58	49	21	33	16	18	10	7	101	13	14	19	10	13	15	9	7	-	1
	(b)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of skin and subcutaneous tissue (700-716)	(a)	3104	81	166	512	408	329	490	319	498	229	72	732	15	42	72	68	49	132	97	138	83	36
	(b)	27	1	2	8	1	-	2	3	1	6	3	11	-	-	-	-	1	2	1	2	3	2
Eczema and dermatitis (700-703)	(a)	949	7	31	114	136	113	166	97	187	76	22	371	2	3	19	36	26	72	64	86	48	15
	(b)	3	-	-	1	-	-	-	-	-	1	1	3	-	-	-	-	1	-	-	1	1	-
Psoriasis (706.0)	(a)	299	1	5	22	36	31	66	52	58	24	4	33	-	1	1	-	-	6	12	5	6	2
	(b)	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1
Pemphigus; erythema multiforme; lupus erythematosus; scleroderma; dermatomyositis (704.705.1.705.4.710.0)	(a)	252	3	5	28	30	20	28	32	51	39	16	38	1	2	2	3	1	6	5	10	6	2
	(b)	16	-	1	7	1	-	-	3	1	3	-	4	-	-	-	-	-	2	-	1	1	-

Chronic ulcer of skin (715)	(a)	213	3	7	20	17	15	26	22	66	27	10	59	-	1	6	4	1	8	5	11	13	10
	(b)	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
All other diseases of skin and sub-cutaneous tissue (others in 700-716)	(a)	1391	67	118	328	189	150	204	116	136	63	20	231	12	35	44	25	21	40	11	26	10	7
	(b)	6	1	1	-	-	-	1	-	-	1	2	2	-	-	-	-	-	-	-	-	1	1
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																							
Diseases of tendon, fascia and muscle (740-744)	(a)	1329	150	228	363	155	138	144	49	65	26	11	205	17	31	50	21	23	24	14	12	9	4
	(b)	18	7	1	2	1	1	3	-	2	1	-	2	-	-	1	-	-	-	-	1	-	-
Myasthenia gravis and inborn defect of muscle (744.0,744.1)	(a)	161	8	7	15	24	12	30	18	25	16	6	3	-	-	-	-	-	-	1	1	1	-
	(b)	16	5	1	2	1	1	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Synovitis, bursitis and tenosynovitis (741,742)	(a)	857	127	195	244	91	95	71	14	14	4	2	158	17	26	36	16	17	19	11	7	7	2
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of tendon, fascia and muscle (740; 743,744.2)	(a)	311	15	26	104	40	31	43	17	26	6	3	44	-	5	14	5	6	5	2	4	1	2
	(b)	2	2	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-
Arthritis and rheumatism, except rheumatic fever (720-727)	(a)	2608	78	94	255	238	181	340	221	455	481	265	730	15	14	65	70	55	95	79	118	114	105
	(b)	25	1	2	1	4	-	1	2	2	3	9	19	2	-	-	1	-	2	-	1	3	10
Rheumatoid arthritis and allied conditions (722)	(a)	1007	13	14	59	68	45	142	104	250	179	133	333	2	3	33	13	28	37	27	71	59	60
	(b)	11	-	-	-	1	-	-	2	2	1	5	13	-	-	-	1	-	1	-	1	3	7
Osteo-arthritis (arthrosis) and allied conditions (723)	(a)	886	43	37	101	78	73	98	57	109	206	84	135	3	2	3	19	16	13	17	15	25	22
	(b)	10	1	2	-	1	-	1	-	-	1	4	2	-	-	-	-	-	-	-	-	-	2
Arthritis, other and unspecified (720,721; 724,725)	(a)	320	10	13	37	29	23	47	33	51	48	29	61	7	2	4	3	1	12	10	9	4	9
	(b)	1	-	-	-	1	-	-	-	-	-	-	4	2	-	-	-	-	1	-	-	-	1

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Arthritis and rheumatism, except rheumatic fever continued																							
Torticollis N.E.C. (726.2)	(a)	86	2	9	19	19	8	10	8	7	3	1	15	1	2	3	4	1	2	-	1	-	1
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute and subacute rheumatism (727A,727B)	(a)	126	-	1	5	16	9	11	10	21	36	17	81	-	-	4	7	3	14	12	15	18	8
	(b)	3	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lumbago, fibrositis and other muscular rheumatism; rheumatism chronic or unqualified (remdr.726-727)	(a)	183	10	20	34	28	23	32	9	17	9	1	105	2	5	18	24	6	17	13	7	8	5
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of bones and joints; musculoskeletal deformities (730-738; 745-749)	(a)	6078	279	444	952	553	1086	1089	591	601	314	169	993	35	37	113	117	173	200	98	123	53	44
	(b)	18	2	2	5	2	-	-	1	2	2	2	5	-	-	1	1	-	-	1	1	-	1
Osteomyelitis and periostitis (730)	(a)	735	12	41	105	71	59	115	100	126	78	28	166	4	4	16	18	10	21	25	28	25	15
	(b)	6	1	1	1	-	-	-	1	-	2	-	2	-	-	1	1	-	-	-	-	-	-
Osteochondrosis and other diseases of bone (731-733)	(a)	514	14	63	78	57	64	72	37	48	43	38	68	1	3	8	5	5	6	10	9	5	16
	(b)	4	1	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
Internal derangement of knee joint (734)	(a)	840	30	16	55	46	367	213	69	38	6	-	213	2	5	17	15	84	73	11	6	-	-
	(b)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Loose bodies in knee joint (738 part)	(a)	115	-	9	23	9	33	25	7	9	-	-	23	2	3	2	3	4	5	4	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Displacement of intervertebral disc (735)	(a)	1034	62	67	97	112	73	191	151	186	70	25	137	2	10	14	14	11	17	13	41	10	5
	(b)	5	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hallux valgus and varus (747)	(a)	853	10	18	177	64	282	189	74	34	4	1	134	7	1	8	26	28	43	11	10	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clubfoot (748)	(a)	698	28	91	139	65	48	110	59	71	66	21	65	3	3	14	7	4	7	9	13	3	2
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Other diseases of joint and musculoskeletal deformities (736-738 remdr; 745,746; 749)	(a)	1289	123	139	278	129	160	174	94	89	47	56	187	14	8	34	29	27	28	15	16	10	6
	(b)	2	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
XIV. CONGENITAL MALFORMATIONS																							
Congenital Malformations (750-759)	(a)	5778	181	425	1031	944	749	900	495	559	329	165	488	31	44	77	102	54	63	38	39	17	23
	(b)	194	45	23	36	18	7	20	13	14	12	6	40	9	3	8	4	3	1	5	3	1	3
Congenital malformations of nervous system and sense organs (750-753)	(a)	565	35	74	130	72	51	65	35	52	39	12	44	2	4	10	6	1	5	5	6	1	4
	(b)	32	10	2	4	3	3	6	1	2	1	-	8	1	-	3	-	1	-	2	1	-	-
Congenital malformations of heart (754.0-754.4)	(a)	880	36	51	115	115	70	156	112	143	68	14	48	3	3	9	9	2	9	6	2	4	1
	(b)	72	17	7	13	5	3	6	7	6	7	1	8	2	-	3	-	-	-	2	-	-	1
Cleft palate and harelip (755)	(a)	950	8	33	149	205	222	201	73	42	13	4	18	-	1	2	10	1	4	-	-	-	-
	(b)	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hypertrophic pyloric stenosis (756.0)	(a)	323	1	38	102	72	40	36	10	18	6	-	73	1	3	9	19	11	12	7	9	1	1
	(b)	4	-	1	-	2	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1
Undescended testicle (757.0)	(a)	441	9	23	46	130	122	78	25	6	1	1	55	2	3	2	17	18	11	1	1	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital dislocation of hip (758.0)	(a)	400	11	47	110	37	9	28	14	45	42	57	25	1	5	6	1	1	1	1	3	3	3
	(b)	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Congenital Malformations continued																							
Other congenital malformations of bone and joint (758.1-758.6)	(a)	427	11	26	76	52	51	58	41	44	42	26	34	2	3	7	6	-	2	1	5	1	7
	(b)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations (others in 750-759)	(a)	1792	70	133	303	261	134	278	185	209	118	51	191	20	22	32	34	20	19	17	13	7	7
	(b)	81	18	12	18	8	1	7	4	5	4	4	22	6	3	2	4	2	1	1	1	1	1
XV. CERTAIN DISEASES OF EARLY INFANCY																							
Certain diseases of early infancy (760-762; 765-776)	(a)	763	93	80	148	121	67	91	48	65	40	10	281	32	32	52	36	27	23	20	37	17	5
	(b)	81	52	8	12	-	3	2	2	2	-	-	38	23	9	2	1	-	1	1	1	-	-
Pemphigus neonatorum, umbilical sepsis and other sepsis of newborn (765-768)	(a)	49	5	11	14	6	3	2	3	2	1	2	19	1	1	5	4	1	3	1	2	1	-
	(b)	4	3	-	1	-	-	-	-	-	-	-	3	1	1	-	-	-	-	1	-	-	-
Haemolytic and haemorrhagic disease of newborn (770,771)	(a)	142	41	25	33	13	6	7	5	10	1	1	26	7	4	4	4	5	1	-	-	1	-
	(b)	19	14	-	5	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-
Nutritional maladjustment (772)	(a)	330	6	24	72	75	34	58	24	25	10	2	136	4	13	34	24	10	16	14	19	1	1
	(b)	2	1	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-
Postnatal atelectasis and asphyxia; birth injuries (760-762)	(a)	124	26	15	19	13	17	11	4	11	7	1	32	12	8	3	-	4	1	-	3	-	1
	(b)	34	22	5	4	-	1	-	2	-	-	-	17	11	4	1	-	-	-	-	1	-	-

Immaturity, conditions attributed to maternal toxaemia; ill-defined diseases (769; 773-776)	(a)	118	13	5	10	14	7	13	12	17	21	4	68	8	6	6	4	7	2	5	13	14	3
	(b)	22	12	3	2	-	2	1	-	2	-	-	12	7	4	1	-	-	-	-	-	-	-
XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS																							
Senility without mention of psychosis (794)	(a)	58	2	5	2	2	4	3	2	5	7	26	292	9	16	23	21	8	19	11	21	20	144
	(b)	22	-	2	-	-	-	1	-	2	1	16	179	6	11	18	10	3	12	6	10	10	93
Symptoms, and ill-defined conditions (780-792; 795)	(a)	9208	640	1426	2095	1574	903	1166	573	574	217	40	2266	177	346	542	352	199	271	148	172	35	24
	(b)	130	29	20	14	14	11	16	7	8	7	4	87	18	18	10	9	4	6	2	2	4	14
Convulsions; Jacksonian epilepsy (780.2,780.3)	(a)	274	11	36	79	40	25	34	14	23	10	2	50	2	6	18	10	5	4	1	3	-	1
	(b)	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Acute heart failure, undefined (782.4)	(a)	82	13	7	3	7	4	8	14	14	9	3	126	10	12	9	10	7	21	16	15	8	18
	(b)	36	12	5	1	4	2	3	2	1	3	3	58	10	10	6	6	2	4	2	2	4	12
Epistaxis (783.0)	(a)	400	44	109	127	66	22	23	7	2	-	-	94	10	25	42	8	3	3	2	1	-	-
	(b)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haematemesis; Melaena (1 year and over) (784.5; 785.8)	(a)	539	15	24	48	49	64	93	101	131	14	-	127	-	2	8	9	11	16	43	35	3	-
	(b)	12	3	2	3	2	1	-	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-
Other symptoms referable to upper gastro-intestinal tract (784 remdr.)	(a)	329	23	59	98	51	22	33	20	15	8	-	68	7	7	13	11	7	13	4	5	1	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Abdominal pain (785.5)	(a)	2621	244	560	651	516	230	247	97	60	12	4	789	70	176	244	138	57	56	16	30	2	-
	(b)	2	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Pain referable to urinary system (786.0)	(a)	370	28	83	100	78	34	26	8	11	2	-	140	11	26	33	27	23	15	3	2	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haematuria (789.4)	(a)	274	15	52	65	51	23	33	19	11	4	1	77	5	8	26	5	6	12	6	8	1	-
	(b)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Retention of urine (786.1)	(a)	233	20	37	40	23	18	42	20	23	9	1	58	6	8	8	5	6	7	5	10	1	2
	(b)	14	1	1	1	2	1	5	1	1	1	-	3	-	-	1	-	1	-	-	-	-	1

(82685)

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Symptoms, and ill-defined conditions continued																							
Pain in back (787.5)	(a)	308	35	29	54	49	42	51	18	22	6	2	35	6	1	6	8	5	5	2	2	-	-
	(b)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia of unknown origin (788.8)	(a)	428	8	35	107	88	48	68	23	27	20	4	126	6	11	27	23	15	16	6	14	7	1
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uraemia unqualified (792)	(a)	59	8	11	9	8	1	7	8	4	2	1	22	5	4	2	4	1	2	2	2	-	-
	(b)	25	4	7	6	2	1	2	1	1	1	-	15	5	4	1	3	1	1	-	-	-	-
Other symptoms and ill-defined conditions (780-792 remdr; 795)	(a)	3291	176	384	714	548	370	501	224	231	121	22	554	39	60	106	94	53	101	42	45	12	2
	(b)	37	7	5	3	4	6	5	2	3	1	1	6	2	-	2	-	-	1	-	-	-	1
Observation, without need for further medical care (793)	(a)	2064	627	376	430	244	111	152	66	49	8	1	416	161	56	76	39	27	23	21	6	4	3
	(b)	2	-	-	1	-	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-
XVII. INJURIES																							
Fractures of skull and injuries to head	(a)	3920	766	1096	950	412	182	238	124	103	40	9	1035	152	234	322	136	64	65	23	31	5	3
	(b)	176	101	35	18	8	5	4	2	2	1	-	66	41	14	5	3	1	-	-	2	-	-
Fracture of face bones (802)	(a)	596	102	144	168	67	33	35	20	16	11	-	95	24	26	22	13	5	3	1	1	-	-
	(b)	2	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Other fractures of skull; intracranial injuries (800,801; 803,804; 853-855)	(a)	981	127	139	199	157	87	114	71	59	19	9	256	45	19	47	46	31	35	11	17	4	1
	(b)	149	88	32	14	6	4	-	2	2	1	-	57	38	11	2	3	1	-	-	2	-	-
Wounds of head; head injury unqualified (850,851; 856;	(a)	866	166	245	253	91	29	47	15	15	5	-	198	28	57	66	22	8	7	2	6	1	1
	(b)	17	10	2	1	1	1	2	-	-	-	-	6	2	2	2	-	-	-	-	-	-	-

Concussion, unqualified (852)	(a)	1477	371	568	330	97	33	42	18	13	5	-	486	55	132	187	55	20	20	9	7	-	1
	(b)	8	3	1	2	1	-	1	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
Fractures of trunk; fractures of two or more limbs; internal injuries	(a)	1061	84	105	192	141	88	123	78	132	69	49	251	16	21	46	39	29	26	14	22	21	17
	(b)	44	23	8	4	2	1	1	1	2	1	1	19	4	2	2	2	3	1	1	1	2	1
Fracture of trunk; dislocation of spinal column; injury to spinal cord (805,806; 958)	(a)	261	24	28	57	25	16	26	25	32	12	16	57	3	3	9	11	7	9	2	6	5	2
	(b)	4	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
Fracture of ribs and sternum; injury to intrathoracic organs (807; 860-862)	(a)	266	30	36	58	52	29	26	14	17	4	-	81	4	11	22	16	11	5	3	6	1	2
	(b)	11	6	2	2	1	-	-	-	-	-	-	5	1	1	1	1	-	-	1	-	-	-
Fracture of pelvis; injury to pelvic organs (808; 867)	(a)	154	9	11	25	13	11	18	11	32	19	5	38	4	1	4	3	3	3	6	4	7	3
	(b)	4	1	-	-	1	-	1	-	-	1	-	3	1	-	-	-	-	-	-	1	1	-
Multiple fractures of trunk or two or more limbs, multiple or unspecified internal injury (809; 819; 828; 868,869)	(a)	282	16	22	38	32	17	34	21	42	33	27	56	5	6	9	6	5	5	-	3	8	9
	(b)	19	12	2	2	-	1	-	1	-	-	1	9	2	1	1	1	1	1	-	-	1	1
Injury to intra-abdominal organs (863-866)	(a)	98	5	8	14	19	15	19	7	9	1	1	19	-	-	2	3	3	4	3	3	-	1
	(b)	6	2	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Other fractures, dislocations and sprains (exc. fractures of hand)	(a)	4268	341	533	799	445	346	506	279	412	360	247	990	64	103	161	109	53	105	59	117	124	95
	(b)	97	8	6	13	11	10	14	5	10	11	9	60	4	3	8	7	3	8	5	7	10	5
Fractures of thigh (820,821)	(a)	1108	26	56	88	50	43	111	89	196	240	209	311	9	11	24	15	7	23	18	49	75	80
	(b)	81	2	3	12	10	9	12	4	9	11	9	53	3	2	6	7	3	7	4	7	10	4
Fractures of leg (823,824)	(a)	1102	82	132	201	131	82	163	95	126	70	20	271	14	23	45	29	20	38	21	37	34	10
	(b)	9	4	2	-	-	1	1	-	1	-	-	5	-	1	2	-	-	1	1	-	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Other fractures, dislocations and sprains (exc. fractures of hand) continued																							
Dislocations and sprains of knee (836; 844)	(a)	180	11	12	14	16	76	33	5	12	1	-	21	3	1	1	3	4	4	2	2	1	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other fractures, dislocations and sprains (exc. fractures of hand) (810-814; 818; 822; 825-827; 829-833; 835; 837-843; 845-848)	(a)	1878	222	333	496	248	145	199	90	78	49	18	387	38	68	91	62	22	40	18	29	14	5
	(b)	7	2	1	1	1	-	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	1
Burns, scalds	(a)	969	69	95	166	137	67	137	66	123	79	30	254	15	24	37	40	23	38	20	27	23	7
	(b)	26	8	5	5	3	2	-	-	2	-	1	15	6	2	1	2	1	1	-	1	-	1
Burns confined to eye (940)	(a)	218	5	35	69	48	15	20	6	11	9	-	10	-	1	4	4	-	1	-	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns involving face, head or neck with or without other parts (941; 946; 948)	(a)	239	22	24	35	29	16	34	20	32	17	10	78	6	10	10	10	5	18	5	5	8	1
	(b)	11	5	2	1	2	-	-	-	1	-	-	4	2	-	-	-	-	-	-	1	-	1
Other burns (942-945; 947; 949)	(a)	512	42	36	62	60	36	83	40	80	53	20	166	9	13	23	26	18	19	15	22	15	6
	(b)	15	3	3	4	1	2	-	-	1	-	1	11	4	2	1	2	1	1	-	-	-	-
Wounds, fractures and other injuries to hand (exc. burns) (815-817; 834,883,884; 886,887; 903; 914,915, 925,926; 954; 996.4, 996.5)	(a)	1144	283	325	307	93	30	51	19	28	5	3	221	51	52	56	30	11	8	8	4	1	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Other injuries and effects of external causes	(a)	4647	726	863	1098	596	353	426	226	225	105	29	1129	154	236	313	163	54	103	50	35	13	8
	(b)	68	21	13	14	4	4	5	2	-	3	2	27	10	7	4	3	1	-	1	-	-	1
Injuries to eye (870,871; 921; 930; 950)	(a)	793	29	77	190	147	87	128	67	53	14	1	36	1	5	10	5	1	11	1	-	1	1
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Injury to face, mouth and neck (inc. injury to cranial nerve) (872-874; 879; 907: 910; 920; 951: 996.0)	(a)	658	101	157	186	76	44	45	20	17	8	4	205	39	43	78	25	4	9	2	4	-	1
	(b)	3	-	1	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Wound, contusion, or superficial injury at sites other than hand, eye or face, (inc. nerve injury) (870-929 remdr. 950-959 remdr.)	(a)	1087	145	210	290	153	71	86	38	59	28	7	292	26	51	61	56	23	34	21	11	6	3
	(b)	5	-	-	1	1	-	1	-	-	1	1	5	-	1	2	-	-	-	1	-	-	1
Foreign body in digestive tract (935)	(a)	425	169	134	77	25	6	4	5	4	1	-	94	15	41	25	7	-	4	1	1	-	-
	(b)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Effects of poisons (960-979)	(a)	572	169	136	122	57	23	25	21	11	5	3	264	45	57	78	34	11	18	11	7	2	1
	(b)	41	16	8	9	2	3	1	1	-	1	-	17	10	3	1	2	1	-	-	-	-	-
Misadventures and complications of medical and surgical procedures (997-999)	(a)	681	44	95	136	95	81	99	48	54	25	4	131	11	18	38	23	9	17	8	5	1	1
	(b)	5	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified injuries and reactions to external causes (931-934; 936; 980-996 remdr.)	(a)	431	69	54	97	43	41	39	27	27	24	10	107	17	21	23	13	6	10	6	7	3	1
	(b)	12	4	2	1	-	1	2	1	-	1	-	4	-	2	1	1	-	-	-	-	-	-

TABLE 6 - Single livebirths in hospital; distribution by sequel and length of stay according to birth weight - 1951.

(a) Single livebirths: distribution by sequel and days of in-patient care within detailed birth weight categories. All participating hospitals combined.

(b) Single livebirths: distribution by sequel and days of in-patient care within summary birth weight categories. Participating hospitals in the Greater London Area.

(c) Single livebirths; distribution by sequel and days of in-patient care within summary birth weight categories. Participating hospitals in the North of England (Newcastle, Manchester, Liverpool, Leeds and Sheffield hospital regions).

TABLE 6

(a) All Hospitals combined

Birth weight and discharge category		Total	Per cent of Total	Distribution in days of length of stay in the hospital											
				1-	2-	4-	6-	8-	10-	12-	15-	22-	29-	50-	92 and over
All birth weights	**Total**	**32,915**		**453**	**695**	**677**	**1,810**	**7,917**	**10,551**	**6,980**	**2,773**	**542**	**402**	**105**	**10**
	Transferred	251		38	48	41	20	19	25	22	15	5	15	3	-
	Home	32,074		116	509	597	1,759	7,868	10,506	6,940	2,751	535	382	101	10
	Died	590	1.8	299	138	39	31	30	20	18	7	2	5	1	-
5½ lb. and under	**Total**	**2,144**		**212**	**87**	**38**	**65**	**236**	**363**	**359**	**337**	**161**	**208**	**74**	**4**
	Transferred	43		13	2	2	3	4	4	6	1	1	6	1	-
	Home	1,760		5	14	13	44	219	351	346	334	159	199	72	4
	Died	341	15.9	194	71	23	18	13	8	7	2	1	3	1	-
Over 5½ lb.	**Total**	**28,909**		**191**	**552**	**596**	**1,635**	**7,148**	**9,611**	**6,360**	**2,265**	**344**	**173**	**28**	**6**
	Transferred	173		20	39	30	12	14	18	13	13	4	8	2	-
	Home	28,558		99	466	554	1,615	7,120	9,587	6,336	2,247	339	163	26	6
	Died	178	0.6	72	47	12	8	14	6	11	5	1	2	-	-
2½ lb. and under	**Total**	**124**		**65**	**15**	**6**	**7**	**4**	**3**	**4**	**3**	**1**	**5**	**9**	**2**
	Transferred	6		3	1	-	-	-	-	-	-	-	2	-	-
	Home	19		-	-	-	-	1	2	3	2	-	1	8	2
	Died	99	79.8	62	14	6	7	3	1	1	1	1	2	1	-
3 lb. and under, but over 2½ lb.	**Total**	**84**		**34**	**7**	**-**	**3**	**2**	**4**	**1**	**2**	**1**	**12**	**17**	**1**
	Transferred	2		2	-	-	-	-	-	-	-	-	-	-	-
	Home	36		-	-	-	-	1	2	1	2	1	11	17	1
	Died	46	54.8	32	7	-	3	1	2	-	-	-	1	-	-
3½ lb. and under, but over 3 lb.	**Total**	**133**		**33**	**12**	**6**	**3**	**6**	**3**	**6**	**6**	**6**	**30**	**22**	**-**
	Transferred	5		3	1	-	-	-	-	-	-	-	1	-	-
	Home	75		-	-	-	-	4	2	6	6	6	29	22	-

4 lb. and under, but over 3½ lb.	**Total**	**161**		**25**	**6**	**7**	**2**	**7**	**7**	**10**	**17**	**9**	**60**	**11**	**-**
	Transferred	5		1	-	-	-	1	1	-	-	-	1	1	-
	Home	114		-	-	-	-	3	6	10	17	9	59	10	-
	Died	42	26.1	24	6	7	2	3	-	-	-	-	-	-	-
4½ lb. and under, but over 4 lb.	**Total**	**268**		**17**	**9**	**2**	**1**	**10**	**18**	**32**	**56**	**60**	**57**	**6**	**-**
	Transferred	7		2	-	-	-	-	1	2	1	-	1	-	-
	Home	230		-	-	-	-	8	17	28	55	60	56	6	-
	Died	31	11.6	15	9	2	1	2	-	2	-	-	-	-	-
5 lb. and under, but over 4½ lb.	**Total**	**477**		**20**	**14**	**6**	**10**	**41**	**86**	**110**	**104**	**49**	**32**	**5**	**-**
	Transferred	9		1	-	1	1	-	1	4	-	1	-	-	-
	Home	429		1	2	4	8	40	81	104	104	48	32	5	-
	Died	39	8.2	18	12	1	1	1	4	2	-	-	-	-	-
5½ lb. and under, but over 5 lb.	**Total**	**897**		**18**	**24**	**11**	**39**	**166**	**242**	**196**	**149**	**35**	**12**	**4**	**1**
	Transferred	9		1	-	1	2	3	1	-	-	-	1	-	-
	Home	857		4	12	9	36	162	241	194	148	35	11	4	1
	Died	31	3.5	13	12	1	1	1	-	2	1	-	-	-	-
6 lb. and under, but over 5½ lb.	**Total**	**1,895**		**18**	**29**	**26**	**97**	**449**	**570**	**462**	**206**	**24**	**10**	**4**	**-**
	Transferred	15		3	4	1	-	1	1	3	1	-	1	-	-
	Home	1,857		5	22	24	96	445	566	458	204	24	9	4	-
	Died	23	1.2	10	3	1	1	3	3	1	1	-	-	-	-
7½ lb. and under, but over 6 lb.	**Total**	**14,349**		**91**	**260**	**299**	**813**	**3,685**	**4,850**	**3,085**	**1,008**	**162**	**78**	**15**	**3**
	Transferred	77		9	17	11	9	7	10	5	5	2	1	1	-
	Home	14,181		46	215	282	799	3,670	4,838	3,077	1,001	159	77	14	3
	Died	91	0.6	36	28	6	5	8	2	3	2	1	-	-	-
8 lb. and under, but over 7½ lb.	**Total**	**5,058**		**29**	**109**	**95**	**299**	**1,242**	**1,722**	**1,106**	**371**	**58**	**20**	**6**	**1**
	Transferred	26		2	11	3	1	2	2	-	3	1	1	-	-
	Home	5,007		19	89	91	297	1,240	1,720	1,102	366	57	19	6	1
	Died	25	0.5	8	9	1	1	-	-	4	2	-	-	-	-

TABLE 6 - continued

(a) All Hospitals combined - continued

Birth weight and discharge category		Total	Per cent of Total	Distribution in days of length of stay in the hospital											
				1-	2-	4-	6-	8-	10-	12-	15-	22-	29-	50-	92 and over
9 lb. and under, but over 8 lb.	**Total**	**5,805**		**35**	**108**	**136**	**323**	**1,410**	**1,939**	**1,254**	**477**	**72**	**47**	**2**	**2**
	Transferred	37		4	4	12	1	3	2	2	4	-	4	1	-
	Home	5,743		21	98	120	321	1,405	1,937	1,251	473	72	42	1	2
	Died	25	0.4	10	6	4	1	2	-	1	-	-	1	-	-
10 lb. and under, but over 9 lb.	**Total**	**1,498**		**12**	**35**	**35**	**86**	**308**	**451**	**372**	**162**	**22**	**15**	-	-
	Transferred	14		2	3	3	-	-	2	2	-	1	1	-	-
	Home	1,478		8	31	32	86	308	448	369	162	21	13	-	-
	Died	6	0.4	2	1	-	-	-	1	1	-	-	1	-	-
Over 10 lb.	**Total**	**304**		**6**	**11**	**5**	**17**	**54**	**79**	**81**	**41**	**6**	**3**	**1**	-
	Transferred	4		-	-	-	1	1	1	1	-	-	-	-	-
	Home	292		-	11	5	16	52	78	79	41	6	3	1	-
	Died	8	2.6	6	-	-	-	1	-	1	-	-	-	-	-
Birth weight not stated	**Total**	**1,862**		**50**	**56**	**43**	**110**	**533**	**577**	**261**	**171**	**37**	**21**	**3**	-
	Transferred	35		5	7	9	5	1	3	3	1	-	1	-	-
	Home	1,756		12	29	30	100	529	568	258	170	37	20	3	-
	Died	71	3.8	33	20	4	5	3	6	-	-	-	-	-	-

(b) Hospitals in the Greater London Area

All birth weights	**Total**	**11,753**		**114**	**97**	**69**	**350**	**2,218**	**3,964**	**3,164**	**1,394**	**221**	**134**	**25**	**3**
	Transferred	45		6	5	5	3	4	5	7	4	-	5	1	-
	Home	11,561		39	67	54	338	2,201	3,949	3,147	1,389	221	129	24	3
	Died	147	1.3	69	25	10	9	13	10	10	1	-	-	-	-

5½ lb. and under		Total	650		44	17	12	16	48	103	136	148	43	66	16	1
		Transferred	15		1	1	1	1	1	1	3	1	-	4	1	-
		Home	555		1	1	5	11	41	98	130	147	43	62	15	1
		Died	80	12.3	42	15	6	4	6	4	3	-	-	-	-	-
Over 5½ lb.		Total	10,708		58	72	53	309	2,110	3,748	2,918	1,195	170	64	9	2
		Transferred	25		4	3	3	-	3	4	4	3	-	1	-	-
		Home	10,635		35	62	46	307	2,101	3,742	2,907	1,191	170	63	9	2
		Died	48	0.4	19	7	4	2	6	2	7	1	-	-	-	-
5½ lb. and under	3½ lb. and under	Total	98		31	10	5	3	5	5	7	5	3	14	9	1
		Transferred	5		1	1	-	-	-	-	-	-	-	3	-	-
		Home	42		-	-	-	-	3	4	6	5	3	11	9	1
		Died	51	52.0	30	9	5	3	2	1	1	-	-	-	-	-
	Over 3½ lb. but not over 5½ lb.	Total	552		13	7	7	13	43	98	129	143	40	52	7	-
		Transferred	10		-	-	1	1	1	1	3	1	-	1	1	-
		Home	513		1	1	5	11	38	94	124	142	40	51	6	-
		Died	29	5.3	12	6	1	1	4	3	2	-	-	-	-	-
Over 5½ lb.	Over 5½ lb. but not over 7½ lb.	Total	5,939		35	40	34	166	1,206	2,090	1,587	652	88	34	6	1
		Transferred	12		3	3	1	-	-	2	2	1	-	-	-	-
		Home	5,899		21	32	31	165	1,201	2,086	1,584	650	88	34	6	1
		Died	28	0.5	11	5	2	1	5	2	1	1	-	-	-	-
	Over 7½ lb.	Total	4,769		23	32	19	143	904	1,658	1,331	543	82	30	3	1
		Transferred	13		1	-	2	-	3	2	2	2	-	1	-	-
		Home	4,736		14	30	15	142	900	1,656	1,323	541	82	29	3	1
		Died	20	0.4	8	2	2	1	1	-	6	-	-	-	-	-
Birth weight not stated		Total	395		12	8	4	25	60	113	110	51	8	4	-	-
		Transferred	5		1	1	1	2	-	-	-	-	-	-	-	-
		Home	371		3	4	3	20	59	109	110	51	8	4	-	-
		Died	19	4.8	8	3	-	3	1	4	-	-	-	-	-	-

TABLE 6 - continued

(c) Hospitals in the North of England

Birth weight and discharge category			Total	Per cent of Total	Distribution in days of length of stay in the hospital											
					1-	2-	4-	6-	8-	10-	12-	15-	22-	29-	50-	92 and over
All birth weights		Total	16,222		243	307	475	1,376	4,289	4,940	3,092	997	227	210	61	5
		Transferred	142		24	25	23	11	11	13	12	9	4	8	2	-
		Home	15,752		46	204	430	1,347	4,265	4,922	3,072	983	222	198	58	5
		Died	328	2.0	173	78	2[illegible]	18	13	5	8	5	1	4	1	-
5½ lb. and under		Total	1,193		132	47	19	46	153	211	188	157	79	112	46	3
		Transferred	25		12	-	1	1	3	3	3	-	1	1	-	-
		Home	966		2	6	5	32	144	206	181	155	78	109	45	3
		Died	202	16.9	118	41	13	13	6	2	4	2	-	2	1	-
Over 5½ lb.		Total	14,567		93	245	435	1,258	3,993	4,630	2,852	816	138	91	14	2
		Transferred	109		11	22	22	10	8	10	7	8	3	6	2	-
		Home	14,357		43	190	406	1,244	3,979	4,618	2,841	805	134	83	12	2
		Died	101	0.7	39	33	7	4	6	2	4	3	1	2	-	-
5½ lb. and under	3½ lb. and under	Total	201		83	17	7	10	6	3	4	6	3	28	32	2
		Transferred	7		7	-	-	-	-	-	-	-	-	-	-	-
		Home	76		-	-	-	-	3	2	4	5	3	26	31	2
		Died	118	58.7	76	17	7	10	3	1	-	1	-	2	1	-
	Over 3½ lb. but not over 5½ lb.	Total	992		49	30	12	36	147	208	184	151	76	84	14	1
		Transferred	18		5	-	1	1	3	3	3	-	1	1	-	-
		Home	890		2	6	5	32	141	204	177	150	75	83	14	1
		Died	84	8.5	42	24	6	3	3	1	4	1	-	-	-	-

Over 5½ lb.	Over 5½ lb. but not over 7½ lb.	Total	8,355		55	135	237	709	2,350	2,640	1,658	433	83	46	9	-
		Transferred	57		6	9	8	8	5	7	5	4	2	2	1	-
		Home	8,230		22	103	225	698	2,341	2,632	1,650	427	80	44	8	-
		Died	68	0.8	27	23	4	3	4	1	3	2	1	-	-	-
	Over 7½ lb.	Total	6,212		38	110	198	549	1,643	1,990	1,194	383	55	45	5	2
		Transferred	52		5	13	14	2	3	3	2	4	1	4	1	-
		Home	6,127		21	87	181	546	1,638	1,986	1,191	378	54	39	4	2
		Died	33	0.5	12	10	3	1	2	1	1	1	-	2	-	-
Birth weight not stated		Total	462		18	15	21	72	143	99	52	24	10	7	1	-
		Transferred	8		1	3	-	-	-	-	2	1	-	1	-	-
		Home	429		1	8	19	71	142	98	50	23	10	6	1	-
		Died	25	5.4	16	4	2	1	1	1	-	-	-	-	-	-

APPENDIX A: List of hospitals participating in the Enquiry during the period 1949-1951, indicating by an asterisk those included in the tables for each year, and showing the age distribution of discharges from individual hospitals included in the tables for 1949.

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Age distribution of discharges in 1949 (excluding livebirths)							
				Sex	Total with stated age	0-	15-	45-	65-	75 and over	N.S.
LONDON TEACHING GROUPS											
The Royal Hospital of St. Bartholomew											
The Royal Hospital of St. Bartholomew	*	*	*	M	3,518	494	1,277	1,294	349	104	7
				F	3,614	356	1,846	1,040	273	99	5
The London Hospital											
The London Hospital		*	*								
The Royal Free Hospital											
The Royal Free Hospital		*	*								
University College Hospital											
University College Hospital		*	*								
The Hospital for Tropical Diseases		*									
St. Pancras Hospital, N.W.1.		*	*								
The Middlesex Hospital											
The Middlesex Hospital and Cancer Wing	*	*	*	M	3,489	467	1,337	1,264	310	111	9
				F	4,634	418	2,181	1,504	398	133	12
St. Luke's Hospital for Functional Nervous Disorders	*	*	*	M	109	-	60	44	5	-	-
				F	77	-	50	23	4	-	-
The Hospital for Women, Soho Square	*	*	*	F	1,395	1	943	400	46	5	4

Westminster Hospital											
Westminster Hospital	*	*	*	M	2,517	383	981	850	215	88	12
				F	3,352	355	1,892	813	215	77	26
St. Mary's Hospital, Paddington											
St. Mary's Hospital, W.2.	*	*	*	M	2,890	629	1,075	849	249	88	7
				F	4,376	490	2,527	971	278	110	15
Paddington Green Children's Hospital, W.2.	*	*	*	M	522	521	-	1	-	-	9
				F	382	374	3	4	-	1	3
The Princess Louise Kensington Hospital for Children	*	*	*	M	498	496	1	1	-	-	-
				F	407	406	1	-	-	-	-
The Samaritan Free Hospital for Women	*	*	*	F	1,491	-	917	498	58	18	6
The Western Ophthalmic Hospital	*	*	*	M	369	87	94	99	68	21	-
				F	444	97	55	104	109	79	1
St. Luke's Hospital for Advanced Cases	*	*	*	M	86	-	9	33	31	13	4
				F	144	-	20	75	33	16	3
St. Thomas's Hospital											
St. Thomas's Hospital	*	*	*	M	4,640	1,086	1,818	1,235	409	92	38
				F	5,553	759	2,864	1,413	411	106	94
The General Lying-in Hospital	*	*	*	M	1	-	1	-	-	-	-
				F	1,000	1	997	2	-	-	8
The Hospital for Sick Children											
The Hospital for Sick Children	*	*	*	M	3,151	3,146	4	1	-	-	29
				F	2,363	2,353	8	2	-	-	19
The Bethlem and Maudsley Hospitals											
The Bethlem Royal Hospital for Nervous and Mental Disorders; The Maudsley Hospital	*	*	*	M	365	30	236	86	12	1	-
				F	556	18	353	164	18	3	-

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Age distribution of discharges in 1949 (excluding livebirths)						
				Sex	Total with stated age	0-	15-	45-	65-	75 and over	N.S.
The Hospital for Diseases of the Chest											
The Hospital for Consumption and Diseases of the Chest	*	*	*	M	311	65	85	143	15	3	1
				F	198	70	84	39	5	-	1
The London Chest Hospital											
The Royal National Orthopaedic Hospital											
The Royal National Orthopaedic Hospital	*	*	*	M	513	28	328	136	18	3	6
				F	931	21	516	350	38	6	7
Country Branch Stanmore	*	*	*	M	848	450	315	71	9	3	8
				F	794	430	234	98	29	3	4
The National Heart Hospital											
The National Hospital for Diseases of the Heart	*	*	*	M	162	12	36	91	23	-	-
				F	135	17	48	56	12	2	-
The Royal Marsden Hospital											
The Royal Marsden Hospital	*	*	*	M	652	15	94	314	162	67	6
				F	590	10	130	271	125	54	20
Queen Charlotte's and Chelsea Hospitals											
Queen Charlotte's Maternity Hospital	*	*	*	F	2,618	3	2,606	9	-	-	8
PROVINCIAL TEACHING GROUPS											
United Newcastle-upon-Tyne Hospitals											
The Royal Victoria Infirmary	*	*	*	M	11,353	1,887	4,441	3,683	1,010	332	28
				F	9,724	1,206	4,253	3,117	892	256	10

The Princess Mary Maternity Hospital	*			M	1	1					
				F	2,114	2	2,099	13	-	-	-
United Leeds Hospitals											
The General Infirmary at Leeds	*	*	*	M	9,561	2,341	3,245	2,858	825	292	35
				F	7,927	1,787	2,633	2,392	827	288	39
The Maternity Hospital at Leeds	*	*	*	M	10	10	-	-	-	-	1
				F	2,704	10	2,683	11	-	-	2
The Hospital for Women at Leeds	*	*	*	M	1	-	1	-	-	-	-
				F	2,750	10	1,517	1,019	182	22	1
United Sheffield Hospitals											
The Royal Sheffield Infirmary and Hospital											
The Sheffield Royal Hospital	*	*	*	M	4,783	836	2,021	1,418	379	129	13
				F	3,521	745	1,378	934	341	123	9
The Sheffield Royal Infirmary	*	*	*	M	4,527	395	1,952	1,575	468	137	46
				F	3,157	273	1,313	1,067	374	130	37
The Jessop Hospital for Women	*	*	*	M	29	25	2	2	-	-	1
				F	3,308	31	2,614	565	83	15	2
The Children's Hospital		*	*								
United Cambridge Hospitals											
Addenbrooke's Hospital	*	*	*	M	1,412	360	514	345	137	56	35
				F	1,571	283	648	447	139	54	29
Maternity (and County) Hospital	*	*	*	M	43	29	6	5	3	-	1
				F	1,826	17	1,765	27	6	11	4
Brookfields Hospital (for Infectious Diseases)	*	*	*	M	202	145	47	7	2	1	4
				F	164	110	49	4	1	-	-
Chesterton Hospital	*	*	*	M	206	24	56	43	38	45	3
				F	200	22	69	38	31	40	6

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Age distribution of discharges in 1949 (excluding livebirths)							
				Sex	Total with stated age	0-	15-	45-	65-	75 and over	N.S.
United Oxford Hospitals											
The Radcliffe Infirmary	*	*	*	M	4,386	1,101	1,706	1,040	374	165	9
				F	6,655	795	3,983	1,299	397	181	14
The Churchill Hospital / The Oxford Eye Hospital	*	*	*	M	807	169	322	228	73	15	1
				F	1,728	125	1,210	312	61	20	5
United Cardiff Hospitals											
The Cardiff Royal Infirmary	*	*	*	M	3,432	843	1,134	1,057	291	107	1
				F	2,817	527	1,108	905	224	53	2
The Llandough Hospital	*	*	*	M	2,910	1,004	890	770	188	58	2
				F	3,570	799	1,758	784	184	45	5
The Lord Pontypridd Hospital	*	*	*	M	22	22	-	-	-	-	-
				F	35	34	1	-	-	-	-
United Birmingham Hospitals											
The Birmingham United Hospital											
The General Hospital	*	*	*	M	2,909	424	1,170	943	262	110	17
				F	2,744	321	1,163	918	260	82	8
The Queen Elizabeth Hospital	*	*	*	M	3,939	349	1,558	1,488	436	108	4
				F	4,097	333	2,051	1,302	335	76	4
The Children's Hospital	*	*	*	M	3,201	3,200	1	-	-	-	2
				F	2,557	2,522	35	-	-	-	1

The Midland Nerve Hospital				F	243	6	133	87	13	4	-
The Birmingham and Midland Hospitals for Women											
The Hospital for Women	*	*	*	F	2,362	12	1,445	789	101	15	5
The Maternity Hospital	*	*	*	M	9	6	1	2	-	-	1
				F	2,385	5	2,348	30	2	-	2
United Manchester Hospitals											
The Manchester Royal Infirmary	*	*	*	M	4,789	400	1,918	1,903	452	116	14
				F	4,213	269	1,925	1,525	395	99	17
St. Mary's Hospitals for Women and Children	*	*	*	M	15	12	1	1	1	-	-
				F	7,408	21	6,217	1,005	149	16	-
The Manchester Royal Eye Hospital	*	*	*	M	1,556	366	454	432	218	86	5
				F	1,438	332	268	424	288	126	6
United Liverpool Hospitals											
The Royal Liverpool United Hospitals											
The Liverpool Royal Infirmary	*	*	*	M	1,300	40	549	520	144	47	16
				F	1,006	14	533	365	73	21	10
The David Lewis Northern Hospital	*	*	*	M	1,740	123	791	652	139	35	4
				F	1,415	58	731	483	114	29	5
The Royal Southern Hospital	*	*	*	M	1,492	193	592	486	176	45	1
				F	1,362	134	664	401	130	33	2
The Liverpool Stanley Hospital	*	*	*	M	666	151	271	175	58	11	-
				F	917	87	558	213	49	10	-
The Women's Hospital											
The Hospital for Women The Samaritan Hospital for Women	*	*	*	F	2,185	3	1,401	672	91	18	-

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Age distribution of discharges in 1949 (excluding livebirths)							
				Sex	Total with stated age	0-	15-	45-	65-	75 and over	N.S.
United Liverpool Hospitals (Contd.)											
The Liverpool Maternity Hospital	*	*	*	M	4	4	-	-	-	-	-
				F	2,912	1	2,895	16	-	-	-
The Royal Liverpool Children's Hospital	*	*	*	M	1,777	1,768	8	-	-	1	3
				F	1,388	1,384	3	1	-	-	1
The Liverpool Eye, Ear and Throat Infirmary	*	*	*	M	1,000	331	371	192	71	35	15
				F	919	304	288	176	103	48	17
St. Paul's Eye Hospital	*	*	*	M	701	173	228	173	79	48	2
				F	643	127	145	161	137	73	2
REGIONAL HOSPITAL BOARDS											
N.W. METROPOLITAN											
Hendon Hospital Management Committee											
Edgware General Hospital	*	*	*	M	2,865	751	907	836	244	127	3
				F	5,492	573	3,521	934	335	129	8
N.E. METROPOLITAN											
Enfield Hospital Management Committee											
Chase Farm Hospital	*	*	*	M	2,493	494	786	707	327	179	7
				F	3,829	371	2,306	692	281	179	16
WELSH											
Newport and East Monmouthshire Hospital Management Committee											
St. Woolos Hospital	*	*	*	M	974	259	292	255	112	56	2

SHEFFIELD

Leicester No.1 Hospital Management Committee											
Leicester Royal Infirmary	*	*	*	M	5,944	1,610	1,971	1,465	598	300	109
				F	5,535	1,104	2,421	1,320	466	224	79
Leicester General Hospital	*	*	*	M	1,974	427	590	641	225	91	4
				F	3,968	337	2,601	690	263	77	9
Loughborough General Hospital	*	*	*	M	661	164	258	152	63	24	-
				F	942	123	557	183	49	30	2
Leicester No.2 Hospital Management Committee											
Ashby-de-la-Zouch and District Hospital	*	*	*	M	164	58	50	32	13	11	-
				F	393	47	263	64	15	4	-
Blaby Hospital	*	*	*	M	101	93	7	1	-	-	-
				F	100	93	5	1	1	-	1
Bosworth Park Infirmary	*	*	*	M	247	201	5	13	10	18	1
				F	724	210	470	7	16	21	1
Burley-on-the-Hill Auxiliary Hospital	*	*		M	354	27	153	125	45	4	-
				F	282	3	125	128	24	2	1
Hinckley and District Hospital	*	*	*	M	406	170	132	79	20	5	-
				F	493	125	219	109	30	10	-
Hinckley Isolation Hospital	*	*	*	M	106	87	15	3	-	1	-
				F	108	88	16	2	2	-	-
Leicester Isolation Hospital and Chest Unit	*	*	*	M	659	305	220	119	14	1	1
				F	625	309	281	27	7	1	1
Markfield Sanatorium and Isolation Hospital	*	*	*	M	211	70	108	32	-	1	2
				F	138	46	82	10	-	-	1

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Age distribution of discharges in 1949 (excluding livebirths)							
				Sex	Total with stated age	0-	15-	45-	65-	75 and over	N.S.
Leicester No.2 Hospital Management Committee (Contd.)											
Melton and District War Memorial Hospital	*	*	*	M	379	119	120	89	33	18	-
				F	424	95	185	94	32	18	1
Melton Isolation Hospital		*	*								
Melton Mowbray Infirmary	*	*	*	M	106	15	17	14	23	37	1
				F	484	14	430	8	9	23	-
Oakham Infirmary	*	*	*	M	48	-	-	8	18	22	1
				F	30	-	-	4	10	16	-
Rutland Memorial Hospital	*	*	*	M	176	59	57	34	20	6	1
				F	221	39	98	60	20	4	2
MANCHESTER											
North Manchester Hospital Management Committee											
Crumpsall Hospital	*	*	*	M	3,081	19	1,063	1,186	565	248	70
				F	6,127	21	4,234	1,098	518	256	132
South Manchester Hospital Management Committee											
Withington Hospital	*	*	*	M	3,194	45	1,140	1,182	523	304	4
				F	6,436	25	4,298	1,245	563	305	6
Baguley Sanatorium and Emergency Hospital	*	*	*	M	166	-	121	42	3	-	-
				F	214	-	199	15	-	-	-

Christie Hospital and Holt Radium Institute	*	*	*	M	426	13	86	207	89	31	-
				F	427	14	102	215	79	17	-
Manchester Babies' and Children's Hospital Management Committee											
Booth Hall Hospital for Children	*	*	*	M	2,606	2,537	67	1	1	-	1
				F	2,163	2,071	92	-	-	-	2
Monsall Isolation Hospital	*	*	*	M	926	785	108	25	8	-	-
				F	1,145	660	442	32	11	-	-

APPENDIX B: Numbers of patients by sex and age in different types of N.H.S. Hospitals, in England and Wales and in Hospital Regions, on Census night, 8th April, 1951, and rates per 100,000 population.

Information about the total number of patients, and their age distribution, in hospital in England and Wales is not normally available. Such information can, however, be derived from a national census and has in the past been published in Census reports (see, for example, Tables 16 and 28 of the General Tables on the 1931 Census). Similar information will be published in the General Tables on the 1951 Census.

In view, however, of the significance of this information in relation to the organisation and cost of the National Health Service, a special tabulation has been undertaken from the 1951 Census records, in advance of the normal tabulation for the Census Report; and, in view of the relevance of this information to the consideration of hospital statistics generally, a summary of the information is given in the table below.

For Census purposes, a classification of institutions was used which is slightly different from that adopted for statistics of hospital beds in the Ministry of Health's "Hospital and Specialist Services Statistics, 1951"; but, so far as practicable, the figures in the table below have been brought into line with the classification used by the Ministry of Health. In doing this, each relevant Census schedule was re-classified according to the Ministry's classification; but some differences could not be adjusted, notably where an institution was used partly as a hospital and partly as a home for the aged. As a result the figures for patients in chronic and mainly chronic hospitals in the table below are about 13 per cent and 9 per cent respectively below the Ministry's figures of average bed occupation; this deficiency would be particularly marked in older age groups.

A further important difference between the figures in the table below and those of hospital beds arises from the inclusion in the Census figures of healthy new-born babies, whose cots are not included in the figures of hospital beds. As an approximation, since no sub-division of babies under four weeks is available, this difference can be allowed for by excluding babies under four weeks of age from the Census figures; to enable this to be done the numbers are shown separately and rates have been calculated excluding these numbers.

Numbers of patients, by Sex and Age, in N.H.S. Hospitals on Census night, 8th April, 1951, with rates per 100,000 Population

ENGLAND AND WALES

Type of Hospital		Number of Patients								Rate per 100,000 Population					
		Under 4 wks.	4 wks. - 14 yrs.	15 -44	45-64	65-74	75 and over	All Ages	All Ages 4 wks. and over	4 wks. - 14 yrs.	15-	45-	65-	75 and over	All Ages 4 wks. and over
Teaching	M	602	1,870	2,788	2,923	1,014	525	9,722	9,120	38	30	60	74	87	43
	F	609	1,554	5,293	3,216	1,168	746	12,586	11,977	33	56	57	62	77	53
Non-Teaching*	M	6,063	14,794	25,445	20,612	11,617	11,771	90,302	84,239	299	276	421	848	1,960	401
	F	5,729	12,246	41,643	20,768	13,611	19,283	113,280	107,551	258	439	367	721	1,992	471
General	M	1,881	4,543	8,392	8,718	3,999	2,261	29,794	27,913	92	91	178	292	377	134
	F	1,692	3,413	13,345	8,706	4,357	3,126	34,639	32,947	71	141	154	231	323	144
Mainly General	M	1,724	2,348	4,903	5,908	3,524	3,468	21,875	20,151	47	53	121	257	578	97
	F	1,676	1,902	10,086	5,937	4,119	5,798	29,518	27,842	40	106	105	218	599	122
Mainly Chronic	M	253	211	652	1,297	1,423	2,139	5,975	5,722	4	7	26	104	356	27
	F	240	213	1,445	1,644	1,667	3,494	8,703	8,463	4	15	29	88	361	37
Chronic	M	43	203	446	1,281	1,819	3,235	7,027	6,984	4	5	26	133	539	33
	F	32	148	679	1,742	2,418	5,738	10,757	10,725	3	7	31	128	593	47
Convalescent	M	1	339	225	327	97	42	1,031	1,030	7	2	7	7	7	5
	F	-	240	363	478	198	135	1,414	1,414	5	4	8	11	14	6
Isolation	M	5	790	151	48	13	13	1,020	1,015	16	2	1	1	2	5
	F	3	715	168	29	16	19	950	947	15	2	1	1	2	4
Maternity	M	2,045	63	-	-	-	-	2,108	63	1	-	-	-	-	0
	F	1,978	79	4,640	11	-	-	6,708	4,730	2	49	0	-	-	21
Orthopaedic	M	-	994	742	249	34	18	2,037	2,037	20	8	5	2	3	10
	F	-	856	549	227	74	51	1,757	1,757	18	6	4	4	5	8
Tuberculosis (Chest)	M	-	968	7,260	1,209	66	7	9,510	9,510	20	79	25	5	1	45
	F	-	955	7,000	379	28	29	8,391	8,391	20	74	7	1	3	37

T.B. (Chest) and Isolation	M	27	1,031	1,252	517	112	48	2,987	2,960	21	14	11	8	8	14
	F	32	973	1,433	245	52	24	2,759	2,727	21	15	4	3	2	12
Ear, Nose and Throat	M	-	61	18	7	2	1	89	89	1	0	0	0	0	0
	F	-	59	35	6	5	1	106	106	1	0	0	0	0	0
Children's (General)	M	24	2,184	11	-	-	-	2,219	2,195	44	0	-	-	-	10
	F	19	1,760	33	5	-	-	1,817	1,798	37	0	0	-	-	8
Eye	M	-	76	54	71	37	32	270	270	2	1	1	3	5	1
	F	1	54	56	58	42	26	237	236	1	1	1	2	3	1
Other Special Hospitals	M	60	891	1,326	980	491	507	4,255	4,195	18	14	20	36	84	20
	F	56	803	1,788	1,300	635	842	5,424	5,368	17	19	23	34	87	24
Other Establishments	M	-	92	13	-	-	-	105	105	2	0	-	-	-	0
	F	-	76	23	1	-	-	100	100	2	0	0	-	-	0
Mental	M	-	307	21,325	25,591	9,222	4,015	60,460	60,460	6	233	521	670	671	288
	F	2	172	18,935	34,599	16,613	10,281	80,602	80,600	4	200	611	882	1,064	354
Mental Deficiency	M	6	3,650	17,788	4,448	405	125	26,422	26,416	74	194	91	30	21	126
	F	8	2,263	14,719	5,638	694	414	23,736	23,728	48	155	100	37	43	104
All N.H.S. Hospitals	M	6,671	20,621	67,346	53,574	22,258	16,436	186,906	180,235	417	733	1,093	1,622	2,739	858
	F	6,348	16,235	80,590	64,221	32,086	30,724	230,204	223,856	342	850	1,135	1,702	3,176	982

/ Including healthy babies born in hospital.
* Excluding hospitals for mental illness and mental deficiency.

HOSPITAL BOARD REGIONS

Type of Hospital		Number of Patients								Rate per 100,000 Population					
		Under 4 wks.	4 wks. - 14 yrs.	15-44	45-64	65-74	75 and over	All Ages	All Ages 4 wks. and over	4 wks. - 14 yrs.	15-	45-	65-	75 and over	All Ages 4 wks. and over
Region 1 Newcastle															
Teaching	M	24	60	175	136	43	18	456	432	17	28	43	48	49	30
	F	17	47	225	178	43	12	522	505	14	35	51	40	25	34
Non-Teaching*	M	346	919	1,831	1,237	585	562	5,480	5,134	258	290	389	659	1,535	358
	F	345	798	2,892	1,181	630	650	6,496	6,151	233	456	337	582	1,354	416
Mental	M	-	35	1,425	1,548	537	198	3,743	3,743	10	225	487	604	541	262
	F	-	11	1,044	1,650	638	331	3,674	3,674	3	165	472	590	689	248
Mental Deficiency	M	-	116	749	145	4	-	1,014	1,014	33	118	46	4	-	71
	F	-	70	646	208	11	5	940	940	21	102	59	10	10	63
All Hospitals	M	**370**	**1,130**	**4,180**	**3,066**	**1,169**	**778**	**10,693**	**10,323**	**318**	**661**	**965**	**1,315**	**2,125**	**721**
	F	**362**	**926**	**4,807**	**3,217**	**1,322**	**998**	**11,632**	**11,270**	**271**	**758**	**919**	**1,222**	**2,078**	**761**
Region 2 Leeds															
Teaching	M	28	56	116	135	50	17	402	374	16	19	39	51	42	26
	F	34	48	230	157	58	10	537	503	15	35	38	42	15	31
Non-Teaching*	M	433	1,079	1,580	1,364	852	880	6,188	5,755	316	253	389	875	2,153	397
	F	418	859	2,860	1,531	1,095	1,504	8,267	7,849	261	437	368	791	2,276	490
Mental	M	-	11	1,681	2,105	726	286	4,809	4,809	3	271	602	745	699	331
	F	-	8	1,509	2,713	1,270	608	6,108	6,108	2	231	652	917	920	381
Mental Deficiency	M	6	255	1,180	303	18	1	1,763	1,757	75	190	87	18	2	121
	F	7	165	867	364	43	7	1,453	1,446	50	133	87	31	11	90
All Hospitals	M	**467**	**1,401**	**4,557**	**3,907**	**1,646**	**1,184**	**13,162**	**12,695**	**410**	**733**	**1,117**	**1,689**	**2,896**	**875**
	F	**459**	**1,080**	**5,466**	**4,765**	**2,466**	**2,129**	**16,365**	**15,906**	**328**	**836**	**1,145**	**1,781**	**3,222**	**992**

Region 3 Sheffield

Teaching	M	31	123	146	173	59	14	546	515	25	16	37	46	26	25
	F	30	127	237	169	54	22	639	609	27	26	34	34	29	29
Non-Teaching*	M	516	1,256	2,252	1,665	1,007	1,085	7,781	7,265	255	251	359	786	2,004	358
	F	488	952	3,380	1,602	1,025	1,519	8,966	8,478	201	378	319	645	2,023	403
Mental	M	-	34	1,693	1,886	686	291	4,590	4,590	7	189	407	536	537	225
	F	-	15	1,483	2,420	1,121	629	5,668	5,668	3	165	481	705	838	269
Mental Deficiency	M	-	239	1,482	252	19	7	1,999	1,999	48	165	54	15	13	98
	F	-	132	1,497	424	27	10	2,090	2,090	28	167	84	17	13	99
All Hospitals	M	**547**	**1,652**	**5,573**	**3,976**	**1,771**	**1,397**	**14,916**	**14,369**	**335**	**621**	**857**	**1,383**	**2,580**	**706**
	F	**518**	**1,226**	**6,597**	**4,615**	**2,227**	**2,180**	**17,363**	**16,845**	**259**	**736**	**918**	**1,401**	**2,903**	**800**

Region 4 East Anglia

Teaching	M	19	33	57	71	30	61	271	252	20	18	45	58	233	35
	F	25	29	140	79	54	72	399	374	19	48	45	83	190	51
Non-Teaching*	M	150	400	654	522	378	535	2,639	2,489	247	208	328	726	2,044	349
	F	127	257	1,049	567	420	700	3,120	2,993	166	356	319	647	1,848	411
Mental	M	-	10	542	834	329	131	1,846	1,846	6	172	525	632	500	259
	F	-	4	587	1,210	577	308	2,686	2,686	3	200	683	888	813	369
Mental Deficiency	M	-	70	370	87	10	1	538	538	43	118	55	19	4	75
	F	-	68	450	168	18	1	705	705	44	153	95	28	3	97
All Hospitals	M	**169**	**513**	**1,623**	**1,514**	**747**	**728**	**5,294**	**5,125**	**316**	**516**	**953**	**1,435**	**2,781**	**718**
	F	**152**	**358**	**2,226**	**2,024**	**1,069**	**1,081**	**6,910**	**6,758**	**232**	**757**	**1,142**	**1,646**	**2,854**	**928**

Region 5 N.W. Metropolitan

Teaching	M	152	509	629	663	224	111	2,288	2,136	133	80	156	214	251	123
	F	160	381	1,340	780	269	157	3,087	2,927	104	156	156	174	190	149
Non-Teaching*	M	552	1,026	2,120	1,701	809	750	6,958	6,406	268	271	400	775	1,694	368
	F	475	852	3,559	1,699	1,041	1,445	9,071	8,596	232	416	342	671	1,746	439
Mental	M	-	-	1,733	1,894	594	313	4,534	4,534	-	221	445	569	707	260
	F	-	3	1,506	2,538	1,221	764	6,032	6,032	1	176	508	788	923	308
Mental Deficiency	M	-	345	1,441	663	108	29	2,586	2,586	90	184	156	103	66	149
	F	-	123	1,100	771	172	114	2,280	2,280	33	128	154	111	138	116
All Hospitals	M	**704**	**1,880**	**5,923**	**4,921**	**1,735**	**1,203**	**16,366**	**15,662**	**491**	**756**	**1,157**	**1,661**	**2,718**	**900**
	F	**635**	**1,359**	**7,505**	**5,788**	**2,703**	**2,480**	**20,470**	**19,835**	**370**	**876**	**1,160**	**1,744**	**2,997**	**1,012**

*/ see notes on p.145.

HOSPITAL BOARD REGIONS - continued

Type of Hospital		Number of Patients								Rate per 100,000 Population					
		Under 4 wks.	4 wks. - 14 yrs.	15-44	45-64	65-74	75 and over	All Ages	All Ages 4 wks. and over	4 wks. - 14 yrs.	15-	45-	65-	75 and over	All Ages 4 wks. and over
Region 6 N.E. Metropolitan															
Teaching	M	25	84	244	302	88	25	768	743	25	38	90	97	64	52
	F	32	69	385	259	87	37	869	837	21	57	68	70	58	54
Non-Teaching*	M	424	1,059	1,799	1,706	995	1,036	7,019	6,595	309	284	511	1,101	2,637	458
	F	438	894	3,081	1,613	1,186	1,667	8,879	8,441	275	460	423	959	2,610	539
Mental	M	-	-	1,246	1,472	568	210	3,496	3,496	-	197	440	629	535	243
	F	-	2	1,017	2,148	1,022	587	4,776	4,776	1	152	563	827	919	305
Mental Deficiency	M	-	198	1,000	242	20	1	1,461	1,461	58	158	72	22	3	101
	F	-	104	969	401	34	4	1,512	1,512	32	145	105	28	6	97
All Hospitals	M	449	1,341	4,289	3,722	1,671	1,272	12,744	12,295	392	677	1,113	1,849	3,239	854
	F	470	1,069	5,452	4,421	2,329	2,295	16,036	15,566	329	814	1,159	1,884	3,593	995
Region 7 S.E. Metropolitan															
Teaching	M	33	117	176	181	88	29	624	591	33	28	52	82	58	40
	F	33	82	351	174	56	30	726	693	24	52	41	36	34	41
Non-Teaching*	M	471	1,174	2,101	1,626	960	900	7,232	6,761	332	333	462	894	1,796	453
	F	406	1,006	3,374	1,804	1,087	1,546	9,223	8,817	298	497	426	691	1,735	523
Mental	M	-	70	1,279	1,630	613	277	3,869	3,869	20	203	465	572	553	259
	F	1	28	1,339	2,384	1,221	745	5,718	5,717	8	197	563	777	837	339
Mental Deficiency	M	-	116	1,262	434	22	2	1,836	1,836	33	200	124	21	4	123
	F	-	93	938	401	29	13	1,474	1,474	28	138	95	18	15	87
All Hospitals	M	504	1,477	4,818	3,871	1,683	1,208	13,561	13,057	418	764	1,103	1,569	2,411	875
	F	440	1,209	6,002	4,763	2,393	2,334	17,141	16,701	358	884	1,125	1,522	2,621	990

Teaching	M	116	217	448	429	147	97	1,454	1,338	44	46	83	96	138	61
	F	110	182	861	436	165	174	1,928	1,818	39	85	69	72	134	74
Non-Teaching*	M	693	1,824	2,860	2,275	1,264	1,276	10,192	9,499	372	297	442	824	1,813	432
	F	681	1,431	4,620	2,324	1,575	2,372	13,003	12,322	304	456	368	692	1,830	499
Mental	M	-	79	3,419	4,174	1,816	948	10,436	10,436	16	354	810	1,184	1,348	476
	F	1	45	3,253	6,347	3,545	2,995	16,186	16,185	10	322	1,004	1,555	2,310	655
Mental Deficiency	M	-	853	2,631	613	57	12	4,166	4,166	174	273	119	37	17	190
	F	-	591	2,190	718	114	100	3,713	3,713	126	217	114	50	77	150
All Hospitals	M	**809**	**2,973**	**9,358**	**7,491**	**3,284**	**2,333**	**26,248**	**25,439**	**606**	**970**	**1,454**	**2,141**	**3,316**	**1,159**
	F	**792**	**2,249**	**10,924**	**9,825**	**5,399**	**5,641**	**34,830**	**34,038**	**479**	**1,080**	**1,555**	**2,369**	**4,351**	**1,378**

Region 9 Oxford

Teaching	M	37	67	128	115	49	69	465	428	43	42	73	107	306	62
	F	25	81	261	118	78	138	701	676	54	89	68	131	400	95
Non-Teaching*	M	151	373	603	505	312	457	2,401	2,250	236	195	321	681	2,026	325
	F	150	319	1,120	544	331	659	3,123	2,973	213	383	312	555	1,909	418
Mental	M	-	15	588	757	311	133	1,804	1,804	10	191	480	679	590	261
	F	-	11	558	1,119	534	331	2,553	2,553	7	191	642	895	959	359
Mental Deficiency	M	-	97	368	60	8	10	543	543	62	120	38	17	44	79
	F	-	61	529	189	10	15	804	804	41	181	108	17	43	113
All Hospitals	M	**188**	**552**	**1,687**	**1,437**	**680**	**669**	**5,213**	**5,025**	**351**	**548**	**912**	**1,484**	**2,966**	**727**
	F	**175**	**472**	**2,468**	**1,970**	**953**	**1,143**	**7,181**	**7,006**	**315**	**844**	**1,130**	**1,598**	**3,311**	**985**

Region 10 South Western

Teaching	M	23	119	83	93	35	14	367	344	40	15	30	37	31	26
	F	16	95	157	133	38	19	458	442	33	28	36	29	24	31
Non-Teaching*	M	410	782	1,678	1,401	820	851	5,942	5,532	262	299	452	867	1,861	422
	F	382	735	2,700	1,430	1,048	1,767	8,062	7,680	257	480	390	792	2,263	538
Mental	M	-	3	1,209	1,763	693	290	3,958	3,958	1	215	569	733	635	302
	F	-	2	1,304	2,697	1,366	790	6,159	6,159	1	231	735	1,032	1,011	432
Mental Deficiency	M	-	326	2,289	505	48	20	3,188	3,188	109	407	163	51	44	243
	F	-	241	1,794	571	80	51	2,737	2,737	84	318	156	60	65	192
All Hospitals	M	**433**	**1,230**	**5,259**	**3,762**	**1,596**	**1,175**	**13,455**	**13,022**	**412**	**936**	**1,214**	**1,688**	**2,571**	**993**
	F	**398**	**1,073**	**5,955**	**4,831**	**2,532**	**2,627**	**17,416**	**17,018**	**375**	**1,057**	**1,317**	**1,913**	**3,363**	**1,193**

*✓ see notes on p.145.

HOSPITAL BOARD REGIONS - continued

Type of Hospital		Number of Patients								Rate per 100,000 Population					
		Under 4 wks.	4 wks. - 14 yrs.	15-44	45-64	65-74	75 and over	All Ages	All Ages 4 wks. and over	4 wks. - 14 yrs.	15-	45-	65-	75 and over	All Ages 4 wks. and over
Region 11 Wales															
Teaching	M	1	61	99	111	32	14	318	317	20	18	37	37	37	25
	F	-	46	126	120	31	12	335	335	16	23	36	30	23	25
Non-Teaching*	M	417	970	1,805	1,158	615	543	5,508	5,091	323	334	383	709	1,420	401
	F	377	831	2,837	1,033	525	643	6,246	5,869	287	514	312	500	1,249	442
Mental	M	-	13	1,522	1,728	568	235	4,066	4,066	4	281	572	655	614	320
	F	-	3	1,046	1,774	726	381	3,930	3,930	1	190	536	691	740	296
Mental Deficiency	M	-	102	489	134	36	31	792	792	34	90	44	41	81	62
	F	1	69	537	244	58	80	989	988	24	97	74	55	155	74
All Hospitals	M	418	1,146	3,915	3,131	1,251	823	10,684	10,266	381	723	1,036	1,442	2,152	808
	F	378	949	4,546	3,171	1,340	1,116	11,500	11,122	328	824	958	1,276	2,167	837
Region 12 Birmingham															
Teaching	M	33	153	145	179	68	18	596	563	29	15	37	55	34	26
	F	44	140	385	225	64	26	884	840	27	40	43	39	32	37
Non-Teaching*	M	520	1,352	2,503	1,873	1,119	1,219	8,586	8,066	253	256	392	902	2,313	372
	F	496	1,243	3,635	1,763	1,222	2,051	10,410	9,914	244	373	334	744	2,511	439
Mental	M	-	33	1,914	2,244	801	353	5,345	5,345	6	196	469	645	670	247
	F	-	40	1,673	2,912	1,513	939	7,077	7,077	8	172	552	921	1,150	314
Mental Deficiency	M	-	477	1,741	350	15	6	2,589	2,589	90	178	73	12	11	120
	F	-	331	1,343	519	39	6	2,238	2,238	65	138	98	24	7	99
All Hospitals	M	553	2,015	6,303	4,646	2,003	1,596	17,116	16,563	378	645	971	1,614	3,028	765
	F	540	1,754	7,036	5,419	2,838	3,022	20,609	20,069	344	723	1,027	1,728	3,700	889

DS 82685/1/Wt.3813 K.6 11/54 TL

Region 13 Manchester

Teaching	M	41	35	142	157	45	21	441	400	7	16	30	32	37	19
	F	34	18	260	209	82	17	620	586	4	28	34	40	19	25
Non-Teaching*	M	631	1,276	2,104	2,288	1,357	1,212	8,868	8,237	268	238	442	959	2,165	397
	F	617	1,070	3,997	2,556	1,704	1,938	11,882	11,265	232	423	412	826	2,139	485
Mental	M	-	1	1,786	2,160	628	241	4,816	4,816	0	202	416	444	430	232
	F	-	-	1,544	2,940	1,198	590	6,272	6,272	-	164	473	581	652	270
Mental Deficiency	M	-	456	2,473	599	29	4	3,561	3,561	95	280	115	20	7	171
	F	-	214	1,513	537	45	7	2,316	2,316	47	160	86	22	8	100
All Hospitals	M	**672**	**1,768**	**6,505**	**5,204**	**2,059**	**1,478**	**17,686**	**17,014**	**370**	**736**	**1,003**	**1,455**	**2,639**	**819**
	F	**651**	**1,302**	**7,314**	**6,242**	**3,029**	**2,552**	**21,090**	**20,439**	**283**	**775**	**1,005**	**1,469**	**2,818**	**880**

Region 14 Liverpool

Teaching	M	39	236	200	178	56	17	726	687	91	45	81	98	74	69
	F	49	209	335	179	89	20	881	832	84	72	70	107	52	76
Non-Teaching*	M	349	1,304	1,555	1,291	544	465	5,508	5,159	501	354	588	952	2,014	515
	F	329	999	2,539	1,121	722	822	6,532	6,203	400	545	434	864	2,125	566
Mental	M	-	3	1,288	1,396	352	109	3,148	3,148	1	293	635	616	472	315
	F	-	-	1,072	1,747	661	283	3,763	3,763	-	230	679	792	732	344
Mental Deficiency	M	-	-	313	61	11	1	386	386	-	71	28	19	4	39
	F	-	1	346	123	14	1	485	485	0	74	48	17	3	44
All Hospitals	M	**388**	**1,543**	**3,356**	**2,926**	**963**	**592**	**9,768**	**9,380**	**593**	**763**	**1,332**	**1,685**	**2,564**	**938**
	F	**378**	**1,209**	**4,292**	**3,170**	**1,486**	**1,126**	**11,661**	**11,283**	**484**	**921**	**1,231**	**1,780**	**2,912**	**1,030**

*/ see notes on p. 145.

Census 1951

COUNTY REPORTS

These reports contain the definitive 1951 Census populations for Local Authority areas, wards, civil parishes, parliamentary constituencies and petty sessional divisions. Local populations are analysed by sex, age, marital condition, birth-place and nationality, numbers in full-time education, and social class.

The analysis of local housing conditions includes the number of dwellings, their size in rooms and size of households in occupation, and the household arrangements (viz. piped water, cooking stove, kitchen sink, watercloset, fixed bath) possessed by each household.

Anglesey and Caernarvonshire	20*s*. (20*s* 4*d*.)
Bedfordshire	15*s*. (15*s*. 3*d*.)
Berkshire	17*s*. 6*d*. (17*s*. 10*d*.)
Brecknockshire and Carmarthenshire	20*s*. (20*s*. 4*d*.)
Buckinghamshire	17*s*. 6*d*. (17*s*. 10*d*.)
Cambridgeshire and Huntingdonshire	21*s*. (21*s*. 4*d*.)
Cardiganshire and Pembrokeshire	20*s*. (20*s*. 4*d*.)
Cheshire	25*s*. (25*s*. 5*d*.)
Cornwall	20*s*. (20*s*. 4*d*.)
Cumberland and Westmorland	20*s*. (20*s*. 4*d*.)
Denbighshire and Flintshire	20*s*. (20*s*. 4*d*.)
Derbyshire	21*s*. (21*s*. 4*d*.)
Devon	25*s*. (25*s*. 5*d*.)
Dorset	17*s*. 6*d*. (17*s*. 9*d*.)
Durham	22*s*. 6*d*. (22*s*. 11*d*.)
Essex	25*s*. (25*s*. 5*d*.)
Glamorganshire	20*s*. (20*s*. 4*d*.)
Gloucestershire	21*s*. (21*s*. 4*d*.)
Hampshire	25*s*. (25*s*. 5*d*.)
Herefordshire and Shropshire	22*s*. 6*d*. (22*s*. 10*d*.)
Hertfordshire	21*s*. (21*s*. 4*d*.)
Kent	25*s*. (25*s*. 5*d*.)
Lancashire	42*s*. (42*s*. 8*d*.)
Leicestershire	17*s*. 6*d*. (17*s*. 10*d*.)
Lincolnshire and Rutland	27*s*. 6*d*. (27*s*. 10*d*.)
London	22*s*. 6*d*. (22*s*. 11*d*.)
Merionethshire, Montgomeryshire and Radnorshire	21*s*. (21*s*. 4*d*.)
Middlesex	20*s*. (20*s*. 4*d*.)
Monmouthshire	20*s*. (20*s*. 4*d*.)
Norfolk	21*s*. (21*s*. 4*d*.)
Northamptonshire	20*s*. (20*s*. 4*d*.)
Northumberland	20*s*. (20*s*. 4*d*.)
Nottinghamshire	17*s*. 6*d*. (17*s*. 10*d*.)
Oxfordshire	17*s*. 6*d*. (17*s*. 9*d*.)
Somerset	21*s*. (21*s*. 4*d*.)
Staffordshire	25*s*. (25*s*. 5*d*.)
Suffolk	22*s*. 6*d*. (22*s*. 10*d*.)
Surrey	21*s*. (21*s*. 4*d*.)
Sussex	25*s*. (25*s*. 5*d*.)
Warwickshire	20*s*. (20*s*. 4*d*.)
Wiltshire	20*s*. (20*s*. 4*d*.)
Worcestershire	20*s*. (20*s*. 4*d*.)
Yorkshire, East and North Ridings	27*s*. 6*d*. (28*s*.)
Yorkshire, West Riding	37*s*. 6*d*. (38*s*. 2*d*.)

(Prices in brackets include postage)

Obtainable from

HER MAJESTY'S STATIONERY OFFICE

at the addresses shown on page four of the cover

or through any bookseller.